

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
19 February 2004 (19.02.2004)

PCT

(10) International Publication Number
WO 2004/015139 A1

- (51) International Patent Classification⁷: C12Q 1/68
- (21) International Application Number:
PCT/EP2003/008602
- (22) International Filing Date: 1 August 2003 (01.08.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
102 36 406.0 2 August 2002 (02.08.2002) DE
- (71) Applicant (*for all designated States except US*): EPIGENOMICS AG [DE/DE]; Kastanienallee 24, 10435 Berlin (DE).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): ADORJAN, Peter [HU/DE]; Dunckerstrasse 4, 10437 Berlin (DE). PIEPENBROCK, Christian [DE/DE]; Schwartzkoffstrasse 7 B, 10115 Berlin (DE). RUJAN, Tamas [HU/DE]; Hiddenseer Strasse 13, 10437 Berlin (DE). SCHMITT, Armin [DE/DE]; Hortensienstrasse 29, 12203 Berlin (DE).
- (74) Agent: SCHUBERT, Klemens; Neue Promenade 5, 10178 Berlin-Mitte (DE).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
- with international search report
 - before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: METHOD FOR AMPLIFICATION OF NUCLEIC ACIDS OF LOW COMPLEXITY

(57) Abstract: The invention describes a method for amplifying nucleic acids, such as DNA with means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to DNA pre-treated with bisulfite is disclosed. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of low complexity.

WO 2004/015139 A1

**Method for amplification of nucleic
acids of low complexity**

5 The present invention relates to a method for the amplification of nucleic acids.

Description

10 This invention relates to the fields of genetic engineering, molecular biology and computer science, and more specifically to the field of nucleic acid analysis based on specific nucleic acid amplification.

15 The matter of the present invention is a method for amplifying nucleic acids, such as DNA by means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to
20 DNA pre-treated with bisulfite. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of unusually low complexity. Also, for the
25 optimal primer design it was considered that the treated template DNA is single stranded.

30 The amplification of nucleic acids relies mainly on a method called polymerase chain reaction (PCR). The PCR is based on the activity of the enzyme DNA polymerase, which is elongating primer molecules, which bind to the template DNA by adding dNTPs and hereby copying the template sequence (Saiki RK, Gelfand DH, Stoeffel S, Scharf SJ, Higuchi R, Horn T, Mullis KB and Erlich HA (1988).
35 Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. Science 239 : 487-491). The

primer molecules are designed to specifically hybridize to those regions of the template DNA that define both ends of the amplificate. The forward primer binds to the 5' end of the sense strand of the amplificate, whereas
5 the reverse primer binds to the 5' end of the reverse strand, hereby defining the starting points of the polymerase reaction and eventually determining the length of the amplificate.

10 Before the polymerase starts the template DNA gets denatured, this is usually done by a short cycle of heating the reaction mixture up to about 95°C, then cooling it down to the annealing temperature determined by the melting temperature of the primer molecules used and finally
15 allowing the polymerase to elongate the annealed primers at its ideal working temperature for some minutes. This cycle is repeated several times each starting with the denaturation step. The primer molecules hybridize to the single stranded DNA. The forward primer is the starting
20 molecule for a copy of the sense strand and the reverse primer is the starting molecule for a copy of the anti-sense strand.

These first copies will be of unspecific length, limited
25 only by the polymerase's activity. However in the following cycle, the forward primer will also bind to the first copy of the anti-sense strand, the polymerase will take that copy as a template and will elongate the primer only as far as there is template DNA. Hereby the length of the
30 second copy gets limited to the length defined by the first nucleotide of the second primer. In the following cycles more and more pieces of template DNA compete for the primer molecules and eventually the DNA amplificate of defined length will be the main product.

35

However, in the case of a bisulfite treated DNA the template DNA is single stranded. The bisulfite or similar treatment alters the original sequences on both strands such that these are not complementary to each other after the treatment. As a result no complementary strand to the target sequence exists. A first primer molecule binds to the one end of the single stranded target sequence. The polymerase elongates said primer and copies said target sequence. The second primer molecule cannot bind to the complementary, so called anti-sense strand, as it would in a standard PCR. Therefore the second primer molecule is designed to bind to the first copied sequence instead. More specifically it will bind to that part of the copied nucleic acid which is the complement to the other end of said target sequence.

The results of a PCR are highly depending on the choice of the ideal primer. The choice of a primer molecule must respect constraints permitting a correct amplification by PCR, fulfilling hybridization temperature conditions and auto- or hetero-hybridization prevention.

In other words, as any PCR requires two primer molecules to amplify a specific piece of DNA in one reaction the melting temperatures of both primers need to be very similar in order to allow proper binding of both at the same hybridization temperature. That is why most primer design programs require the user to define a preferred melting temperature or a permitted range of melting temperatures. This requirement becomes the limiting factor when designing primers for a so called multiplex PCR, as all primer pairs in use need to have the same or at least very similar melting temperatures. Additionally primers have to be very specific, in order to only amplify those pieces of DNA that are the target.

By providing the means for designing extremely accurate primer pairs for DNA hybridization procedures this invention relates to the so called PCR primer design. More specifically the body of this invention relates to the specific requirements of primers and therefore of primer design when using template DNA that consists of essentially only three different nucleotides and is single stranded. This is the case when using bisulfite treated DNA as a template, as it contains no cytosine other than the methylated cytosines in a CG dinucleotide and a rest of insufficiently treated and therefore untransformed non-methylated cytosines. The invention relates specifically to the primer design when using bisulfite treated DNA as template.

It would be obvious to an individual skilled in the art that the use of the primers as specified in this invention are not limited to nucleic acid amplification. Said primers can be used for several purposes, such as amplification, but also for nucleic acid sequencing or as blocking oligonucleotides during analysis of bisulfite treated DNA. Therefore the use of said primers is not limited to nucleic acid amplification but extends to all standard molecular biological methods.

Pairs of these primers are used to specifically amplify DNA from a small amount of sample DNA that consists of bisulfite treated DNA originating from a limited source of DNA like a bodily fluid or tissue sample.

DNA can occur methylated or non-methylated at certain positions and this information is relevant for the status of a genes transcription. The methyl group is attached to the cytosine bases in CpG positions. The identification of 5-methylcytosine in a DNA sequence as opposed to unmethylated cytosine is of greatest importance for example

- when studying the role of DNA methylation in tumorigenesis. But, because the 5-Methylcytosine behaves just as a cytosine for what concerns its hybridization preference (a property relied upon for sequence analysis) its positions can not be identified by a normal sequencing reaction. Furthermore in a PCR amplification this relevant epigenetic information, methylated cytosine or unmethylated cytosine, will be lost completely.
- 10 This problem is usually solved by treating the genomic DNA with a chemical leading to a conversion of the cytosine bases, which consequently allows to differentiate the bases afterwards.
- 15 A tool most useful for analyzing DNA methylation is the bisulfite conversion of DNA that converts cytosine bases into bases showing a hybridization behavior as thymine bases. Hereby the DNAs complexity is reduced by a fourth.
- 20 Bisulfite conversion is the most frequently used method for analyzing DNA for 5-methylcytosine. It is based upon the specific reaction of bisulfite with cytosine which, upon subsequent alkaline hydrolysis, is converted to uracil, whereas 5-methylcytosine remains unmodified under these conditions (Shapiro et al. (1970) Nature 227: 1047). However, in its base pairing behavior, uracil corresponds to thymine, that is, it hybridizes to adenine; whereas 5-methylcytosine doesn't change its chemical properties under this treatment and therefore still has the base pairing behavior of a cytosine, that is hybridizing with guanine. Consequently, the original DNA is converted in such a manner that methyl-cytosine, which originally could not be distinguished from cytosine by its hybridization behavior, can now be detected as the only remaining cytosine using "normal" molecular biological techniques, for example, by amplification and hy-

bridization or sequencing. All of these techniques are based on base pairing which can now be fully exploited. Comparing the sequences of the DNA prior to and after bisulfite treatment allows an easy identification of those bases that have been methylated.

In the scope of this invention when it says "a nucleotide (...) was converted by the treatment..." this conversion is meant to be able to differentiate between methylated and un-methylated cytosine bases within said sample, as for example the conversion of un-methylated cytosine bases to bases which hybridize to adenine by the treatment with bisulfite.

An alternative method is to use restriction enzymes that are capable of differentiating between methylated and un-methylated DNA, but this is restricted in its uses due to the selectivity of the restriction enzyme towards a specific sequence.

An overview of the further known methods of detecting 5-methylcytosine may be gathered from the following review article: Rein T, DePamphilis ML, Zorbas H, Nucleic Acids Res. 1998, 26, 2255.

In terms of sensitivity, the prior art is defined by a method, which encloses the DNA to be analyzed in an agarose matrix, thus preventing the diffusion and renaturation of the DNA (bisulfite reacts with single-stranded DNA only), and which replaces all precipitation and purification steps with fast dialysis (Olek A, Oswald J, Walter J (1996) A modified and improved method for bisulfite based cytosine methylation analysis. Nucleic Acids Res. 24: 5064-6). Using this method, it is possible to analyze individual cells, which illustrates the potential of the method.

To date, barring few exceptions (e.g., Zeschnigk M, Lich C, Buiting K, Doerfler W, Horsthemke B (1997) A single-tube PCR test for the diagnosis of Angelman and Prader-Willi syndrome based on allelic methylation differences at the SNRPN locus. Eur J Hum Genet. 5: 94-8) the bisulfite technique is only used in research. Always, however, short, specific fragments of a known gene are amplified subsequent to a bisulfite treatment and either completely sequenced (Olek A, Walter J (1997) The pre-implantation ontogeny of the H19 methylation imprint. Nat Genet. 3: 275-6) or individual cytosine positions are detected by a primer extension reaction (Gonzalzo ML and Jones PA (1997) Rapid quantitation of methylation differences at specific sites using methylation-sensitive single nucleotide primer extension (Ms-SNuPE). Nucleic Acids Res. 25: 2529-31; WO 95/00669) or by enzymatic digestion (Xiong Z, Laird PW (1997) COBRA: a sensitive and quantitative DNA methylation assay. Nucleic Acids Res. 25: 2532-4).

Another technique to detect hypermethylation is the so called methylation specific PCR (MSP) (Herman JG, Graff JR, Myohanen S, Nelkin BD and Baylin SB (1996), Methylation-specific PCR: a novel PCR assay for methylation status of CpG islands. Proc Natl Acad Sci USA. 93: 9821-6). The technique is based on the use of primers that differentiate between a methylated and a non-methylated sequence if applied after bisulfite treatment of said DNA sequence. The primer either contains a guanine at the position corresponding to the cytosine in which case it will after bisulfite treatment only bind if the position was methylated. Or the primer contains an adenine at the corresponding cytosine position and therefore only binds to said DNA sequence after bisulfite treatment if the cytosine was unmethylated and has hence been altered by the bisulfite treatment so that it hybridizes to adenine.

With the use of these primers amplicons can be produced specifically depending on the methylation status of a certain cytosine and will as such indicate its methylation state. The present invention, however, does preferably not include CpGs in the primer sequence.

Another new technique is the detection of methylation via Taqman PCR, also known as MethyLight (WO 00/70090). With this technique it became feasible to determine the methylation state of single or of several positions directly during PCR, without having to analyze the PCR products in an additional step.

In addition, detection by hybridization has also been described (WO 99/28498).

Further publications dealing with the use of the bisulfite technique for methylation detection in individual genes are:

Grigg G, Clark S (1994) Sequencing 5-methylcytosine residues in genomic DNA. *Bioassays* 16: 431-6; Zeschnigk M, Schmitz B, Dittrich B, Buiting K, Horsthemke B, Doerfler W (1997) Imprinted segments in the human genome: different DNA methylation patterns in the Prader-Willi/Angelman syndrome region as determined by the genomic sequencing method. *Hum Mol Genet.* 6: 387-95; Feil R, Charlton J, Bird AP, Walter J, Reik W (1994) Methylation analysis on individual chromosomes: improved protocol for bisulphite genomic sequencing. *Nucleic Acids Res.* 22: 695-6; Martin V, Ribieras S, Song-Wang X, Rio MC, Dante R (1995) Genomic sequencing indicates a correlation between DNA hypomethylation in the 5' region of the pS2 gene and its expression in human breast cancer cell lines. *Gene* 157 : 261-4; WO 97/46705; WO 95/15373; WO 97/45560

For all those methods mentioned above, which are based on PCR amplification of bisulfite treated DNA, the biggest challenge is to design primers that are specific.

5

THE PROBLEM AND ITS SOLUTION

There are a number of programs available on the market that offer to design primer pairs in order to amplify a piece of DNA in a PCR. Usually they require as input the
10 template DNA sequence, the preferred melting temperature T_M , the desired length of the amplificate and optionally the preferred length of the primer molecules.

However if a primer is required to bind specifically to
15 bisulfite treated DNA, the design of the primer molecule is especially difficult and those tools known in the art are not competent to design primers that lead to specific products. The following problems occur when dealing with bisulfite treated DNA instead of standard DNA:

20

First, the sequence complexity of the bisulfite treated genome is reduced dramatically. Complexity in this context is meant to be a measure for the similarity of a given sequence to a random or stochastic sequence; the
25 more complex a sequence is the more it is similar to a random sequence. A reduced complexity of the genome means there are less degrees of variation. Where there are essentially only three different nucleotides rather than four, the probability of a sequence to occur twice in a
30 given length of sequence is much higher. For example, a primer molecule of 20 nucleotides in length is likely to be unique in the human genome, if it is not part of a repeat sequence: The human genome is known to consist of about 3×10^9 bases. There are $4^{20} \approx 10^{12}$ different ways
35 to form sequences of a length of 20 nucleotides, assuming equidistribution of the bases, which makes multiple oc-

- 5 currences of a given 20-mer (oligonucleotide of 20 nucleotides) extremely unlikely. However since there are only $320 \approx 3 \times 10^9$ different 20-mers possible over a 3-letter alphabet, this multiple occurrence cannot be excluded. In addition a bisulfite treated sequence, enriched in thymine in the sense strand and enriched in adenine in the reverse complementary strand, will contain more repeats and regions of general low complexity.
- 10 Another way to enhance or guarantee uniqueness of primer and/or oligo molecules is to estimate their expected frequency in the genome based upon a Markov model of order n for the human genome or to check their uniqueness explicitly by counting their exact occurrence. The estimation
- 15 based upon the Markov model relies upon the determination of the probabilities of all 4^n n -mers (oligo molecules of n nucleotides) in the human genome or in all amplicates which are used in the hybridization and the conditional probabilities of all four bases given these n -mers. The
- 20 primer pairs will be constructed from forward and reverse oligos which lie within an appropriate distance to each other and which have minimal individual expected occurrence elsewhere in the genome.
- 25 A second challenge in primer design for bisulfite treated DNA is that the melting temperature T_M of a bisulfite DNA primer of a certain length is typically lower than the melting temperature T_M of a standard primer containing cytosines. This is due to the fact that every cytosine in
- 30 a bisulfite treated DNA is - after amplification by PCR - replaced by thymine. Cytosine binds its corresponding base guanine via three hydrogen bonds, whereas thymine binds its corresponding base adenine via two hydrogen bonds only, leading to a generally weaker binding, a
- 35 lower T_M .

A third problem arises from the fact that bisulfite treated sequences are not only lacking cytosines but are also thymine-rich. Thymine also hybridizes unspecifically with guanine. This makes mismatching (unspecific binding of a primer to a sequence not identical) of a primer designed for bisulfite treated DNA much more likely than mismatching of a standard primer consisting of four different nucleotides.

It is the aim of this invention to overcome these problems, which are specific for primer based amplification of bisulfite treated DNA.

For a so called "multiplex PCR" it becomes especially difficult to design primer pairs. This expression is used to describe an experiment in which several different pieces of DNA are amplified simultaneously, in one reaction vessel and at the same time. Obviously this saves a lot of effort and time and is as such a basic requirement for high throughput assays based on PCR amplification. An overview on the state of the art concerning multiplex PCR is given by Henegariu et al. (Henegariu O, Heerema NA, Dlouhy SR, Vance GH and Vogt PH (1997) Multiplex PCR: Critical Parameters and Step-by-Step Protocol. BioTechniques 23: 504-511), who offer a step-by-step protocol on how to tackle multiplex PCR problems. However, the possibility of a special primer design is not mentioned in this article.

To ensure that the multiplex PCR works and the multiple products are amplified indeed usually a gel electrophoresis of the reaction mixture is performed. The products get separated due to their different sizes. Unfortunately, the ability of agarose gel electrophoresis to distinguish the products is slightly limited. However, it is possible to test for different product sizes with the

means of a fragment analyzer, which is much more accurate and able to distinguish product sizes of one base difference. Hence different product sizes are no longer a requirement to be considered in the primer design for a
5 multiplex PCR.

In patent WO 01/94634 a method for a multiplex PCR using at least two primer pairs is described that consists of basically a two step amplification procedure wherein one
10 step is referred to as pre-amplification. After pre-amplification (by means of PCR) with a number of primer pairs the sample gets divided into as many portions as there are primer pairs. At least one (and preferably only one) of the previously used primer pairs is added. This
15 method doesn't relate in any way to the selection or design of primer molecules described herein.

In an article by Shuber et al. (Shuber AP, Grondin VJ and Klinger KW (1995) A simplified procedure for developing
20 multiplex PCRs. Genome Res 5 (5) : 488-493) regarding multiplex PCR, the authors suggest to use primers, which contain a 3' region complementary to sequence specific recognition sites and a 5' region of a defined length of 20 nucleotides each. The authors claim that they could
25 establish identical reaction conditions, cycling times and annealing temperatures for any PCR primer pair following those requirements.

In several recent papers successful multiplex PCRs have
30 been established. For example, Becker et al. have reported the development of a multiplex PCR reaction for the detection of multiple staphylococcal enterotoxin genes, which uses individual primer sets for each toxin gene (Becker K, Roth R and Peters G (1998) Rapid and specific
35 detection of toxigenic Staphylococcus aureus : use of two multiplex PCR enzyme immunoassays for amplifica-

tion and hybridization of staphylococcal enterotoxin genes, exfoliative toxin genes, and toxic shock syndrome toxin 1 gene. J. Clin. Microbiol. 36: 2548-2553). This has been developed even further by Monday and Bohach, by
5 increasing the number of primer pairs applied in one reaction up to about 10 in order to have one assay to amplify all of the characterized enterotoxin genes. This still required a unique established primer pair for the detection of every individual gene (Monday SR and Bohach
10 GA (1999) Use of multiplex PCR to detect classical and newly described pyrogenic toxin genes in staphylococcal isolates. J. Clin. Microbiol. 37: 3411-3414).

In another paper by Sharma et al. a method for a one-
15 vessel-multiplex PCR is described wherein each of six chosen primer pair consists of one identical universal forward primer, based on a highly conserved region of those genes of interest and one reverse primer, specific for each individual gene. As such the assay leads to a
20 rapid amplification of a family of genes, which all have a conserved region in common. It is designed to detect presence or absence of certain genes in an unknown mixture. No further information is given about the primer design, apart from saying that they were designed by a
25 alignment of published DNA sequences. This is certainly not the only requirement though, as one big limitation of the method is the need of getting PCR products of different sizes in order to identify those in the end (Sharma NK, Rees CED and Dodd CER (2000) Development of a single-
30 reaction multiplex PCR toxin typing assay for Staphylococcus aureus strains. Applied and Environmental Microbiology 66 (4) : 1347-1353).

In the patent application WO 01/36669 a method is described
35 which uses a similar approach for the controllable amplification of a higher number of sequences in selec-

ting one randomly chosen reverse primer that hybridizes unspecifically and a number of specific forward primers to amplify a group of sequences. As the reverse primer is labeled all products formed will be labeled as well. By
5 hybridizing said amplicons towards immobilized detection oligos, which are able to differentiate the products, it will be easy to see which products have been amplified and herein the presence or absence of said sequences in the mixture can be determined.

10 The big disadvantage in all these methods is that every primer pair needs to be established individually first to ensure that a PCR product of the expected size was produced and that no additional or nonspecific products are
15 generated. Once the specificity of the primer pairs had been determined, PCR conditions, buffers, and primer concentrations need to be optimized to establish conditions under which the primer molecules can be combined into one single PCR reaction without affecting the ability of the
20 primer pairs to generate a gene specific amplicon.

A more recently published approach by Nicodeme and Steyaert describes the conditions required for multiplex PCR and suggests an algorithm to automatically select for
25 primer pairs (Nicodeme P and Steyaert JM (1997) Selecting optimal oligonucleotide primers for multiplex PCR. Proc. Int. Conf. Intell Syst Mol Biol; 5 : 210-213). In this approach the conditions for pre-selecting primer pairs for a successful one locus amplification (singleplex PCR
30 conditions) are rather broad. The three basic requirements are the pairing distance between a forward and a reverse primer, the condition of non-palindromicity of a primer, and the condition that the 3' end of a primer must not be reverse complementary to any of the other
35 primers sequence. This selection is done with the help of a typical primer design program called PRIMER. However,

PRIMER is a two step program, and in this approach the new method to design primers for a multiplex PCR takes the output from step 1 as input, which is a list of possible forward and a list of possible reverse primers for every amplificate.

The only further selection criteria for the multiplex PCR primers are the absence of the reverse complementarity of their 3' end towards the other primer sequences in the experiment. A second critical factor considered here is the GC versus AT ratio. To some extent it is this ratio that determines the melting temperature of a primer pair. The authors suggest to limit the GC/AT ratio to be inside a given range which would enable the simultaneous hybridization of several primer pairs at one reaction temperature. The final requirement is the electrophoresis distance, determined by the tool that is used to differentiate the PCR products in, for example, a gel electrophoresis. This most common method requires the products to be of different sizes. The whole concept of this method also requires to have a pool of possible primer pairs for each amplicon.

The design of suitable primers for a multiplex PCR on bisulfite treated DNA is an even greater challenge. The low complexity of the DNA, being reduced to essentially three different bases rather than four different bases, requires an extra careful selection of primers to avoid mismatching and unwanted amplification.

In the scope of this invention the word "mismatching" corresponds to the situation when the alignment of two sequences which are essentially complementary reveals positions in one of the sequences where the nucleotide base does not align with its corresponding base but a different one. The corresponding or complementary base pairs are adenine and thymine, cytosine and guanine,

are adenine and thymine, cytosine and guanine, uracil and adenine. For example, a cytosine that aligns with a thymine in its otherwise complementary sequence creates a mismatch of one base or nucleotide.

5

Accordingly "base mismatches" refers to the situation of a base mismatching with another as explained above, respectively "one or more base mismatches" refers to one or more bases (in a given sequence) that cannot be aligned with their corresponding bases.

10

Also, when the alignment reveals single nucleotide gaps in one of the aligned sequences this is understood under the term "mismatch" in the scope of this invention.

15

A 'gap' is to be understood as follows: If an alignment reveals that, in order to get the highest number of corresponding base pairs aligned, some bases are lacking a corresponding base in its otherwise complementary sequence, this is called a gap. Such a gap can have a length of one or more nucleotides.

20

To solve the problems mentioned above we invented a method consisting of several steps that is applicable for the amplification of nucleic acids in singleplex as well as in multiplex PCR experiments.

25

SUMMARY OF THE INVENTION

The method is comprised of the following steps:
Firstly, the nucleic acid sample containing the region of interest, which is to be amplified, is isolated. Secondly, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated cytosine bases within said sample. Thirdly, a reaction mixture is set up containing a) the treated template nu-

35

cleic acids, carrying the region of interest (also called: target nucleic acid) that is to be amplified, b) specified oligo-nucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, d) 5 the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer.

Said specified oligo-nucleotide primers are characterized in that
10 their sequences each reach a predefined measure of complexity (as described in detail below)
every possible combination of two primer molecules in said reaction mixture has a melting temperature below a specified threshold temperature
15 none of the possible combinations of two primer molecules in said reaction mixture leads to the amplification of an additional unwanted product as determined by virtual testing for amplification.

20 In the last step of the method said amplified target nucleic acid is detected by means commonly used by one skilled in the art.

The invention is composed of a method for the amplification of nucleic acids comprising the following steps of
25 isolating a nucleic acid sample, treating said sample in a manner that differentiates between methylated and unmethylated cytosine bases within said sample, amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of
30 primer molecules, wherein said primer molecules are characterized in that
a) each primer molecule sequence reaches a predefined measure of complexity, b) every combination of any two
35 primer molecules in the set has a melting temperature below a specified threshold temperature and c) every combi-

5 nation of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template and the last step of detecting said amplified target nucleic acid.

More detailed description of the method:

10 The method is comprised of the following steps:
In the first step of the method, the nucleic acid sample, which contains the region of interest that is to be amplified, must be isolated from tissue or cellular sources. Such sources may include at least one cell, but
15 usually several cells, cell lines, histological slides, bodily fluids, or tissue embedded in paraffin.

In a preferred embodiment of this invention the nucleic acid sample is isolated from a bodily fluid, a cell culture,
20 a tissue sample or a combination thereof.

For example a certain kind of organ sample from a patient or an animal can be used to extract genomic DNA by the usually applied methods. Preferably, in this invention
25 DNA is extracted from a tissue sample or a biological fluid like blood, serum, urine or other fluids. 'Bodily fluid' herein refers to a mixture of macromolecules obtained from an organism. This includes, but is not limited to, blood, blood plasma, blood serum, urine, sputum,
30 ejaculate, semen, tears, sweat, saliva, lymph fluid, bronchial lavage, pleural effusion, peritoneal fluid, meningeal fluid, amniotic fluid, glandular fluid, fine needle aspirates, nipple aspirate fluid, spinal fluid, conjunctival fluid, vaginal fluid, duodenal juice, pancreatic juice, bile and cerebrospinal fluid. This also
35 includes experimentally separated fractions of all of the

preceding. 'Bodily fluid' also includes solutions or mixtures containing homogenized solid material, such as feces.

5 The nucleic acids may include DNA or RNA. Isolation may be by means that are standard to one skilled in the art, this includes for example extraction of DNA with the use of detergent lysates, sonification and vortexing with glass beads. An example is the extraction of DNA from a
10 piece of a plant, like a leave or fruit. Once the nucleic acids, like genomic double stranded DNA, have been extracted they are used in the analysis.

15 In a preferred embodiment of this invention the nucleic acid sample is comprised of plasmid DNA, BACs (bacterial artificial chromosomes), YACs (yeast artificial chromosomes) or genomic DNA.

20 In another especially preferred embodiment of this invention the nucleic acid sample is comprised of human genomic DNA. It is preferred that the nucleic acids are of human origin.

25 In the second step, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated cytosine bases within said sample. Cytosine bases which are unmethylated at the 5'-position are converted to uracil, thymine, or another base which is dissimilar to cytosine in terms of hybridization behavior.
30 This will be understood as 'treatment' hereinafter. The method most commonly used so far is the so called bisulfite treatment.

35 This step is of essential meaning to the process as it translates the methylation pattern of said nucleic acids into a pattern that is something like an imprint of the

methylation status itself. It contains essentially the same information but the pre-treated nucleic acids are no longer sensitive to amplification via PCR. Amplification via PCR does not differentiate between methylated and unmethylated cytosines and therefore leads to the loss of this level of information. The original methylation status however can be deducted whenever the described pre-treatment had been performed prior to the amplification step. Hence any means suitable to differentiate between a methylated and an unmethylated cytosine base are applicable, as long as the modified bases are still capable of being amplified by enzymatic means after treatment.

It is a preferred embodiment of this invention that said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite. A treatment of genomic DNA as described above is carried out with bisulfite (hydrogen sulfite, disulfite) and subsequent alkaline hydrolysis which results in a conversion of non-methylated cytosine nucleobases to uracil or to another base which is dissimilar to cytosine in terms of base pairing behavior.

In the third step of this method, a reaction mixture is set up containing a) the treated template nucleic acids, comprising the region of interest (also called target nucleic acid) that is to be amplified, b) specified oligonucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, for example a polymerase, d) the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer. The template nucleic acid contains at least one target nucleic acid, which is amplified in the reaction. One primer molecule of the at least one primer pair in the reaction mixture is capable of binding to the 3' end of one specified target nucleic acid. The first primer binds to the

3' end of the target sequence, this primer is elongated and a complementary sequence to the target sequence is made. The polymerase stops to elongate unspecifically. The next cycle starts by thermally denaturing the now
5 double stranded template nucleic acid into single stranded template nucleic acids. This is followed by the next phase of annealing when both primer molecules specifically bind to the target nucleic acid and its complementary strand. The second primer is identical to the 5'
10 end of the target molecule. It doesn't bind to the target sequence itself but to said complementary nucleic acid to the target sequence, as soon as this is denatured from the template.

15 The process is finished by the actual amplification phase at a slightly lower reaction temperature, during which the enzyme, for example the polymerase elongates the primer as a complementary sequence to the target nucleic acid. The polymerase elongates this second primer by using the first copy as template until the end of said copied nucleic acid is reached. That way an identical copy
20 to the original single stranded target nucleic acid is created. Hence, the length of the amplificate is determined by choosing the two primers.

25 The elongation products, being complementary to each other and hereby building a double stranded version of the target nucleic acid, serve as additional targets for the primer molecules binding in the next cycle of amplification.
30

Essentially step 3 of the method is comprised of amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set
35 of primer molecules.

Said primer molecules used in said method are characterized in that they, in addition to fulfilling all the usual requirements towards a PCR primer as will be specified in more detail later, also fulfill the following requirements:

Firstly, the sequence of each primer molecule used in step 3 of this method reaches a predefined measure of complexity.

10

In a preferred embodiment of this method the primer molecules are reaching a certain value of linguistic complexity. A notion and a measure of linguistic complexity has been introduced by Trifonov in 1990 and has been used for analysis of nucleotide sequences before (Trifonov, EN (1990) Making sense of the human genome. In Structure & Methods. Vol 1 pp 69-77 (eds. Sarma, RH and Sarma MH, Adenine Press, Albany, US). The linguistic complexity technique allows a calculation to be made of the structural complexity of any linear sequence of characters irrespective of whether the text is cognized or presently undeciphered. The sequences are compared exclusively from the point of view of their structural complexity with no reference to the meaning of the texts. In 1997 Trifonov published how the linguistic complexity of nucleosomal sequences is defined (Bolshoy, A; Shapiro, K; Trifonov, E and Ioshikhes I. (1997) Enhancement of the nucleosomal pattern in sequences of lower complexity. NAR 25 (16): 3248-3254). Quote: "The linguistic complexity measure exploits the major distinguishing feature between natural nucleotide sequences and uniformly random ones: the repetitiveness of the natural sequences, i.e. the frequent repetition, not necessarily a tandem one, of some oligonucleotides ("words"), while others are avoided. (...) Complexity can be directly calculated as the extent to which the maximal possible vocabulary (all word sizes

considered) is utilized in a given strength of sequence
(...) ."

5 In another preferred embodiment of this method said measure of complexity is set by the so called Shannon entropy (Shannon, C E, (1948) A Mathematical Theory of Communication, University of Illinois Press, Urbana). This is the most common measure to assess the information content (in a technical, non-semantic meaning) of linear information
10 carriers. It attributes the maximal value (which can be chosen to be 1 without restrictions) to sequences where all symbols (characters) occur at equal probability and a value of 0 to sequences consisting of just one repeated symbol (character, letter). A derived and more general
15 measure is the higher order Shannon entropy which attributes maximal value to sequences where all its subsequences occur at equal probability and a value of 0 or close to 0 to sequences consisting of periodic repetitions of short subsequences. The practical determination
20 of the (higher order) Shannon entropy however is limited by the finite lengths of sequences which often does not permit a precise estimation of the probability distribution of their constitutive symbols.

25 Further possible measures are for example the Lempel-Ziv complexity (Lempel, LB and Ziv, J (1976) On the complexity of finite sequences. IEEE Trans. Inf. Theory IT-22, 75-81) , the grammar complexity (Ebeling, W; Jimenez-Montano, MA (1980) On Grammars, Complexity and Information Measures of Biologocial Macromolecules. Mathematical
30 Bioscience 52, 53-71), the algorithmic complexity (Chaitin, 1990) and the conditinal entropy.

35 Secondly, said primer molecules are also characterized in that every possible combination of any two primer molecules, in the set, has a melting temperature below a

specified threshold temperature. That way the accumulation of dimers caused by the binding of two primer molecules to each other in said reaction mixture is excluded. The number of primer pairs used in that step can be any
5 between one and n , leading to one or n amplificates respectively (n being a natural number).

As mentioned in the text the word "dimer" refers to a secondary structure formed by the hybridization of two
10 primer molecules to each other.

As referred to in the text 'melting temperature' refers to the temperature at which 50% of the nucleic acid molecules are in duplex and 50% are denatured under standard
15 reaction solution conditions.

Some primer design tools disqualify a primer if, besides the target sequence, a second identical sequence can be found in the template. However, due to the higher probability of a bisulfite primer to mismatch with non-
20 identical bisulfite treated DNA, it is an embodiment of this invention that only those primers are allowed to be used in said amplification method, for which no sequence homology can be found, to the extent that even those sequences that are different and/or mismatching in several
25 nucleotides are excluded. However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template in a distance allowing for the amplification of an unwanted product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an in
30 silico virtual PCR carried out in order to assess the suitability of primer molecules prior to in vitro PCR. In the scope of this invention this testing will be called
35 'virtual testing' and it will be referred to as "virtually tested" or "virtually testing".

Thirdly, the primers used in step 3 of this invention are characterized, in that every possible combination of two primer molecules, in said reaction mixture, does not lead to the amplification of an additional unwanted product, when virtually testing for amplification using the treated and the untreated nucleic acid sample as template, even under conditions allowing for at least one base but not more than 20% of the total number of bases per sequence mismatching per primer. In the scope of this invention it is to be understood that those primer molecules are considered to bind to the template for which a template sequence exists that is in at least 80% of its nucleotide sequence identical to the target sequence the primer originally has been designed for. For example, a primer molecule of 50 nucleotides length is considered to still hybridize to a template sequence that differs in less than 11 nucleotides (= is identical in at least 80% of its nucleotide sequence) from the according target sequence. If a match is considered to be possible it has to be tested whether this match would lead to the amplification of an unwanted product. This can be done with the use of a program similar to e-PCR (see below).

Especially preferred is an embodiment of said method wherein the ability of said primer molecules to amplify an unwanted product is tested by means of in silico PCR, taking as template nucleic acid the coding strand of the treated sample, the non-coding strand of the treated sample and both of the strands of the untreated sample. It is especially preferred to perform the virtual testing with a tool like electronic PCR on the pretreated, preferably bisulfite treated, template sequence consisting of the treated sense and the treated anti-sense strand, and on the unconverted template.

Furthermore it is preferred that this treatment is bisulfite treatment and hence the nucleic acid template is the bisulfite converted coding strand of the human genome, the bisulfite converted non-coding strand of the human genome and both of the strands of the untreated human genome. Preferred is an embodiment of said method wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, hereby taking as template nucleic acid the bisulfite converted coding strand of the human genome, the bisulfite converted non-coding strand of the human genome and both of the strands of the untreated human genome.

It is preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer.

It is also preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer.

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer.

It is a preferred embodiment of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than seven.

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than five.

5

It is another preferred embodiment of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than three.

10

It is especially preferred in the scope of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is one.

15

It is also included in the scope of this invention to consider such primer molecules as being sufficiently similar to facilitate their binding to the template sequence, for which a template sequence can be found that differs in the number of nucleotides but is otherwise identical to the target sequence. When the alignment of the primer and the template sequence leads to a gap of up to 20% of the nucleotides of one sequence, preferably of the primer sequence, this shall still be considered to be sufficient for binding and hence potentially leading to the amplification of an unwanted product. Therefore these primers also need to be tested with the means of virtual PCR (for example with a program like e-PCR). Only if this test reveals the virtual amplification of an unwanted product caused by the combination of two primers, the according primer pairs are excluded from the set of selected pairs.

25

30

35

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed

for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer molecule.

5

It is also preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer molecule.

10

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer molecule.

15

20

Both of these situations, mismatching due to an alternative nucleotide or no-matching due to a missing nucleotide, are meant to be covered in the expression describing those primer molecules that will eventually be selected : "said primer molecules are characterized in that every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template".

25

30

It is also preferred that the primer molecules that exceed a pre-specified melting temperature when binding to the template have to be virtually tested for amplification of unwanted products using the treated and the untreated

35

ted sample nucleic acids as template according to step 3
c) of the method.

5 The basic problem of finding a primer specific enough to
give only one product on the little complex bisulfite
DNA, is finally solved by testing each potential primer
pair for hybridization across the whole bisulfite con-
verted human genome. This requires translating the whole
10 human genome sequence information virtually into its bi-
sulfite treated version before performing a similarity
search against the primer pairs, which is based on a
method like the so called e-PCR (Schuler G.D. (1997) Se-
quence Mapping by electronic PCR. Genome Research 7(5):
541-550). However, as the bisulfite conversion results in
15 two no longer complementary strands this virtual hybridi-
zation test needs to be done against both bisulfite con-
verted strands. In addition in most cases the template
DNA is contaminated with unconverted genomic DNA. To also
exclude unwanted amplification on the unconverted DNA as
20 template, the same hybridization test has to be performed
a third time using the whole human genome sequence as a
template.

Therefore it is a preferred embodiment of this invention
25 that the ability of said primer molecules to amplify an
unwanted product is tested by means such as electronic
PCR.

In the last step of the method said amplified target nu-
30 cleic acid gets detected by any means standard to one
skilled in the art.

In a preferred embodiment of this method the set of
primer molecules is comprised of at least two primer
35 molecules but not more than 64 primer molecules, given

the number is a multiple of 2; in other words, the set is comprised of 1-32 primer pairs.

5 In another preferred embodiment of this method the set of primer molecules is comprised of between 2 and 32 primer molecules, given the number is a multiple of 2; in other words the set is comprised of 1-16 primer pairs.

10 In a preferred embodiment of this method, said primer molecule comprises at least one nucleotide within the last three nucleotides from the 3' end of the molecule, wherein said nucleotide is complementary to a nucleotide of the target sequence that, as a result of the treatment performed in step 2) of the invention, changed its
15 hybridization behavior.

It is a preferred embodiment of this method, that said primer molecule comprises at least one nucleotide within the last three nucleotides from its 3' end that is complementary to a nucleotide of the target sequence that
20 was converted by the treatment performed in step 2 of the method to another base exhibiting an alternative base pairing behavior.

25 In an especially preferred embodiment said nucleotide is a cytosine prior to the treatment that converts unmethylated cytosines. In a preferred embodiment said treatment is bisulfite treatment. Said primer molecule comprises at least one nucleotide within the last three nucleotides
30 from the 3' end of the molecule, wherein said nucleotide is complementary to a cytosine, that was converted by bisulfite treatment to another base exhibiting the base pairing behavior of thymine.

35 This is to exclude binding of said primer molecules to the remaining untreated or un-sufficiently treated nu-

cleic acids, which might still serve as template nucleic acid in the PCR.

5 Furthermore it is a preferred embodiment of this invention that said primer molecules do not form loops or hairpins on their own or with each other.

10 In another preferred embodiment of the method said primer molecules do not form dimers with each other.

15 In the text the word 'hairpin' is taken to mean a secondary structure formed by a primer molecule when the 3' terminal region of said nucleic acid hybridizes to the 5' terminal region of said nucleic acid forming a double stranded stem structure and wherein only the central region of the primer is single stranded.

20 As described in the text the word 'loop' refers to a secondary structure formed by a primer molecule when two or more nucleotides of said molecule hybridize thereby forming a secondary structure comprising a double stranded structure one or more base pairs in length and further comprising a single stranded region between said double stranded region.

25 The binding of a primer molecules 3' end to any part of a second primer molecule in the set needs to be avoided. Otherwise the polymerase would extend the first primer using the second primer as template, which would lead to
30 a new unwanted product, an extended primer, or rather a primer-hybrid, which would serve as the preferred template for the next round of the polymerase chain reaction and thereby prevent a sufficient amplification of the
35 wanted product.

Therefore it is another preferred embodiment of this method that each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.

It is also preferred that said primer molecules do not bind to nucleic acids which prior to treatment of step 2 contained a 5'-CG-3' site. This would lead to a binding of the primers to bisulfite treated nucleic acids, specifically depending on their cytosines methylation status. A CG corresponding primer would bind to the treated methylated version only, whereas a primer corresponding to TG would bind to the treated unmethylated version of these nucleic acids only. It is therefore preferred that said primer molecules do not contain nucleic acid sequences complementary or identical to nucleic acid sequences which prior to treatment of step 2 contained a 5'-CG-3' site.

In a preferred embodiment of this method said primer molecules are of a specified size range.

It is especially preferred that these primers are comprised of 16-50 nucleotides.

In a preferred embodiment of this method said primer molecules do not comprise sequences that are complementary to regions of the target nucleic acids that contained specified restriction enzyme recognition sites prior to the treatment that altered the unmethylated cytosines base pairing behavior. It is preferred that said primers are complementary to target sequences which prior to the treatment performed in step 2 of the invention did not contain specified restriction enzyme recognition sites.

By selecting for the right primer molecules also the amplification sequence is determined. That is why it has to be taken into account to only use those primer molecules that lead to amplification of nucleic acids containing a reasonable high number of CpG sites to be analyzed. Due to the treatment of step 2 of this invention these CpG sites, depending on the methylation status of the cytosine, are converted and will therefore either appear as CG dinucleotides or as TG dinucleotides in the amplificate.

It is preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than eight 5'-CG-3' sites also referred to as CG dinucleotides.

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than six 5'-CG-3' sites also referred to as CG dinucleotides.

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than four 5'-CG-3' sites also referred to as CG dinucleotides and finally it is especially preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than two 5'-CG-3' sites also referred to as CG dinucleotides.

Said primer molecules lead to amplificates within a specified size range.

It is a preferred embodiment of this sequence that said primer molecules lead to amplicates which are comprised of at least 50 bp but not more than 2000 bp.

5 Especially preferred are primer molecules that lead to amplicates which are comprised of at least 80 bp but not more than 1000 bp.

10 Furthermore a method is preferred wherein said primer molecules lead to amplicates of treated nucleic acids which prior to the treatment which altered the unmethylated cytosines base pairing behavior did not contain restriction enzyme recognition sites. Said primer molecules lead to amplicates that are amplified regions of the
15 treated nucleic acids which prior to the treatment performed in step 2) of the method did not contain specified restriction enzyme recognition sites.

20 A further subject of this invention is a method on how to produce said primer molecules. The main step of producing a primer molecule is determining its sequence. In the following the phrase "primer design" will be used instead of primer production, whenever it is referred to the step of determining said specific primer sequences. Designing
25 primer molecules is a process which as such is well known to scientists skilled in the art. The programs usually used for this purpose are such as PRIMER3 or OSP (Rozen S and Skaletsky H (2000) PRIMER3 on the WWW for general users and for biologist programmers. Methods Mol Biol 132: 365-386; Hillier L and Green P (1991) OSP: A computer
30 program for choosing PCR and DNA sequencing primers. PCR Methods and Applications 1: 124-128). Other primer design systems (like described in EP-A 1136932) are often based on those commonly known programs.

35

An embodiment of this invention takes advantage of using a program like PRIMER3 first, to then add a number of steps that finally result in an advanced method of designing primers that are specifically useful for amplifying sequences of low complexity.

In the first step of this method for designing specific primer molecules for nucleic acids of low complexity, primer pairs that amplify single products are selected by applying standard tools of primer design known in the art, like for example the program PRIMER3 (Rozen, S and Skaletsky, H (2000) Methods Mol Biol 132: 365-386).

In the second step of the method said primer pairs are tested whether or not one of its primer molecules when hybridizing to any other primer molecule in the set exceeds a specified threshold melting temperature T_M . If this is the case the primer pair that comprises of said primer is excluded from the set of potentially combined pairs.

In the third step of the method the number of previously selected primer pairs, is reduced to a smaller number by implementing as new criteria a measure for the primer sequence's complexity. Primer pairs that consist of a primer molecule which does not meet said criteria are excluded.

The basic problem of finding a primer specific enough to give only one product on the little complex bisulfite DNA, is finally solved by testing each potential primer pair for hybridization across the whole bisulfite converted human genome. This requires translating the whole human genome sequence information virtually (as in "in silico") into its treated, for example bisulfite treated, version before performing a similarity search against the

primer pairs, which is based on a method like the so called e-PCR (Schuler G.D. (1997) Sequence Mapping by electronic PCR. Genome Research 7(5): 541-550). However, as the bisulfite conversion results in two different versions of the double helix whose sense and anti-sense strands are no longer mutually complementary, this in silico amplification needs to be performed on both bisulfite converted versions of the genome. In addition in most cases the template DNA is contaminated with unconverted genomic DNA. It cannot be excluded that single cytosines or longer runs of DNA remain unconverted or are only converted incompletely by the bisulfite treatment. To also exclude unwanted amplification of the unconverted DNA as template, the same hybridization test has to be performed a third time using the whole human genome sequence as a template.

As this is quite some effort and requires time (CPU time) this is the fourth and last step of this design method, that is absolved prior to the final testing in a "wet", lab based, experiment.

In addition to improve the specificity of said primer molecules the stringency of the selection criteria is increased: Some standard primer design tools disqualify a primer if in the template sequence, a second identical sequence, besides the target sequence, can be found. That way mispriming at rather stringent hybridization conditions is avoided. This mispriming would not necessarily lead to an additional unwanted product, but would lead to the dilution of the primer molecules available for amplification. This selection has been performed in step one already (for example by PRIMER3). However, due to the higher probability of a bisulfite primer molecule to mismatch with non-identical bisulfite treated DNA, there is still a chance for said primer molecules to misprime even

when up to 20% of the nucleotides of the primer sequence differ. Therefore it is claimed in this invention to only use primer molecules for which not even a weak sequence homology can be found. However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template and amplify an unwanted product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an in silico virtual PCR carried out in order to assess the suitability of primers prior to in vitro PCR.

In the fourth step of the method on how to design these primers it is therefore tested whether there are any regions of the template nucleic acid, said template being comprised of the sense and the anti-sense strand of the treated and the untreated nucleic acids, that are identical in sequence with the primer molecule to more than 80% and if those primer molecules are able to amplify an unwanted product. If this is the case, the primer pair comprising said primer molecule is excluded from the selection.

The template nucleic acid is comprised of the treated template nucleic acid and the untreated template nucleic acid. The treated nucleic acid in itself is comprised of a two strands which after treatment are not complementary to each other anymore. This virtual testing for example can be performed as described by Gregory Schuler in his article (cited above) about sequence mapping by "Electronic PCR". The primer pairs remaining can be used to specifically amplify regions of nucleic acids of low complexity, which is the aim of this invention. Hence step 4 of the design method is the virtual testing of each possible primer pair combination, under pre-specified conditions at a stringency allowing for one or more base pair mismatches, as to whether no unwanted nucleic acids are

5 amplified. Said virtual testing is carried out upon both untreated and treated nucleic acids. The wording "possible combinations" refers to all combinations that are possible within a set of primer pairs to be used in one amplification reaction vessel.

10 In a preferred embodiment an additional step is added following the virtual testing, which is testing in a lab based single PCR assay all those pairs that remained, whether the desired amplificate can be obtained or not. If that is the case, the chosen pairs can be used to specifically amplify those regions of nucleic acids of low complexity according to the method as described before.

15 In a specially preferred embodiment the first step of the design method is characterized as selecting a pool of possible primer pairs per amplificate by means of a standard PCR primer design program using said nucleic acids as template that have been masked for repeats and SNPs
20 considering the following factors:
length of amplificate, length of primer, melting temperature of the primer molecule, dimer formation parameters, loop formation parameters, exclusion of unidentified or ambiguous nucleotides in the primer sequence, exclusion
25 of restriction enzyme recognition sites.

In a preferred embodiment of this invention this measure of complexity is a measure of linguistic complexity as defined by Bolshoy et al. (see above). Those primer pairs
30 are excluded from the previously selected ones, which comprise of one primer that doesn't reach a set level of this linguistic complexity.

35 In another preferred embodiment of this invention this measure of complexity is a measure of Shannon entropy (as described before).

In an especially preferred embodiment of this design method, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs which consist of a primer molecule that comprises of at least one CpG site, is carried out.

In an especially preferred embodiment of this method according to the design of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining pairs when one of its primer molecules does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step, of excluding primer pairs from the remaining primer pairs which amplify a nucleic acid that did not prior to treatment with bisulfite contain a minimum of two CpG sites, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs when one of its primer molecules contains more than 5 bases at its 3' end that are complementary to any other primer molecules sequence in the set, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one

5 primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of mismatching nucleotides of 20% of the number of nucleotides of the primer molecule, is carried out.

10 In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of
15 nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, of up to 20% of the number of nucleotides of the primer molecule, is carried out.

20 In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one
25 primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for four or less mismatching base pairs, is carried out.

30 In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one
35 primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when

virtually testing according to step 3 c) of the amplification method under conditions allowing for two or less mismatching base pairs, is carried out.

- 5 The following example is intended to illustrate the invention :

Example

- 10 Here we present experimental data that shows that multiplex PCRs designed with a tool according to this invention are more successful compared to multiplex PCRs not designed in this manner.

- 15 It is the aim of the experiment to amplify 40 different nucleic acids. The genomic regions of interest are given in the sequence protocol (SEQ ID 41-80). These genomic sequences were translated into their bisulfite converted versions and served as templates for amplification of
20 specific regions with the primer sequences described as follows.

- Primer molecule pairs used for single PCRs were originally designed with the use of the standard primer design
25 program PRIMER3 (as mentioned in the description). The criteria used in that step will not be discussed in detail. This selection however provides several possible primer pairs per amplificate. Following the present invention these primer pairs were selected further, according to the following criteria:
30

- The restriction enzyme recognition site to be excluded from the genomic nucleic acid (which subsequent to bisulfite conversion becomes the template
35 for the PCR amplification step) is : GTTTAAAC.

- The minimum length of the primer molecule is 18 nucleotides. The maximum length is 27 nucleotides. Ideally the primer consists of 22 nucleotides.
- 5 • The minimum required measure of linguistic complexity is 0.2.
- The minimum melting temperature of a primer molecule is 54°C and the maximum melting temperature is 57°C. The ideal melting temperature however is 55°C.
- 10 • The minimum length of an amplificate is 100 bp and the maximum length is 500 bp.
- 15 • The minimum number of CpG sites, that were present in the region of the nucleic acid, prior to bisulfite treatment, that was amplified is 4.
- The number of mismatch bases allowed for when virtually testing the primer pairs according to the invention for amplification of an unwanted product with the help of e-PCR (Electronic PCR) is 2.
- 20

25 The use of this invention, that is the use of either the design method, being the subject of the invention, and/or performing the steps of said method as described above (assuming a set size of 1) leads to the selection of the following 40 optimized primer molecule pairs:

30 TABLE 1:

primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisulfite converted sequence of the ROI
AATCCTCCAAATTCTAAAAACA	2025	81	0	1816
AGGAAAGGGAGTGAGAAAAT	2025	82	1	2138

primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisulfite converted sequence of the ROI
GGATAGGAGTTGGGATTAAGAT	2044	83	0	2070
AAATCTTTTCAACACCAAAT	2044	84	1	2483
AACCCTTTCTTCAAATTACAAA	2045	85	0	1340
TGATTGGGTTTTAGGGAAATA	2045	86	1	1687
TTGAAAATAAGAAAGGTTGAGG	2106	87	0	1481
CTTCTACCCCAAATCCCTA	2106	88	1	1764
TGTTTGGGATTGGGTAGG	2166	89	0	2226
CATAACCTTTACCTATCTCCTCA	2166	90	1	2437
TTTAGATTGAGGTTTTAGGGT	2188	91	0	101
ATCCATTCTACCTCCTTTTTCT	2188	92	1	598
GGAGGGGAGAGGGTTATG	2191	93	0	133
TACTATACACACCCCAAACAA	2191	94	1	506
TTTTGGGAATGGGTTGTAT	2194	95	0	1628
CTACCCTTAACCTCCATCCTA	2194	96	1	1996
TTGTTGGGAGTTTTTAAGTTTT	2212	97	0	1711
CAAATTCTCCTTCCAAATAAAT	2212	98	1	2063
GTAATTTGAAGAAAGTTGAGGG	2267	99	0	1709
CCAACAACCTAAACAAAACCTCT	2267	100	1	2004
GGAGTTGTATTGTTGGGAGA	2317	101	0	1110
TAAAACCCCAATTTTCACTAA	2317	102	1	1388
TTTGTATTAGGTTGGAAGTGGT	2383	103	0	1
CCCAAATAAATCAACAACAACA	2383	104	1	285
GATTTTTGGAGAGGAAGTTAAG	2387	105	0	789
AAACTAAAAACCAAACCCATA	2387	106	1	1169
TGGGGTTAGTTTAGGATAGG	2391	107	0	1353
CTTAAAAACACTAAACTTCTCAAA	2391	108	1	1750
TTTTTGTATTGGGGTAGGTTT	2395	109	0	547
CCCAACTATCTCTCTCCTCTATAA	2395	110	1	1094
ATTAGAAGTGAAAGTAATGGAATTT	2401	111	0	381
TCAATTTCCAAAAACCAAC	2401	112	1	795

primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisulfite converted sequence of the ROI
GGGATGGGTTATTAGTTGTAAA	2453	113	0	1867
CCTTCACACAAAACCTACAAAAA	2453	114	1	2139
TAATTGAAGGGGTTAATAGTGG	2484	115	0	1861
AAAACCAAAACCAAACTAAAA	2484	116	1	2252
AGTGGATTTGGAGTTTAGATGT	2512	117	0	1016
AACAAAATAAAAACTTCTCCCA	2512	118	1	1446
TAGGGGAAAAGTTAGAGTTGAG	2741	119	0	1413
CCCATTAACCCACAAAAA	2741	120	1	1888
ATTTTAGTTTGTGAAATGGGAT	2745	121	0	1685
TCTTAACCAATAACCCCTCAC	2745	122	1	2097
GTGGGTTTTGGGTAGTTATAGA	2746	123	0	1679
TAACCTCCTCTCCTTACCAA	2746	124	1	2163
TAGGATGGGGAGAGTAATGTTT	2747	125	0	972
ACAACTTATCCAACTTCCATTC	2747	126	1	1448
TCCCACAAAACTAAACAATTA	2749	127	0	1370
AGGTTTTAGATGAAGGGGTTT	2749	128	1	1789
TTTGGAGGGTTTAGTAGAAGTTA	2751	129	0	88
CCCAATAATCACAAAATAAACA	2751	130	1	567
ATACAACCTCAAATCCTATCCA	2752	131	0	228
AGGGAGAAGGAAGTTATTTGTT	2752	132	1	712
GGAAGATGAGGAAGTTGATTAG	2755	133	0	1000
CCTACAACCCTATCCTCTAAAA	2755	134	1	1371
TTAGTAGGGGTGTGAGTGTTTT	2831	135	0	1313
CAAACAAAACCTTCTATCTCAACC	2831	136	1	1499
TTATAGGGTTGAGTTTGGGAT	2850	137	0	2100
TAAACAAACAACAAATCTTCCA	2850	138	1	2400
TGAAAATGAAGGTATGGAGTTT	2852	139	0	1262
TTAAAACCATATAATCCCTCCA	2852	140	1	1583
TATGTTTGGTTTTGTTTTGAGA	2859	141	0	1093
AACCCCATCACTTTTATTTCTT	2859	142	1	1491

primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisulfite converted sequence of the ROI
GGGTGTAGAAGTGTTTAGGTTT	2861	143	0	2385
TTTCTCCCCTTACAACAATAAC	2861	144	1	2732
TCCCCTTCCAACATATCTCTC	2864	145	0	884
TGAGAGTGTTTTAGGGAAGTTT	2864	146	1	1175
AAAACCAAAACATAAACCAAAA	2867	147	0	1312
GATTAGGAGGGTTTGTTGAGAT	2867	148	1	1701
AATGGTTGATGATTTTGGTTT	2961	149	0	2039
ACTCTCTTCCCTATACCCCTAA	2961	150	1	2311
AGTTAGAAGAGGAGTTAGGATGG	3511	151	0	1340
TAATTTTCCAATACCCATTTTC	3511	152	1	1711
TGTTAGTAGAGTTTTAGGGAGGTT	3532	153	0	1135
ACACTACCTATCCTTACCCAC	3532	154	1	1592
TTTTTGTTTTTATGGGGTGTAT	3534	155	0	1909
TTAAATATCCCTTCCTTAACCA	3534	156	1	2385
TGGGTAGTATTTTGTGTTGTTT	3538	157	0	956
CCTAAAACTCTCTCATCCTCA	3538	158	1	1414
AGTGGTTTAGGAGTATTTGGTTA	3540	159	0	659
AACTCCCTCCATCTACAATATC	3540	160	1	1064

5 These primer pairs lead to the amplification of specific regions (amplificates Seq IDs 1- 40) of the bisulfite converted sequences of the genomic ROIs (Seq IDs 41- 80) of interest. The ROIs can be identified by the four digit number that specifies the ROI and the corresponding amplificate - as indicated in the following table.

10 TABLE 2:

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
1	amplificate	2025	bisulfite sequence	41	ROI	2025	genomic sequence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
2	amplificate	2044	bisulfite se- quence	42	ROI	2044	genomic se- quence
3	amplificate	2045	bisulfite se- quence	43	ROI	2045	genomic se- quence
4	amplificate	2106	bisulfite se- quence	44	ROI	2106	genomic se- quence
5	amplificate	2166	bisulfite se- quence	45	ROI	2166	genomic se- quence
6	amplificate	2188	bisulfite se- quence	46	ROI	2188	genomic se- quence
7	amplificate	2191	bisulfite se- quence	47	ROI	2191	genomic se- quence
8	amplificate	2194	bisulfite se- quence	48	ROI	2194	genomic se- quence
9	amplificate	2212	bisulfite se- quence	49	ROI	2212	genomic se- quence
10	amplificate	2267	bisulfite se- quence	50	ROI	2267	genomic se- quence
11	amplificate	2317	bisulfite se- quence	51	ROI	2317	genomic se- quence
12	amplificate	2383	bisulfite se- quence	52	ROI	2383	genomic se- quence
13	amplificate	2387	bisulfite se- quence	53	ROI	2387	genomic se- quence
14	amplificate	2391	bisulfite se- quence	54	ROI	2391	genomic se- quence
15	amplificate	2395	bisulfite se- quence	55	ROI	2395	genomic se- quence
16	amplificate	2401	bisulfite se- quence	56	ROI	2401	genomic se- quence
17	amplificate	2453	bisulfite se- quence	57	ROI	2453	genomic se- quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
18	amplificate	2484	bisulfite se- quence	58	ROI	2484	genomic se- quence
19	amplificate	2512	bisulfite se- quence	59	ROI	2512	genomic se- quence
20	amplificate	2741	bisulfite se- quence	60	ROI	2741	genomic se- quence
21	amplificate	2745	bisulfite se- quence	61	ROI	2745	genomic se- quence
22	amplificate	2746	bisulfite se- quence	62	ROI	2746	genomic se- quence
23	amplificate	2747	bisulfite se- quence	63	ROI	2747	genomic se- quence
24	amplificate	2749	bisulfite se- quence	64	ROI	2749	genomic se- quence
25	amplificate	2751	bisulfite se- quence	65	ROI	2751	genomic se- quence
26	amplificate	2752	bisulfite se- quence	66	ROI	2752	genomic se- quence
27	amplificate	2755	bisulfite se- quence	67	ROI	2755	genomic se- quence
28	amplificate	2831	bisulfite se- quence	68	ROI	2831	genomic se- quence
29	amplificate	2850	bisulfite se- quence	69	ROI	2850	genomic se- quence
30	amplificate	2852	bisulfite se- quence	70	ROI	2852	genomic se- quence
31	amplificate	2859	bisulfite se- quence	71	ROI	2859	genomic se- quence
32	amplificate	2861	bisulfite se- quence	72	ROI	2861	genomic se- quence
33	amplificate	2864	bisulfite se- quence	73	ROI	2864	genomic se- quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
34	amplificate	2867	bisulfite se- quence	74	ROI	2867	genomic se- quence
35	amplificate	2961	bisulfite se- quence	75	ROI	2961	genomic se- quence
36	amplificate	3511	bisulfite se- quence	76	ROI	3511	genomic se- quence
37	amplificate	3532	bisulfite se- quence	77	ROI	3532	genomic se- quence
38	amplificate	3534	bisulfite se- quence	78	ROI	3534	genomic se- quence
39	amplificate	3538	bisulfite se- quence	79	ROI	3538	genomic se- quence
40	amplificate	3540	bisulfite se- quence	80	ROI	3540	genomic se- quence

5 The second task in this example is to select from these 40 primer pairs those pairs which can be combined in five multiplex PCRs to amplify eight targets simultaneously.

10 The following steps, as disclosed in the invention, are performed for selection of those subsets:

- 15 • The melting temperature of any combination of two of those primer molecules hybridizing to each other taking part in one multiplex experiment must be below 20°C.
- The last seven nucleotides from the 3' end of every primer molecule in a subset is used to check if those are complementary and/or binding to any other primer molecules' sequence used in the set.

20

- The number of mismatch bases allowed for when virtually testing the primer pairs for amplification of an unwanted product is 2. For this step every possible combination of 16 primer molecules in one subset is checked for its ability to amplify an unwanted product. This is done by means of e-PCR (electronic PCR).
- 10 Having performed all these steps results in the selection of three different optimized sets of primer molecule pairs that can be used in multiplex PCRs. These sets are in the following described as a set of numbers. Each number refers to a specific amplificate and therefore also
- 15 to a single primer pair (out of the list given above) which proved to be able to specifically amplify said nucleic acid in a single PCR experiment.

TABLE 3:

optimized set 1								
8plex1	2194	2191	2391	2025	2961	3540	2861	2188
8plex2	2484	2106	2401	2850	3532	2044	2512	2852
8plex3	2453	2741	2867	2755	2267	2387	2864	2317
8plex4	2859	2383	2752	2747	2751	3511	2212	2746
8plex5	3534	2395	2745	3538	2749	2166	2831	2045
optimized set 2								
8plex1	2166	2212	3511	2383	2745	2859	3534	2861
8plex2	2749	2191	2751	2395	2961	2512	2831	3538
8plex3	2850	2025	2188	2317	2391	2852	3540	2194
8plex4	2106	2387	2867	2864	2401	2747	2746	2453
8plex5	2044	2484	2267	2755	2752	2741	2045	3532
optimized set 3								
8plex1	2194	2391	2191	2749	2745	3538	2861	2961
8plex2	2166	2188	2859	2212	2864	2746	2383	2752
8plex3	2484	2401	2850	2852	2512	2755	2106	2044
8plex4	2867	2453	3532	2025	2741	2267	2317	2387
8plex5	3511	3534	2751	2747	2395	3540	2831	2045

Without the use of said invention, the selection would have been performed randomly and tested for successful application later. Three randomly chosen subsets are shown here.

TABLE 4:

random set 1								
8plex1	2191	2194	2267	2741	3534	3511	2749	2747
8plex2	2391	2484	2867	2852	2453	2512	2025	3538
8plex3	2746	2212	2755	2045	2044	2188	2961	2864
8plex4	2831	2383	3540	2859	2861	2395	2401	2317
8plex5	2106	2751	2387	2745	2752	3532	2850	2166
random set 2								
8plex1	2045	2106	2212	2745	2044	2749	2752	2391
8plex2	2025	2831	2401	3540	2395	2484	2453	2961
8plex3	2194	2859	2746	2512	2267	2864	2861	2751
8plex4	2383	2166	2747	2387	3532	2741	2867	2852
8plex5	3534	2755	2850	2317	2191	3538	3511	2188
random set 3								
8plex1	2484	2850	2741	2747	2755	2745	2025	2746
8plex2	2383	3534	2861	2751	2749	2391	2188	2191
8plex3	2194	3538	2512	2961	2864	2867	2831	3532
8plex4	3511	2045	2387	2212	2166	2267	3540	2401
8plex5	2395	2317	2859	2453	2852	2106	2752	2044

5 The sequences of all of those amplicates and the according primers are given in the sequence protocol (primers SEQ IDs 81-160; amplicates SEQ IDs 1-40). SEQ IDs refer to the internal numbers used in these tables as is shown in TABLES 1 and 2.

10 To show if the use of the design method described herein was superior to the common method of selecting primers for simultaneous amplification randomly said multiplex PCRs were performed. This example hereby demonstrates the advantage of the method which is subject of the invention:

15

A total of 40 amplicates (with lengths ranging from 187 - 499 bp) were partitioned into five 8-plex PCRs using either of two strategies.

5 First: the grouping was based on the invention using said "optimised sets" ("designed group").

Second: the grouping was done without using the selection criteria established by this invention using the "random
10 sets" ("control group").

Whether such grouping can improve the success rate of mPCRs was subsequently tested experimentally by comparing the number of true and false positives and false nega-
15 tives for each of the two classes.

Each of the five mPCRs (multiplex PCRs) contained 8 primer pairs specific for 8 amplicates with one primer of each pair being labeled with a Cy-5 fluorescent tag.
20 Only fragments that performed successfully in sPCR (singleplex PCR) using bisulfite-modified human DNA from whole blood were included in this study. Isomolar primer concentrations were used in a 20µl PCR reaction volume and cycling was done for 42 cycles using a 96-well micro-
25 titer plate thermocycler.

Group assignments for the "optimized" and "random" groups were done in triplicate and all mPCRs were run at the same time such as to minimize experimental variation in
30 PCR performance.

A mixture of the amplicates that were expected to be generated in a specific mPCR reaction but were generated in eight corresponding sPCR reactions was called sPCR-
35 pool. Electrophoresis of sPCR-pool amplicates and mPCR amplicates was done simultaneously using the ALFexpress

system (Amersham Pharmacia). In order to obtain the best comparability for mPCRs with their respective sPCR standard, these products were electrophoresed next to each other on the gels.

5

Figures 1 and 2 show examples of these results as electropherograms, given as ALFexpress output files.

10

Success or failure scoring for each mPCR was based on assessing the number of generated or absent fragments compared to their respective pool of sPCR fragments. Only fragments with peak areas equal or larger than 8% of the largest peak within one electropherogram were included into the analysis.

15

Figure 1 illustrates a result of an 8-plex PCR based on a primer combination from the "optimized set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the optimized sets of primer combinations. By comparing these graphs it becomes visible that, in this specific example, there is only one false negative (FN) and three false positives (FP), whereas there are eight true positives (TP).

25

Figure 2, however, illustrates a result of an 8-plex PCR based on a primer combination from the "control set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the randomly chosen sets, as is the state of the art. This graph clearly shows that, there are eight false negative and six false positive

35

peaks, whereas there is only one true positive. Hence, for this specific example we have demonstrated the superiority of the design method.

5 A more comprehensive view on the results is given in **Figures 3 and 4**.

By applying the Wilcoxon rank sum test for the determination of false positives or false negatives as follows, it
10 becomes evident that the optimized set resulted in a more reliable amplification experiment:

data: False negatives (FN)
p-value = 0.02602 rejection of null hypothesis
15 null hypothesis (H0): true if median of designed set equal or greater than of control set
alternative hypothesis (H1): true if median of designed set less than of control set

20 data: False positives (FP)
p-value = 0.06711 rejection of null hypothesis
null hypothesis (H0): true if median of designed set equal or less than of control set
alternative hypothesis (H1): true if median of designed
25 set greater than of control set

data: True positives (TP)
p-value = 0.02146 rejection null hypothesis
null hypothesis (H0): true if median of designed set
30 equal or less than of control set
alternative hypothesis (H1): true if median of designed set greater than of control set

Figure 3 illustrates a summary of several such comparisons (as described in detail above). Six diagrams are
35 shown, that illustrate the numbers of false positives

(FP), false negatives (FN) and true positives (TP) for a number of 18 experiments. In the top row of figure 3 the results for experiments that employed the design method are shown whereas in the lower row results from experiments are shown, that did use the conventional method of random selection.

At the x-axis the occurrence of an event (like a false positive) per 8plex is given whereas the values of the y-axis indicate the frequency of an event like this occurring within the number of experiments performed.

For example, in the diagram title FN, a y-value of 0 indicates that the event did not occur in a single experiment, a y-value of four indicates that the according number of occurrences given as the x-value was found in four experiments (out of the 18 experiments considered for these analyses). The x-value indicates what kind of occurrence is counted; a x-value of three in this diagram indicates the occurrence of three false negatives. A data point with an x-value of 0 and an y-value of 9 means, that in the set of mPCR results considered, nine experiments showed 0 false negatives.

Figure 4 gives all of the data from the 18 multiplex PCR experiments of this example in one table. The letter A, heading the four columns presented on the left side, is indicating the results from multiplex PCRs of the designed group using the five optimized sets of primer pairs that have been designed and selected according to the invention. The letter C is indicating the results from multiplex PCRs of the control group using the five randomized sets of primer pairs.

The first column lists the identifying numbers of the experiments, the second column gives the numbers of true

positives (TP) within this experiment, the third column gives the numbers of false positives (FP) and the last column gives the numbers of false negatives (FN).

- 5 The average false negative rate (\emptyset FN) of the optimized group is significantly lower than in the control group. Complementary the average true positive rate (\emptyset TP) is significantly higher. The average false positive rates (\emptyset FP) of the two sets do not differ from each other significantly.
- 10

This is due to the high deviation of false positives observed between individual ALFexpress analysis runs. Those 36 sets of amplificates have been analyzed on two separate gel runs. These runs were not designed to simply duplicate the results, but could be used to analyze whether the average TP, FP and FN rates are similar, independent of the run, and the sets chosen. Only three of those sets have been duplicated, as indicated by the letters a and b for sets 11, 21 and 23. It turned out that the rate of true positives as well as the rate of false negatives averaged over 18 sets per run were highly reproducible, 6.83 versus 7.33 and 1.44 versus 1.39 respectively. However, the rate of false positives was determined as 4.11 in the first run and 7.61 in the second run.

15

20

25

Taken together, it could be concluded that the overall success rate of amplifying 40 fragments within 5 groups of 8plex PCRs was significantly increased when the primer grouping was based on the method being subject of this invention compared to an arbitrary primer grouping. The improved success rate of only 11% failures versus 24% in the random control group clearly becomes relevant when much larger numbers of mPCRs have to be established as is the case in a high throughput laboratory.

30

35

Claims

1. A method for the amplification of nucleic acids comprising the following steps
- 1) isolating a nucleic acid sample,
 - 2) treating said sample in a manner that differentiates between methylated and un-methylated cytosine bases within said sample,
 - 3) amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that
 - a) each primer molecule sequence reaches a predefined measure of complexity,
 - b) every combination of any two primer molecules in the set has a melting temperature below a specified threshold temperature,
 - c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template,
- and
- 4) detecting said amplified target nucleic acid.
2. A method according to claim 1 wherein said primer molecules do not contain nucleic acid sequences com-

plementary or identical to nucleic acid sequences of the target sequence which prior to treatment of step 2 contained a 5'-CG-3' site.

- 5 3. A method according to claims 1 and 2 wherein said set is comprised of at least one but not more than 32 primer pairs.
- 10 4. A method according to claims 1 and 2 wherein said set is comprised of at least one but not more than 16 primer pairs.
- 15 5. A method according to claims 1 to 4 wherein the primer molecules are reaching a specified value of linguistic complexity.
- 20 6. A method according to claims 1 to 4 wherein the primer molecules are reaching a specified value of Shannon entropy.
- 25 7. A method according to claims 1 to 6 wherein the nucleic acid sample is isolated from a bodily fluid, a cell culture, a tissue sample or a combination thereof.
- 30 8. A method according to claims 1 to 7 wherein the nucleic acid sample is comprised of plasmid DNA, BACs, YACs or genomic DNA.
- 35 9. A method according to claims 1 to 7 wherein the nucleic acid sample is comprised of human genomic DNA
10. A method according to claims 1 to 9 wherein said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite.

11. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in step 2) of claim 1.
12. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment.
13. A method according to claims 1 to 12 wherein each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.
14. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.
15. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.

16. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
17. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
18. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
19. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
20. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than seven.
21. A method according to claim 20 wherein the number of mismatches allowed for is less than five.

22. A method according to claim 20 wherein the number of mismatches allowed for is less than three.
- 5 23. A method according to claim 20 wherein the number of mismatches allowed for is one.
- 10 24. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is determined by a pre-specified maximum melting temperature.
- 15 25. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than eight 5'-CG-3' sites.
- 20 26. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than six 5'-CG-3' sites.
- 25 27. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than four 5'-CG-3' sites.
- 30 28. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than two 5'-CG-3' sites.
- 35 29. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR.

30. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, taking as template nucleic acid the coding strand of the treated sample, the non-coding strand of the treated sample and both of the strands of the untreated sample.
31. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, taking as template nucleic acid the coding strand of the bisulfite converted human genome, the non-coding strand of the bisulfite converted human genome and both of the strands of the untreated human genome.
32. A method according to claims 1 to 31 wherein said primer molecules are used to amplify nucleic acids which are comprised of at least 50 bp but not more than 2000 bp.
33. A method according to claims 1 to 31 wherein said primer molecules are used to amplify nucleic acids which are comprised of at least 80 bp but not more than 1000 bp.
34. A method according to claims 1 to 33 wherein said primer molecules are comprised of 16 - 50 nucleotides.
35. A method according to claims 1 to 34 wherein said primer molecules do not form dimers with each other.
36. A method according to claims 1 to 35 wherein said primer molecules do not form loops or hairpin structures.

37. A method according to claims 1 to 36 wherein said primer molecules are complementary to target sequences which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.
38. A method according to claims 1 to 37 wherein said primer molecules amplify regions of the treated nucleic acids which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.
39. A method for designing primers according to claim 1, comprising the steps of
- a) selecting a pool of possible primer pairs per amplify by means of a standard PCR primer design program using said nucleic acids as template
 - b) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set exceeds a threshold melting temperature
 - c) excluding those primer pairs which comprise of a primer that does not reach a specified level of complexity
 - d) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set, under conditions allowing for one or more base mismatches per primer, amplifies an unwanted product when virtually tested using the treated and the untreated sample nucleic acid as template.

40. A method for designing said primer molecules according to claim 1 and 43, adding the step of
- 5 e) excluding from the remaining confirmed primer pairs those pairs which in said amplification step do not result in the amplification of the intended product when performing a single PCR experiment.
- 10 41. A method for designing primers according to claims 39 and 40 , wherein said template nucleic acids are masked for repeats and SNPs before designing said primer molecules and wherein said standard PCR primer design program considers one or more of the following
- 15 factors
- length of amplificate, length of primer, melting temperature of the primers, dimer formation parameters, loop formation parameters, exclusion of unidentified
- 20 or ambiguous nucleotides in the primer sequence, exclusion of restriction enzyme recognition sites.
42. A method according to claims 39 to 41 wherein said measure of complexity is a measure of linguistic complexity.
- 25
43. A method according to claims 39 to 41 wherein said measure of complexity is a measure of Shannon entropy.
- 30
44. A method according to claims 39 to 43 wherein the following step is carried out prior to performing step d)
- 35 excluding from the remaining primer pairs those

pairs, which consist of a primer molecule that comprises of at least one CpG site.

5 45. A method according to claims 39 to 44 wherein the following step is carried out prior to performing step d)

10 excluding from the remaining primer pairs those pairs, which consist of a primer molecule that does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in
15 step 2) of claim 1.

20 46. A method according to claims 39 to 45 wherein the following step is carried out prior to performing step d)

25 excluding from the remaining primer pairs those pairs, which consist of a primer molecule that contains more than 5 bases at its 3' end that are complementary to any other primer molecules' sequence in the set.

30 47. A method according to claim 39 to 46 wherein the following step is carried out prior to performing step d)

35 excluding from the remaining primer pairs those pairs, which amplify a nucleic acid that did not, prior to the treatment in step 2 of claim 1, contain at least two CpG sites

48. A method according to claim 39 to 47 wherein the following step is added before performing step d)

5 excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions allowing for a number of mismatching nucleotides of 10 20% of the number of nucleotides of the primer molecule.

49. A method according to claim 39 to 47 wherein the following step is added before performing step d)

15 excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions 20 allowing for a number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, of up to 20% of the number of nucleotides of the primer molecule.

25 50. A method according to claim 39 to 47 wherein the following step is added before performing step d)

30 excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions allowing for four or less mismatching base pairs.

35

51. A method according to claim 39 to 47 wherein the following step is added before performing step d)

5 excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions allowing for two or less mismatching base pairs.

10

Sequence listing

<110> Epigenomics AG

5 <120> Method for amplification of nucleic acids of low complexity

<160> 160

<210> 1

10 <211> 322

<212> DNA

<213> Artificial Sequence

<220>

15 <223> 2025

<400> 1

20 aatcctccaa attctaaaaa cataaaaata acgcaaccca aaaacaaaaa acccctccgc 60
ccattaatta ctatacacta acgaaacttt cccgacccac aacgacgaaa ataaaaacaa 120
tcgctaacgc taaaaaacat caaaaacact acccaaccca aatatcgccg ccgcttccac 180
aaaactctac taaacgccgc cgccgccgct accaccgcct ctaatccaaa ccacctcccg 240
ccaaataaac cccgaaatcc taactcaaat atatatctct ccctccctct ccctccattc 300
gtcattttct cactcccttt cc 322

25

<210> 2

<211> 413

<212> DNA

<213> Artificial Sequence

30

<220>

<223> 2044

<400> 2

35

ggataggagt tgggattaag attttcggtt agtttcgtat tttttcgat tttttagat 60

cgtttcgtat ttttcgtatt ttttttcggg ttattacgtt ttttatgtga ttcgtttggg 120
taacgtcgaa tttagtcgcg tagcgttgta gtgaattttt tttttaaatt gtaataagtc 180
gttttttaag gtaattacgt tttttttggt ttttttttaa aaaataaaaa taaaaaattt 240
atagaaaaaa attcgcgagt ttagaaaaaa gaagtaattg gtagaagggtt ttaattaagg 300
5 taaagagttg taaggcgaag ttaagaaaat gtaggtattt aaaaaatgta ggtaattttt 360
ataagggttt ttggggagag gtatatagag ggattttggt gttgaaaaag att 413

<210> 3
<211> 347
10 <212> DNA
<213> Artificial Sequence

<220>
<223> 2045

15 <400> 3

aaccctttct tcaaattaca aaccttctta ccttcaaacc tcgactccaa caccaatccg 60
acaaaaaac ccaatctaataaaaatacgtt ccttcctac cattctctat tccattaacc 120
20 tatttcgtaa taaacgtaaa actaatcctc caaaattacc ttattaatta acttacatat 180
ttattatcta tctatcccac caaaatacaa atttccgaaa aacaaaaatt taaaaaatc 240
tattttattc tatataattt tcccatacca aacaccgtac ccgacacaaa ctaaaatccc 300
aatacacatc tcgaaacgaa aaaaccgtat ttccctaaaa cccaatc 347

25 <210> 4
<211> 283
<212> DNA
<213> Artificial Sequence

30 <220>
<223> 2106

<400> 4

35 ttgaaaataa gaaagggtga ggtagagagg ataatatagt tttagtttat tttttagtat 60
tttgtaatt ttttttaatt tttagttata aattcgagat ataacgtttt ttttttaaag 120

aggtcgcgtt ttttttgtgg tggtttttag ggattcgttt tagttttttt ttcgttttta 180
gttttatata ttgggattat taggtattta agattttatt ttttaggtgg ttttttagc 240
gtaggttggt atttagtttt ttttaggga ttggggtag aag 283

5 <210> 5
<211> 211
<212> DNA
<213> Artificial Sequence

10 <220>
<223> 2166

<400> 5

15 tgtttgggat tgggtagggg ttcgggggtt gggggggcgg ggtttgtggg taaggcgggc 60
ggaggcgtgg atttttcgtt cgatgatagg gttggaggag gaaggggcgg gttgaagaag 120
gggaagggtg gaagagttta gtcgggggta taaattgggt gaagcgttga ggtttttagta 180
ttttcgtttg aggagatagg taaaggttat g 211

20 <210> 6
<211> 497
<212> DNA
<213> Artificial Sequence

25 <220>
<223> 2188

<400> 6

30 ttttagattg aggttttagg gttaaaggat tttttttttt ttttagcgttg gttcgggaaa 60
ggtaagtttc gggcgggagc gtacgtcgcg ttttcgaagt ttggtttttt cgttacgttt 120
attttttggt tttatttcgc gtttttttag gtttttttc ggtgaatcgg atgttttggt 180
agttttttat tttgcgtttt cggtcgcggg tcgggttttt cgtaaagtcg ttgttatttc 240
ggaggggtta gttagcgggt tttcggaggg tggtcgggta ggcgtgggtg gcggtaggag 300

35 ttgggcgcgt acggttatcg cgcgtggagg agatattggt ttgtcgcgat ggggggttcgg 360
ggcgtttttt tacgtcgtag gtaagcgggg cggcgggttc ggtatttggt tatcgggagt 420

tttttttttt tttttttggt gttgttgttt tgtatttagt tcgggggagg atagaagaaa 480
aaggaggtag aatggat 497

<210> 7
5 <211> 373
<212> DNA
<213> Artificial Sequence

<220>
10 <223> 2191

<400> 7

ggaggggaga gggttatgcg attttatttt tggttagggt cggggagggt tttgtttttc 60
15 gggagttttg ttcgggtttt ttggtcgtag ggttggtggg ttttaggtag gaacgagagg 120
gtgaggttta tatgtggttc ggcggttttag ggcggtttgt agcgttttta ttgtttcggg 180
tgtaggggt tgcggcgacg cggttagtta gtagcgagtt taggtcgcgt agattttatt 240
gatgagtttt gatttttagt atttttttta agttaagaag agtttagcgt atttttcggg 300
tgttttattt tagttttttt gtttttagtt ttttagttta ttttttttcg ttttggtttg 360
20 ggtgtgtat agt 373

<210> 8
<211> 368
<212> DNA
25 <213> Artificial Sequence

<220>
<223> 2194

<400> 8
30

ttttgggaat gggttgtatc gagaggttcg attagtttta gggtttttagt gagggggtag 60
tggaatttag cgagggttg agagttttat agtatgtacg agtttgatgt tagagaaaaa 120
gtcgggagat aaaggagtcg cgtgttatta aattgtcgtc gtagtcgtag ttatttaagt 180
35 gtcggatttg tgagtatttt gcgttttttag ttttcggata gaagttggag aatttttttg 240
gagaattttt cgagtttaga gacgagattt ttttaataatt attatttttt tttgcgtttt 300

ttatttgtcg ttcgttggga taaacgatag ttatagtttt ttgacgata ggatggaggt 360
taagggtgta 368

<210> 9

5

<211> 352

<212> DNA

<213> Artificial Sequence

<220>

10

<223> 2212

<400> 9

15

ttgttgggag tttttaagtt ttgtgagaat tttgggagtt ggtgatgtta gattagttgg 60
gttatttgaa ggtagtagt tcggtaggg tttatcgaaa gttattcgt atatattagg 120
taatttaatt ttttattttg tgtgatagaa gtagtaggaa gtgagttgtt tagaggtagg 180
agggtttatt ttttgttaaa ggggggatta gaattttttt atgcgagttg tttgaggatt 240
gggatgtcga gaacgcgagc gattcgagta gggtttgttt gggatcgtc ggggtaggat 300
tcggaacgta ttcggaaggt tttttgtaag tatttatttg gaaggagaat tt 352

20

<210> 10

<211> 295

<212> DNA

<213> Artificial Sequence

25

<220>

<223> 2267

<400> 10

30

gtaatttgaa gaaagttgag gggaggcggg agatgttttg atttattagg gaaaacgtgg 60
acgttttttg ttgttatttt gtgaattgtg tgtatttagt tatttttgag taaatatttg 120
gagcgaggaa tttttgagtg gtgtgggagg gcggtgaggg gtagttgaaa gtcggttaaa 180
gttttcggag gggttggttt aggaaatatg attggtagtt acgagagagt taggggttgg 240
acgtcgagga gagggagaag gttttcgggc ggagagaggt tttgttttagt tgttg 295

35

<210> 11

<211> 278

<212> DNA

<213> Artificial Sequence

5

<220>

<223> 2317

<400> 11

10

```
ggagttgtat tgttgggaga tttgggtgta gatgatgggg atgtaggat tattcgaatt      60
taaagttgaa cgtttaggta gaggagtga gttttgggga atttgagtc ggtttaaagc      120
gtatTTTTTT gtatatTTTat tcggtgttgg gcgtagggaa tttttgaaat aaaagatgta      180
taaagtattg aggtttgaga tttttggatt tcgaaatatt gagaatttat agttgtatat      240
15 tttagagttt atggtatttt agtgaaaatt ggggtttt      278
```

<210> 12

<211> 285

<212> DNA

20

<213> Artificial Sequence

<220>

<223> 2383

25

<400> 12

30

```
tttgtattag gttggaagtg gtcgttagtt tttcgtgtaa ttttattttt tggaaaagtg      60
gaattagttg gtattgttta gcgtgatttg tgaggttgag ttttaatagt ttaaagaagt      120
aaatgggatg ttatttttcgc ggggttcggt tttcgcgagg tgtttatttc gtatttgttt      180
tgtaaaacga gggagcgtaa ggaaggaatt cgttttgtaa agttattggt tttggttatt      240
agtttttatt taatgttttc gtgatgttgt tgttgattta tttgg      285
```

<210> 13

<211> 380

35

<212> DNA

<213> Artificial Sequence

<220>

<223> 2387

5 <400> 13

gattttttgga gaggaagtta agtggtttttt tgtttttttt cggatatttta ttttaaggcga 60
ttagttaga attggttttc ggaagcgttc gggtaaagat tgcgaagaag aaaagatatt 120
tggcggaaat ttgtgcgttt ggggcggtgg aattcgggga ggagaggag ggattagata 180
10 ggagagtggg gattattttt tttgttttta aattggggtta gttttttggg ttttcgattt 240
ttttattttc gtgggtaaaa aattttgttt ttatcgggtt tacgtaattt ttttaagggg 300
agaggaggga aaaatttgtg gggggtacga aaaggcggaa agaaatagtt atttcgttat 360
atgggttttg ttttagttt 380

15 <210> 14

<211> 397

<212> DNA

<213> Artificial Sequence

20 <220>

<223> 2391

<400> 14

tggggtagt ttaggatagg cgttcggggg acgcgtgttt ttattttacg gggacggtgg 60
aggagagtta gcgagggttc gaggggtagg tattttaacg aatgggtttt ttggtgtttt 120
ttgcgtttcg tcggtttatt ttttttttta taaaacgggt ttagttttta gtatttattt 180
ttcgttatta attaggtatt tcgggagatt agttcgttcg aaagtttttg cgttatttcg 240
cgggtttttt taggtggttt ttttagtttc gttttttttc gggatgtttg ttgattattt 300
30 cgagttcgcg tggcgtaaga gtacgagcgt cgagttcgtg cgcgttaagg ttgcgtgggc 360
gggtatcgat ttttttgaga agtttagtg ttttttaa 397

<210> 15

<211> 547

35 <212> DNA

<213> Artificial Sequence

<220>

<223> 2395

5 <400> 15

tttttgtatt ggggtaggtt tcggtaggtg tatgggagga agtacggaga atttataagt 60
ttttcgattt tttagtttag acgttggttg gtttttttcg ttggagatcg cgtttttttt 120
aaatttttgt gagcgttgcg gaagtacgcg gggttcgggt cgttgagcgt tgtaagatag 180
10 gggagggagt cgggcgggag agggaggggc ggcgtcgggg cgggttttga tatagagtag 240
gcgtcgcggg tcgtagtata gtcggagatc gtagttcgga gttcgggtta gggtttattt 300
gttttcgtag cgtcggttcg cgtttttttg tcgtagttag cggtgagtgt cgcggttttg 360
agattttcgg gtcggatgcg cggcggtttt agttttcgag cgtttgtttg tttcgttttg 420
ggttgttcgg gttttttggg tttttcggcg gttgtacgga gttaaggcgt ttcgtttcgg 480
15 gcgttttttcg cgggtgtcga tttaggttgt tcggagttcg gagtttatag aggagagaga 540
tagttgg 547

<210> 16

<211> 414

20 <212> DNA

<213> Artificial Sequence

<220>

<223> 2401

25

<400> 16

attagaagtg aaagtaatgg aatttcgatg taaatataat attatttttt tgtagagtta 60
ttttgagtat aataaatttg aattgtgtta atgttgggag aaaaaattta aaagaagaac 120
30 ggagcgaata gtagtttttt cgttcgttga ttagaaatag taggacgata ttttttcgat 180
tggaggagag cgtttgcgtt cgtatttagt tggcgttcgt ttttttgttt tttttttagt 240
cgtttttttt tttttttttc gcgttttagt tattcgggaa ggtattgcgg tagttgggtt 300
ttgattgggtt gttttgaaag tttacgggtt attcgattgg tgaattcggg gttttttagc 360
gcggtgagtt tgaaattggt cgtatttggt tttaaagtgt gtttttgga attg 414

35

<210> 17

<211> 272

<212> DNA

<213> Artificial Sequence

5 <220>

<223> 2453

<400> 17

10 gggatggggtt attagttgta aatcgtggaa ttttttttga tataatgaaa agatgaggggt 60
gtataagttt ttttagtaggg tgatgatata aaaagttatc ggagtatttt ataaggtata 120
aatttttaga gatagtagag tatataagtt tttaggataa gagttaggaa gaaattatcg 180
gaaggaatta ttttattgtg tgtaaataatg atttttaagt tggtcgtggg ttttttggtg 240
gtttttttga tttttgtagt tttgtgtgaa gg 272

15

<210> 18

<211> 391

<212> DNA

<213> Artificial Sequence

20

<220>

<223> 2484

<400> 18

25

taattgaagg ggtaaatagt ggaatttggt tgggtggttg ttaaattttt ttttttggtt 60
ttgttttggg tttttttttg aagggatttt ttttcgtttt tgtaataaga ttttttataa 120
agtatagatt ttttatttta tttcgcggta tttgtatcgg gttttattgg ttttaggagt 180
tgaatatattt tttaggtata tataggtggg atataaataa gggttttgga attattattt 240
30 ttttattacg atagtaattt aaaatgtttg ggaagatggg cgtgattttt ggagttttta 300
atatattttg gataatgttt gtagtttgta agttattttt ttttatttgt tttaaatggt 360
agtatttaat ttttagtttg gttttgggtt t 391

<210> 19

35 <211> 430

<212> DNA

<213> Artificial Sequence

<220>

<223> 2512

5

<400> 19

	agtggtattg gagtttagat gtaatataat gattgatatt ggtatagtat atttattttg	60
	tttttgtaaa taaaatggta tatgtgatgt ttttttttgt ttttttgat ataaaataat	120
10	atttggtttt atttattatg tatttatgtt tttattttgt atgttaggag ttaagtattt	180
	tgtatgtatt aatttatttt gtttttataa taatttttat atgttaggaat tattatagtt	240
	attttatgaa tgagtcgagg aaggtattga gacgttaagt aatttgttta aggttacgta	300
	gttagtaagt ggtagagtaa gaattattat ggttttataa gtttaggaaa aagtttgaaa	360
	gaattaaaat gttaatagcg gggattttta ggaagtattg aagaggttat gggagaagtt	420
15	tttattttgt	430

<210> 20

<211> 475

<212> DNA

20

<213> Artificial Sequence

<220>

<223> 2741

25

<400> 20

	laggggaaaa gtagagttg agaggttggg gcgcgacgag tttggatatc gggcggggat	60
	ttaagttttt ttcgttttagt taataattgt gtttttttta ggaaggcgtg aggaaatgtt	120
	ttaattaatt tttgtatttt ttttttgga tttgggttgt atttttttat ttattgtaaa	180
30	ttttataatt tatttagggg tttttttagt gtttggtttt agcggtttcg gtgtttattt	240
	attagtgttg tttttttttt ttcgtaagat tgcgttttag ttttagtttt ttttttcgcg	300
	ggtgtttttt aaatcgtttt attattttcg ggtttaggga ggcggaatcg tgtttgtttt	360
	tcggtttttt taagaggcgt cgtttttatt ttttttagag tcgcggtttg acgcgagatg	420
	atagtaacga gttcggtatg tttatgtaaa taagcgtttt tttgtgggtt aatgg	475

35

<210> 21

<211> 412

<212> DNA

<213> Artificial Sequence

5 <220>

<223> 2745

<400> 21

10	at t t t t a g t t t g t g a a a t g g g a t t t a g g a t t t a g g t a g a g g t g c g t t t t c g g t t t g g g g a t	60
	c g a g t a t t t t g t g c g t t t c g g t a a c g t a g g a a g a t a g c g t t a t t g a t a t t t t a g a g a t t a	120
	g c g g g t a t c g t t t g g a g g c g t t t t a t t a t t t g g c g g t t t c g g g t t c g c g t t t a t c g c g	180
	t t a t a a g a t t t a c g t t c g a a t t a c g t g a t t a g g g t c g t g g t t t c g t t t c g t t t t c g c g t c	240
	g c g c g t c g t t t t c g g t a g g g g c g g a a a g c g g a a g t g t g g g a g g g t t t g c g g g c g g g t t t	300
15	a g g a g g t t c g c g g g a g g a t g g a g t a g t g a g c g g g t t t g g g c g g t t g t t g g t a g c g t t a t g	360
	g a g a c g g t a t a g t t g a g g a a t t c g t c g c g t c g g t g a g g g g t t a t t g g t t a a g	412

<210> 22

<211> 484

20 <212> DNA

<213> Artificial Sequence

<220>

<223> 2746

25

<400> 22

	g t g g g t t t t g g t a g t t a t a g a a g t t a t c g c g t t g g c g g g g a g g a g g g g g a t c g a t g c g g	60
	t t t a t g t t t c g g g t a g t t t t a t t t t t t t t g t t t g c g a a g g g t t t t t g t t c g g c g g g a g g a	120
30	g a g a g g c g c g t t t t a t t c g g g t t t t t t a t a t t t g t c g t c g t t t g g g t c g a t t t c g c g g g	180
	t t t c g t t c g g c g t t t t a g t c g a t t t t c g t t t a g t t t c g g g t t t a t g g g c g c g g t t a g t a g	240
	g g c g g g t t a g g g c g g c g g g g c g c g a t a t t g g g a g g a a g t g c g g g t c g t t t g t t c g g g c g c	300
	g t t a a g g a a g t t g t t t a a a a t g a g g a a g a g t c g c g g g t t c g g c g g t t g a g g t a t t t c g g	360
	c g g c g g t t g g a g a g c g a g g a g g a g c g g g t g g t t t t c g c g t t g c g t t c g t t t t c g t t t t a t t	420
35	t g g c g t a g g t a g g t g t g g t c g c g t t t t t t a t t c g g t c g g g a t t t t t t g g t a a g g a g a g g a	480
	g g t t	484

<210> 23

<211> 476

<212> DNA

5 <213> Artificial Sequence

<220>

<223> 2747

10 <400> 23

taggatgggg agagtaatgt tttcgagtag aataggggtg ggttttttaga ttattttttt 60
ttttttatag ttggttttat tttatcgatt ttattaaagt ttttttgga gtatttttaga 120
gaagagttac gtttaggtcg ggtttttggtt gtttggttta cggcggaatt tttagtatta 180
15 cgtttcgtac gtcgggttta aagtatgttt agtgaaggag taggtattta ttgtagatg 240
gagttatttt tttagatttg gggttttttt ataacgatgg ttatgtttg tatggaagtt 300
tttttagaag ttaatagtag gaaataaggg ttaatagtat ttaattgtgg agtaagggtt 360
aaatttttagt tttgttattt aatcgtttcg aatttggttt tttattgtag aggcgaaaag 420
gttaatatta ttttatttcg gagggttatc gtggagaatg gaagttggat aagttg 476

20

<210> 24

<211> 419

<212> DNA

<213> Artificial Sequence

25

<220>

<223> 2749

<400> 24

30

tcccacaaa actaaacaat tattacaaat tcaaaaaacc ccgaccaatt tttcaaaaat 60
ttctctcct cttttcccc taaaactcgt aatactttta ctctactttc aaaatacatt 120
aatctccta ctttataact actttaaaac caacaaatac tctaataat ataattcaaa 180
ttatacaaat ttcacgaata aatttaactt ttttttttaa attaattaaa aaacaaataa 240
35 tatttaaaaa aatattaact tataattatt tcaccctttt tacttttaac atttttatta 300
cttctcgacc ttttaactaa aatcaaata atacttttaa cattttttta aataaaaata 360

tccttttaat ttaataaaaa aacaaaattc tacataaaaa aaccoccttca tctaaaacc 419

<210> 25
<211> 479
5 <212> DNA
<213> Artificial Sequence

<220>
<223> 2751
10

<400> 25

tttggagggt ttagtagaag ttatttttagg ggagggttcg ataggaagga aggtaggttt 60
gtcggagggg tatataggag tttttttttt cgttatagtg tttagggtta attgttttag 120
15 ttttttaggtt gggttaatag gatgggatag tttaggcgga aggaaatttg tggggaggga 180
tatttcgtag atagaagtag ggatatgggg tggggagagg taggaagagt tgtcgggttg 240
ttgagttggc gtttttttag tagatttagg aggggcggtg ataggaggtt attttttttt 300
tattttcgta gttttgggtt tttttggtt tggttaatag tattattatt attattattg 360
ttgttgttcg ttagtttggg ttttagatat attagaaaaa aattatcgga agatacgtat 420
20 agtattggta gtttttaaaa gaattaattt tttttttgtg tttattttgt gattattgg 479

<210> 26
<211> 484
<212> DNA
25 <213> Artificial Sequence

<220>
<223> 2752

<400> 26
30

atacaacctc aaatcctatc caaaccocca aaacatcaca ctcgaaactt attctacata 60
tttttacttt tacctcccac taatactaatt tcttccgtaa aacaacctaa atcccttcaa 120
atacttaata ttttttctca aatactacca taaaaccaa tctccaccgt cttaaaacat 180
35 tcctttttta aaataaaaaa tatatatcgc tcctttttata taatttacat tctatcttaa 240
ataatttaac catcaccgta attcattcaa atctatttaa atcctacca tctcaacttc 300

aatccatttc attcttttaa atctaatacga caattacctc caacaacttc atcacaatc 360
actcacaaaa ataaccttaa tcctaaaatt tatttacgaa aaacacactt actaaatata 420
taacaaatat acaaaaaaca caaaataaaa caacaaatct aaaaacaaat aacttccttc 480
tccc 484

5

<210> 27
<211> 371
<212> DNA
<213> Artificial Sequence

10

<220>
<223> 2755

<400> 27

15

ggaagatgag gaagttgatt agatattaag gatgagcgga tgatttaata ggtttttttg 60
ttaagatttg gttgggtagg tgaaagataa agtcgaggag tggttatggt gtggtataga 120
agaagggtta gaggacggtt tttgttattt ttttatgttt gagttttttt ttttgtgaaa 180
tggggataat aagagtcgtt atatagggaa ttgttgtag gattaaatga gataatgtat 240
20 gtgaaacgtt ttggtttag gtttttttagt aaatgggtac gatttgcgga gtggggattt 300
gaatttacgt ttggcgggat gtttaagttg ttattttgat cgtagggag ttttagagga 360
tagggttgta g 371

<210> 28
25 <211> 186
<212> DNA
<213> Artificial Sequence

<220>
30 <223> 2831

<400> 28

35

ttagtagggg tgtgagtgtt ttgattagaa ttattttttt ttgttagaat ttgatgtaat 60
tcgaatgttt ttattttttg ttgaagggtt taaataataa attaggtttt gtcgtgttat 120
tatgggggtg gttatatattt gtatttagga aataggtacg gtagggttga gatagaagtt 180

ttgttt

186

<210> 29

<211> 300

5

<212> DNA

<213> Artificial Sequence

<220>

<223> 2850

10

<400> 29

ttatagggtt gagtttggga tcgaggtgag agtcgtcggg ttgggagtga gggagatggg 60
aataagggtcg tcggtgggcg aggggagtcg aggggaattcg ggggattggg aggtttgggg 120
15 cggcgcggtt tggtcgggtt gggatcgggt tttcggttta gacgttcgag atgttggtat 180
tttttgttat tttttatttg ggttttaggg gttcgttttt gggtagtttg gagtttttcg 240
aggtgggagg atcgggagga ggtggaggaa gttttttttt ggaagatttg ttgtttgttt 300

<210> 30

20

<211> 321

<212> DNA

<213> Artificial Sequence

<220>

25

<223> 2852

<400> 30

30

tgaaaatgaa ggtatggagt ttggtgttaa aagaaatttt ttttaaaaat taaataataa 60
tattagagta aagtttttag ggcgagataa ggagttgtta taaaataagc ggaaattcga 120
gaagcggtta tgtttttaaag ggttaatgat tatatataat ttacgtagtt aacgtgttaa 180
aatatattaa cgtatttttt ttttttaa ataaagtaggaa agcggatttt gtatgagggg 240
cgggttggtcg atttagtagt ttttttcgga tagttcgttt tgattttttt tggttggtcg 300
tggagggatt atatggtttt a 321

35

<210> 31

<211> 398

<212> DNA

<213> Artificial Sequence

5 <220>

<223> 2859

<400> 31

10	tatgttttggg tttgttttga gatagagttt cgttttgtcg tttagggttg ttaaaagata	60
	gggttttagt cgggtgcggt ggtttacgtt tgtaatttta gtattttggg aggtcgaggc	120
	gggcggatta tttgaggttc ggagttcgag attagtttg gttaatatgg cgaaacgttg	180
	ttttatttaa aaataataaa aattatttag gcgtgggtggc gcgtatttgt aattttagtt	240
	attcgggagg ttgaggtagg agaattattt gaatttagga ggtagacgtt gtagtgagtc	300
15	gagatcgctg tattgtattt tagtttgggc gatagaggga gatttcgttt taaaaaagg	360
	aaaaaaaaa aaaagaaaag aaataaaagt gatggggt	398

<210> 32

<211> 347

20 <212> DNA

<213> Artificial Sequence

<220>

<223> 2861

25

<400> 32

	gggtgtagaa gtgttttagt tttttttcgt tgggggttgg agtttgggta ggtagtttt	60
	atttttttta agttcgtttt tggttttcgg gtttagtttc ggttattatg tttcgtaga	120
30	ttatttttgt gggtttttagt tgtttggatt tgtggaggga aaagaatgat cggttcgttc	180
	gataggttaa ggtaatacgg ttgttggtat tttcggtttg tagttttaag atttttgaa	240
	gcgggtttgt agtggattta ttttaataga tggggaggga ttgagtttga ttaaagagtt	300
	agaaatgatt ggagaatgta ttttttgta ttgttgtaag gggagaa	347

35 <210> 33

<211> 291

<212> DNA

<213> Artificial Sequence

<220>

5 <223> 2864

<400> 33

10 tccccttcca actatatctc tcacccaaaa ataacttcta actctcgtat tcactctaaaa 60
ctcctccttc catataccaa caattaacta taaccctcc aaaaacgctc catctccaaa 120
tatactcca catccaaacc acgaaccct caccgatca catacttcat acacctataa 180
ctccgactc cccaaatata cctctaactg acaactatta ccccttcccc cgattataac 240
cctataactc gccacataca actataacta aaacttcctt aaaacactct c 291

15 <210> 34

<211> 389

<212> DNA

<213> Artificial Sequence

20 <220>

<223> 2867

<400> 34

25 aaaacaaaa cataaaccaa aaaccaaact cgaaccgaaa acaataaccg caacgcccga 60
aaactaaacc cacgacgcgc taacaacgcg aaccgaacta cgaaaacgat cacgtcaacg 120
tccgttccaa accgactaac aatctcgtt ctacattaac gtcaaacactc ccgttaaaaa 180
taatacatct ctcccatacc aaaaaaactt aaatactact aaaaaccaac cctccgaata 240
ctaccaaacc gacgctcacc cgccaccttc atcttccctt ctcctttacc ccaaaacaac 300
30 cgaaaatata taattaaatt cccctaccc ataaaaaac caaaaataaa aaactaacga 360
cctactcgat ctcaacaaac cctcctaatt 389

<210> 35

<211> 272

35 <212> DNA

<213> Artificial Sequence

<220>

<223> 2961

5 <400> 35

aatggttgat gatttttggtt ttttttcgtc gtcggagagc ggtgtttcgg aggcggcgga 60
ggaggattcg gcggtcgttt ttttggttta gtaggagagc gagattgtag gtatagagaa 120
cgacgaggggt ttcgggggtat ttgtcggtag ttatgcgggtt ttcgcgtagt cgggttttac 180
10 gagtgggggt gagttagcgc ggggtttgga gaggggttta gggcgcgtat tcgggggatt 240
tcggtcgggg tttaggggta tagggaagag ag 272

<210> 36

<211> 371

15 <212> DNA

<213> Artificial Sequence

<220>

<223> 3511

20

<400> 36

agttagaaga ggagttagga tgggtttcgg gtagtttaat agtatagttg aagttttaat 60
tattatgtta atagttttttt ggttttatat attttatggg aagaggaaaa taaaaggta 120
25 tttatttgta tatttttttta tttttgatat aagaagtaga atttttttta tatgatttat 180
gtttatttaa tacgttattt tgaaatttat taataaaatt ttttaagcgt tagaaaattg 240
ttagtggttt tttttatttt tttttatttt tttttgtggt attaatattg tttttttttt 300
ttagaagggt gtcggaatag taaatattta ttgatatggt ataattattg gaaaatgggt 360
attggaaaat t 371

30

<210> 37

<211> 457

<212> DNA

<213> Artificial Sequence

35

<220>

<223> 3532

<400> 37

5	tgttagtaga gtttaggga ggttttat	60
	ttttttta tttaaagtt tatttggtg	
	ggtaggggtt ttgttgga ggggaaggt	120
	taaggttgtt tttagcgtgt ttttttatt	
	tgattgtttt tggcggggcg ggggtgttt	180
	tgttatttag ttgtataacg gtttaggaag	
	gtttaaatta ttttaggggt taatttaag	240
	tcgttttttg ggtttgata tttttgtgt	
	gagtgcggat cgggagaggt tgttgaag	300
	ataggaggat aaatggggga cgaaggggt	
10	cgaggagggt gattgaagga tttgggtta	360
	gtcgggaggt ttcgaggcg gagttaaac	
	gtatttggtt ttgttaggt ttaaattttg	420
	tttttattgt tgtaagtttt ttagatcgag	
	gattttcggg ttgaggggtg ggtaaggata	457
	ggtagtg	

<210> 38

15 <211> 476

<212> DNA

<213> Artificial Sequence

<220>

20 <223> 3534

<400> 38

25	tttttgtttt tatggggtgt atatttaagt	60
	agttgaaata gatagtgaat aaataaaaaa	
	ggataataat tttaaataat aatgatgtta	120
	tcggttaggt gtgggtggttt atgtttataa	
	tttttagtatt ttgggaaggt aagttaagcg	180
	gattatttga ggtaggaggt ttaagaatag	
	tttggttagt atggtgaaat tttattttta	240
	ttaaaaatat aaaaattagt tagatatggt	
	ggtatatatt tgtaatttta gttatttggg	300
	agggtgacgt aggagaattg tttgagttcg	
	ggaggtggag gttgtagtga gtttaagatt	360
	gatagggttt tagtattatt gtattttaga	
30	ttggttgata gagcgagatt ttgttaaaaa	420
	aaaaaaaggt ataaatagat tttaatagg	
	ggttaatagg taatatgata gggagggagg	476
	gataggggag taggggtggt aaggaaggga	
	tattta	

<210> 39

<211> 458

35 <212> DNA

<213> Artificial Sequence

<220>

<223> 3538

5 <400> 39

tgggtagtat ttttggtggt ttttttttat attataaggt tacgtagagt tggcggaggg 60
ttatgggtttt atttatgtta ggtgttttta atttggtaag gaaatgtaat ttacgtgaat 120
tttaataggt agtgaagtat cgtttttttt tgatttttagg taggggtgaag aaaatgggat 180
10 agtagtacgg ggtgcgggta taaacgtata attttggtttt ttttagacgta gagttgtggg 240
gttgtgagaa tgtaggagg aggttaagaaa gggcgggtttt atgggggggtt tgtaggggtgg 300
gataagttta agagggtttt atatttaggt ttggtggggg aggtgagttt ttggtttatc 360
gaggggggttt ttttttggtt tcggaaatat tgtagttttt atttttatcg ttttttcggt 420
gcggggattt aggggcgtga ggatgagaga gtttttag 458

15

<210> 40

<211> 405

<212> DNA

<213> Artificial Sequence

20

<220>

<223> 3540

<400> 40

25

agtggtttag gagtatttgg ttattttcgg gaaaaatcgg tttggtaaag gttttttcga 60
gggtacgcgt ttttcggata gtgaggtagg atttaaattt tttcgttaat attatatttt 120
tcgtattttt gtagtgtttg tatttttagg ttttattatt ttttcgtatt ttttagggag 180
aagttttcga cgtttttattt tttttggaag ggtgttggtt ttagagattt ttaggttaat 240
30 ggtttaattt tagtggtttt aggggagagg ggggtgtaga aaaatagttt gggttataaa 300
agagggtcga gggttgtgag atttcggagg tatcgacggg aagcgagacg gagaatagga 360
gggtaggacg gggttgagggt gggggatatt gtagatggag ggagt 405

<210> 41

35 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 41

5	ccagttccag tcccgggtcc tgtggccgcc ctgccggcga cccctgcggag agcgagtctt	60
	agatacccag tcccagccc cgagttgtta ttccctcgct gtagttaaga aggaggagat	120
	caattaaggg catcttagaa gttaggcggt cccgctgcct cctttgagca cggaggccac	180
	caacccccta gggggaagag atgtagcgcg aggcaggggt gtcgtgctaa gaaatttcga	240
	cgcttctggg gactgaggac aaaggtgcgg acacgacccc ggggtacctg gagttccgtg	300
10	actcgcgcca cggacggcac acctaggggc taatttctgc tctgcctcaa agaacctcaa	360
	gctagagtcc ttgcctcgc ccacagcccc gggatgccgc tgctgcgctc accgcacagg	420
	cagcggccgg accggtgca gcagatcgcg cgctgcgctg tccaccggga gatggtggag	480
	acgctgaaaa gcttctttct tgccactctg gacgctgtgg gcggcaagcg ccttagtccc	540
	tacctctgct gagctgaacg ctcaggcaca gtggaactga aaccgggttc tgcgggatgt	600
15	gagagctgtt gaggtcacgc gtaattgggt gtgatggagg gcgcctgttc gtgatgtgtg	660
	caggtttgat gcaagcaggt catcgctcgtg cgagtgtgtg gatgcgaccg cccgagagac	720
	tggaggcag gcttgggaca cgtttgagtg aacacctcag gatactcttc tggccagtat	780
	ctgtttttta gtgtctgtga ttcagagtgg gcacatgttg ggagacagta atgggttttg	840
	gtgtgtgtaa atgagtgtga ccggaagcga gtgtgagctt gatctaggca gggaccacac	900
20	agcactgtca cacctgcctg ctcttttagta gaggactgaa gtgcgggggt gggggtacgg	960
	ggccggaata gaatgtctct gggacatctt ggcaaacagc agccggaagc aaaggggcag	1020
	ctgtgcaaac ggctcaggca ggtgatggat ggcagggtag gaagggggag gtccagaggt	1080
	ctggatggag gcttccgcat ctgtaccttg caactacccc ctcaggccca gcaggtcatc	1140
	ggccccctcc tcacacatgt aatggatctg aagagtaccc cgggacagtc cggggagatg	1200
25	gagattcgga aagtatccat ggagatctta cagaatcccc tgtgcggacc aggaaactct	1260
	tgtagatccc tgcctatctg agggccagge gctgggctgt ttctcacaat attccttcaa	1320
	gatgagattg tgggtcccat ttcaaagatg agtacactga gcctctgtga agttacttgc	1380
	ccatgatcac acaaccagga attgggcca ctgtaattga actcctgtct acaaagttc	1440
	ttgctcccag ctccgtctct tgtttccac gagccctggc cctctgtggg taataccagc	1500
30	tactggagtc agatttcttg ggcccagaac ccacccttag gggcat AAC ctttaaaatc	1560
	tcacttgggc aggggtctgg gatcagagtt ggaagagtcc ctacaatcct ggaccctttc	1620
	cgccaaatcg tgaaaccagg ggtggagtgg ggcgagggtt caaaaccagg ccggactgag	1680
	aggtgaaatt caccatgacg tcaaactgcc ctcaaattcc cgctcacttt aagggcgtta	1740
	cttggttggtg cccccaccat cccccaccat ttccatcaat gacctcaatg caaatacaag	1800
35	tgggacggtc ctgctggatc ctccaggttc tggaagcatg aggggtgacgc aaccagggg	1860
	caaaggaccc ctccgcccac tggttgctgt gcactggcgg aactttcccg acccacagcg	1920

gcggaataa gagcagtcgc tggcgctggg aggcacaga gacactgcc agcccaagtg 1980
 tcgcgcgcgc ttccacaggg ctctgctgga cgccgcgcgc gccgctgcca ccgcctctga 2040
 tccaagccac ctcccgccag gtgagccccg agatcctggc tcaggtatat gtctctccct 2100
 ccctctccct ccattogtca ttttctcact ccctttcctc ctctccctct ctctccgtta 2160
 5 gtctcttcat cagatagtct ctgttagtcc gcgatttata ccaggctcgt gccctagggt 2220
 ggatcggaca gtctcaatcc cccggctcgc ttttctgct cggctgogga ctccagtctt 2280
 actctctcgc actgcacaca ggcttaggcc agtctcggga cactcaggct cccagggac 2340
 cgcgcacaga gcctgaggca agagaaactt tccgcagacg gtgcgatcag ggacggcgtc 2400
 tggagcccag cagtcccagg gaaattgggt cagaacctgg aacagagcgg atgggtggca 2460
 10 aataggcacg acgactgagg gacaagcagc cctaaactgc a 2501

<210> 42

<211> 2501

<212> DNA

15 <213> Homo Sapiens

<400> 42

agatttactc aaatttaaga atgagaatac aaatccacat cttgaagtgt ttcacagaaa 60
 20 ggtctatctt aatgtctgga gtatatattt caatgaacat tcattttatt ttatttctct 120
 ccattcctga atcaagcaat cttgaatcta aagttgctat gattagcact gaaaagacca 180
 ctggactatt aattgtgtga ctttgggaca gtaactttct gcaccttagt ttgtttacat 240
 gttatacatg aagggtgaag tctgattctg ctctgtgact atcattctaa acatctgatg 300
 aaatcaaatt tcagtgtttg gaatggtagt acaataaatt tactaagaat aaataattca 360
 25 ctgcaaaaac acattgattt ccaaagatg taactgacag ttatattact gcagagggt 420
 gataaataac aaaagaaatg aaagatgcac atggtgagaa ctgaaattat cctgacaagt 480
 cttctacctg tttatcactt aaaatcaatg accatgctga atgcctacaa attacaaaat 540
 ataaaagaaa tcttataaat gcgcagtac aggagtctaa gttactaaaa gttttaagc 600
 ataagtttaa accaaactaa tcaaagaagt tgagaggaaa aattggcttt catctttaat 660
 30 cactactggt ttgaggtcct atgtttaata taattttcta agtagaggct tcagagagaa 720
 gagttgtgag gatactttca ttttgtgta gaaggaaaag tttgccatcc attctagtat 780
 ccctagtgtt atactgatgt gcaccttgga tttattttgt tcctattgta taaactcata 840
 cttgacttca aagaaaagga aaatccaaag tccctctttt ctaaggggac agaaatcctt 900
 tgtgtcaact gtttgacctt tttctctgta aggtcctatt ggaaatcttt tgtaacacaa 960
 35 tgcaggggac tcttccatgt gttgatgctg ttacacagt ggggtgggac tgactgaaga 1020
 aaaaaaatcg catatacgca tgaaagatta tggctttatt tccggaaagc atgaaagggtg 1080

	attgatactt ccaagaagtc cctgttactc aggaaaatta tcaaataatc tactcagaga	1140
	tacttggaag gactgaagga aaggaagaac gaagaaagca gaatctagac ttatgtgggg	1200
	agagatttgt ggcagaggaa aagtattctc tttgaatccg acaagggtatt tgcctggggg	1260
	aatttcctgt ccagcctttt attaccaggg tcttttgaag cggggtccc cattgggcag	1320
5	ttccctggga gtgcagtggg gaattcttac actttccctc taggtccccg aaggatctcg	1380
	ttttctcagt gtctctttca ggttggcagg agccttgagc ctgacacttc cctttgatgg	1440
	gacaggcaag ctctgtgggc gcgtaaacac gctgtaacca agttctttgc tgattttaca	1500
	gttttgtgtg ctcccgagaa gaagtgatcg tactcaattg tctattgctg gcctgcccc	1560
	taagagcctg ggggctcctt tcccctaacc cagaactagc tgcacggggg gcggggaaat	1620
10	gggggtgggg aaggagtggg agggcagtgg tttccgagag cagagcgatg ttactgagtg	1680
	agtccctgaa tggggagcgc tgctgtcccc aagccgattg gtacttcttg tcaggaagaa	1740
	acgccaagag gtgggagtgc ctggggaggg aggcaggcgg tccctaccgc aggcgcgggg	1800
	agctgccttt ccgcccctcc gcctgctttc caagcctgga ctcttaggag tggctgaagc	1860
	tgcgagcgc ttttggagcc tgtgaatgaa ccctcctcct ctccctcctc cttcttctcg	1920
15	ctgagtctcc tcctcggtc tgacggtaca gtgatataat gatgatgggt gtcacaaccc	1980
	gcatttgaac ttgcaggcga gctgccccga gcctttcttg ggaagaactc caggcgtgcg	2040
	gacgcaacag ccgagaacat taggtgttgt ggacaggagc tgggaccaag atcttcggcc	2100
	agccccgat cctcccgcat cttccagcac cgtcccgcac cctccgcac cttccccggg	2160
	ccaccagct tcctatgtga ccgcctggg caacgccgaa ccagtcgcg cagcgctgca	2220
20	gtgaattttc ccccaaact gcaataagcc gccttccaag gtaatcacgt ttcttttgtt	2280
	cccccttaa aaaacaaaa caaaaaactt atagaaaaaa acccgcgagc ttagaaaaaa	2340
	gaagcaattg gtagaaggct ttaattaagg caaagagctg taaggcgaag ttaagaaat	2400
	gtaggcactt aaaaaatgca ggtaactttc ataagggtt ttggggagag gcatacagag	2460
	ggaccttggg gttgaaaaag attcagacaa aagaaacca g	2501
25		
	<210> 43	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
30		
	<400> 43	
	tgtgggtcat taatgcaatg ttatttaaga ctaggatttg gctgggcgca gtggctcacg	60
	cctgtaatcc cagcactgtg ggaggccgag ccgggaggat cacctgaggt caggagttca	120
35	agaccagcct gaccaacatg gtgaaaccac gtctctacta aaaatacaaa attagccggg	180
	catagtcaca tgccctgtaat ccagctact gggtagcctg aggcaggaga atcgcttgaa	240

	cccgggagggc ggaggcggag tttgcagtga gccaagattt cacaactgca ctccagtctg	300
	ggccacaaga gcgaaaaccc gtctcaaaaa aaaaaaaaaag actaggattt gacataaggc	360
	ctgaggggta ttcttttggt ttgttttgcc ttgttttcaa gaggccaaaa tcttcacagt	420
	tgaaaatttc tgttgaacca cagagatttg aaccaactca gtttagaaag cctggggatt	480
5	tgaacaacgg tatggatcgg aaatctcttc atctgtcagt tttcatcatt ctaggcagta	540
	aaatagattt cccttttagga gcttttcacc gtttgggggt ctccagcagt gggatgtggg	600
	gaatcaaccc ttcttcgtct ccacccaaac attaggtggg agcaaggggt gggaagtaga	660
	gaaagtggat agaggtctcc agtggatatg ggatctttgt gtagaccagc acagtcctca	720
	gaaatctcat gcaagcaaca taggtactgt tatattttct agtggccacc ttttaaaaag	780
10	taaacaggtg aggccggggc cggtcgtcac gcctgtaate ccagcacttt gggaggccca	840
	ggcggggcga tcacgaggtc aagagatgga gaccatcctg gtcgacacgg tgaaaccccg	900
	tctctactaa aaatacaaaa attagctggg catgggtgacg cgcgactgta gtcctagcta	960
	ctggggagggc cgaggcagga gaatcacttg aaccctggag gtggagggtg ccacgctcca	1020
	ctacactcca gcctggcgac agagtggagc tccgtctcaa aaaaagaaa gtaaacaggt	1080
15	gaaattaatt ttaataatat attttgttta acccaacgta tccaaaatac tatcatttga	1140
	aagtgtaatg aatataaaaa tattcatgag atatttttca ttctcatatc catactgtct	1200
	tggactctaa tgtgtatttt acacttacag cacaattaat ttgggactag ctacatttca	1260
	gctcaacaat agccaatagc atatgggata gcgcaaataa actctgcgtc tctgttgctt	1320
	ctttgggtct cggagacctc aaccctttct tcagattgca aaccttcttg cttcaagcc	1380
20	tcggctccaa caccagtccg gcagaggaac ccagtctaag gaggtacgct cccttctctg	1440
	cattctctat tccattaacc tgtttcgtgg taaacgtagg actgatcctc caaaattacc	1500
	ttattaatta gcttacatat ttattatcta tctgtccac cagaatgcag gtttccggaa	1560
	ggcagggatt taaaaaaatc tgttttgttc tatgtgattt tcccatacca agcaccgtgc	1620
	ccggcacaag ctgggatccc agtacacatc tcgggacgga agaaccgtgt tccctagaa	1680
25	cccagtcaga gggcagctta gcaatgtgtc acaggtgggg cgcccgcggt ccgggcggac	1740
	gcaactggctc cccggccggc gtgggtgtgg ggcgagtggt tgtgtgcggg gtgtgcgcgg	1800
	tagagcgcgc cagcgagccc ggagcgcgga gctgggagga gcagcgagcg ccgcgagaa	1860
	cccgagcgc cgccctggca gggcagctcg gaggtgggtg ggccgcgcgg ccagcccgct	1920
	tgcaggggtcc ccattggccg cctgccggcc gccctccgcc caaaaggcgg caaggagccg	1980
30	agaggctgct tcggagtgtg aggaggacag ccggaccgag ccaacgccgg ggactttgtt	2040
	ccctccgcgg aggggactcg gcaactcgca gcggcaggggt ctggggccgg cgcctgggag	2100
	ggatctgcgc ccccaactca ctccctagct gtgttccgc cgcgccccgg ctagtctccg	2160
	gcgctggcgc ctatggtcgg cctccgacag cgctccggag ggaccggggg agctcccagg	2220
	cgcccggtg agtagccagg cgcggtccc cgggtccccc gacccccggc gccagctttt	2280
35	gctttcccag ccagggcgcg gtgggggttg tccgggcagt gcctcgagca actgggaagg	2340
	ccaaggcga gggaaacttg gcttcgggga gaagtgcgat cgagccggg aggcctcccc	2400

agccccgcgg gccgggtgag aacaggtggc gccggcccga ccaggcgctt tgtgtcgggg 2460
cgcgaggatc tggagcgaac tgctgcgcct cggtgggccg c 2501

<210> 44
5 <211> 2501
<212> DNA
<213> Homo Sapiens

<400> 44
10

gatgtgaaaa gagaaataat tgaaaaagac tggagtacat atactatcta cagtgtctgt 60
tttaaagaaa caacattcta gcacaccttt ctacccttga ctaagattac tgtaatgaga 120
gcaccagtac ccctgagtaa ccgaaagggc attttggaaa ctgagctttt ggtgtttata 180
tgaacattct gtcttccagg acctgccttg atttattcaa gactcatact gctgtatatg 240
15 gtgttgtata cattaggggt agttgggtag cagtaactga tatagaaaat tttaaagtga 300
aaaaaactg gggagtgaac ctttccatta tatatatata tatatatata tatatatata 360
tatatatata tatatatata tataaattca catcaggatg agtttctgtt taggcaatgt 420
tggaacacgc tatttccatt tttttttttt aacaaatatt taacaaacat ttataaggca 480
cttaaateca tgctggctct tacaatgtt gactcatttc tcataaccac cttggggtag 540
20 aaacggagag gctaaacaat ctgcaggcga tgcttacta ctaaagcag gtggcagcct 600
tgctgtgtt ctctgcttgg ctaggaacac aggtcttacc tattgagctg ggctgtgtag 660
aactctgttg tggagacatc tgcccctggg gcagaagcct ctgctttttc cccctcctcc 720
catcttactc catgtctcag agagctctga atcccacttg gagaatcaca cttaaaccct 780
ctaaaaacct aatgatgaat aaaaataagt tctctagaac ttctggagaa aaaagtaata 840
25 aagctaccag gttaaagac tgaaattcct gagagaaaac aacatgtgtg tgtttctcta 900
gaaagggggc ccaatactga ataccaggaa gtcctatagt aatggaatg tgactctatg 960
tgggatccgg cgttcttatt tcatccgaat gcatgtctgc tgcttcagtg ggaagggtgc 1020
ttgcacacca ggtaccact ccctggtgtc atgtgctatg cagtccaaag acagaaccag 1080
gaatggtgag cccatgagcc tgctggacce agcccctccg aggtccggag tgacaaccag 1140
30 tgccgtatth ctagatcaaa cctgaacccc tctacaggg aaaagatttc caggggattt 1200
tgaaagtthc aacattttac agggagaag gaagataagc aggatatgaa agaagagttc 1260
atgttatata gccctggctt ccactgacgc taacactgga ttcagctttt gacactgata 1320
atctgttgcc accaaatgga aaacgtaaac aagatattct aagtgtggtt agagaatatg 1380
caacacaagg aacaagcaga acattcttct ctggaatctg acataatgga ctgtactttc 1440
35 acagacagca ctgatgttag atgtacgtga aataggctaa actgaaaata agaaaggctg 1500
aggcagagag gataatatag ctccagccta tctccagca ccttgtaat ttctctcaac 1560

ctccagccac aaatccgaga cacaacgctc ttccctccaaa gaggtcgcgc cttctctgtg 1620
 gtgggttctca gggatccgcc ccagctcctt ctccgttccc agccccacac actgggatca 1680
 ccaggcaccc aagatcccac ctctcaggtg gtatcttcag cgcaggctgc cactcagccc 1740
 ccctccaggg atctggggca gaaggcgaat atcccagagt ctccagagtc acaggagtta 1800
 5 ctctgaaggg cgaggcgagg gctgcatcag tggacccccca cccccaccc gcaccccaag 1860
 cgctccaccc tggggggcggg gccgtgcct tccttccgga ctgggagtcg atctggaact 1920
 ccgggaattt ccctggcccg ggggtcccg gctttccagc cccaaccatg cataaaagg 1980
 gtctgcggat ctccgagagc cacagagccc gggccgcagg cacctcctcg ccagctcttc 2040
 cgctcctctc acagccgcca gaccgcctg ctgagcccca tggccgcgc tgctctctcc 2100
 10 gccgccccca gcaatcccg gctcctgcca gtggcgctgc tgctcctgct cctggtagcc 2160
 gctggccggc gcgcagcagg tgggtaccgg cgcctgggg tccccgggccc ggacgcggct 2220
 ggggtaggca ccagcgcgc acagcctcgc tcagtcagt agtctcttct tccctaggag 2280
 cgctccgtggc cactgaactg cgctgccagt gcttgagac cctgcaggga attcaccaca 2340
 agaacatcca aagtgtgaac gtgaagtccc ccggaccca ctgcgcccac accgaagtca 2400
 15 tgtaagtccc gccccgcgt gcctctgcca ccgcccgggt ccagaccct cctgctgccc 2460
 caaccctgtc ccagcccga cctcctgcct cagagattc c 2501

<210> 45

<211> 2501

20 <212> DNA

<213> Homo Sapiens

<400> 45

25 ggcgacagag caagactccc tcttaaaaaa aaaaaaaaaa aaagattctg agtcaaagt 60
 ctcaagttga atgcattttg tcatccacaa gacaaatcgt gtttaaccct tgtggtttac 120
 tttatctata aaatagagat aacaatagtt cctgcttcta ggggtgttgt gggaattaaa 180
 gacttagaat aatgttcagc ctctaatacag tgctgtcaca actgtctgat acaattgtat 240
 tatatttgtg tactttgtag attgatatta aatcatactt ttaaaaatag gtgcttaatg 300
 30 ttccactcaa ttaccttaaa acatgtttta ttatgtctct atcctactct tataacactt 360
 ctataaaaac tttttacata tagcgtccac ttttggttca gtttcttagg aaaataactt 420
 tgagagtcag ctatctgaac caaagaaaca ttaacattac cagactatat tgggattttt 480
 gagactggct tttatcaatt ctttagctac gggctcttgt catcatctct accagtgacc 540
 taagtgtcaa acccaaatgc cttgtatctg tccattaaa gagatgcagc atctgctcct 600
 35 ttcttactgt ttccatttcc tctgccaatgc ctctcttac aaccataaat atccaggtct 660
 cttaggtttt aaacggggca tctctcaacc ccacattct tttccttggt tattcccttc 720

cctccaacag ttcaattcac ctagatcccc acgcctgaaa ttatcctaga tgtcctagag 780
gcgccctcatc attacaatgg tacattattc tccactcctt tacatgtcac gccagctttc 840
aaactgaaaa tctgagcgtt catccctggg gcatcacctt taaattccag atctccaaaa 900
tccaggggtca tgtaacctta aaaaattttt accctctctt ctccactgcc cttgttcagg 960
5 ccttatctct tccagcagct gttccaaagg cctactctgt ttccctttcg gagtgcctaac 1020
ctccaccgaa gcctccaccc agttgccaat tctgccccat gcctgataat ttgctcgtgc 1080
gttgacatac ataaaatttc taagacaaaa attttttaat aatggtaaag gaaccttggg 1140
aactgcatac agatcataca gatccataat aagagaaaag gtcccagatt aacacggaaa 1200
actttccatt taactaacat ttgcactggg aaacttcac aagcaagacc ctacttaatc 1260
10 ccacattacc ttctactgaa gaggttggtg tcattctctg gaaatatctg aattcattcc 1320
tacaagttag agaaacagcg ttactcgaaa cattatccct tgggctcgag ctctaaggca 1380
cctgacaaac ggagcgtctg gggtaggggt gaggtgtttt ctccagggct gggactttgc 1440
cctgggcgag ggcgccgcag ggcaaagacc tcaccgggca gcagaatccg ggcagaaatc 1500
agcaactggg cctcccgcgc agcagaaaag gggaatccag tcggggccca cccttcctgc 1560
15 cagcgcagac cgcaagtctg gccccatcct ctgcgcggga gtcggcctgg cgcgtcccgc 1620
ccaggtaccc cgaccgtggg cagcctgcgc cgttttgggt cccatcgccc cggcccggca 1680
gatacctgag cgttggccag ggcaggtccc cgttcttgcc gatgcccatg ttctgggaca 1740
cagcgacgat gcagtttagc gaaccaacca tgacagcagc gggaggacct ccgagcccgc 1800
tcgttacagc agaacgcgcg gtcaagtttg gcgcgaaatt gtggccgccc cgccccctcg 1860
20 tccctatttg tgcaggcgag gccccgcccc cccgccccgg cgcacgcagg gtcgcggcgt 1920
gctcgcgccc gcagacgcct gggaactgcg gccgcgggtt cgcgctcctc gccgggccct 1980
gccgcggggc tgccatcctt gccctgccat gtctcgcggg aagcctgcgt cgggcggcct 2040
cgctgcctcc agctcagccc ctgcgaggca agcggttttg agccgattct tccagtctac 2100
gggaagcctg aaatccacct cctcctccac aggtgcagcc gaccaggtgg accctggcgc 2160
25 tgcagcggcc gcagcgcccc cagcgcccgc cttcccgcgc cagctgccgc cgcacgtagt 2220
aggttctgtc tgggactggg cagggccatc ggggctgggg gggcggggct tgtgggtaag 2280
gcgggcgag gcgtggaccc tccgcccgat gatagggtg gaggaggaag gggcgggctg 2340
aagaagggga aggtgggaag agcccagccg gggctacaaa ttgggtgaag cgctgaggtt 2400
ttagtacttc cgtttgagga gataggcaaa ggttatgcag gtttttaatg gcaggcctga 2460
30 gacaggaact caggtctcct gactcccatt ctgatgaggg g 2501

<210> 46

<211> 1092

<212> DNA

35 <213> Homo Sapiens

<400> 46

aagcttcccc ttcatcatcc aagaaggcat tcaggtcttt ctgtgctagg ccccaggtaa 60
agtgtctggac taccagtaa ttgggttcag tagcaggatg gcctcagatt gaggtcccag 120
5 ggccaaagga cactcctct cctcagcgt ggtccggga aggcaagctc cgggcgggag 180
cgcacgcgc gcccccgaag cctggctccc tcgccacgcc cacttctgc cccatcccg 240
cgcctttcca ggtcttctcc cgggtgaacc gatgtctgt cagtctcta ctctgcgtcc 300
tcggccgcgg ccgggtccc tcgcaaagcc gctgccatcc cggagggccc agccagcggg 360
ctcccggagg ctggccgggc aggcgtggtg cgcggtagga gctgggcgcg cacggctacc 420
10 gcgcgtggag gagacactgc cctgccgca tgggggccc gggcgctct tcacgccgta 480
ggcaagcggg gcggcggtg cggtagctgc ccaccggag ctttcccttc cttctctgc 540
tgctgtgtct ctgcatccag ctggggggag gacagaaga aaaggaggta gaatggatcc 600
ccttggcctt cccctgtgt cgggggcggg ccagggtggg ccgcgttgcc caggcagccc 660
tgccgtgttg ctaggcagcc tggtcgccg cgtgggcgat gccggcgctg gggcgggagc 720
15 cgcgaggggtg ggaggccctg gggcgtttcc gggacgtgga gtttagcagg ttctgacttg 780
aaaaacgacg gcaaagcgtg ttcttgactg cttctgagca cctcacacct ttcagacca 840
gggcgccttt attcccagct ggaagcccag cttagagcaa tggtgccact aaaaggggtg 900
tgttggtatg gaaaataccc ttggaagta ttataagcc tgcaggaaat atgttttct 960
tattttctta ctctgtccc ttcattacc atttcaagaa gcaacagaac ctgtgcagag 1020
20 tgtgttttaa gttacactgt atgtttatt ttgtttatgt tgaactcggg gtatacttgt 1080
gagaataagc tt 1092

<210> 47

<211> 2501

25 <212> DNA

<213> Homo Sapiens

<400> 47

cgaaatgaaa cctgcgccag gaggcgcgg acctggacac ccggcgccac ctcttcacc 60
tctgaccag gtttctccc ggcgtgcga gctccgggg aagggttaga gccggcagcc 120
ctcccagcc cggggagggg agagggttat gcgacccac ctctggctag ggccggggag 180
gcctttgctt ccgggagcc ctgccgggc tccttggtcg cagggtgtg gggctccagg 240
caggaacgag agggtaggc ccacatgtg ccggcgggc caggcggtg tgcagcgtcc 300
35 tcaactgtccc ggctgccagg ggctgcggcg acggggccag tcagcagcga gttcaggctg 360
cgcagatatt attgatgagc tctgacttcc agcaatttcc ctaagtcaag aagagtctag 420

cgtacccttc ggctgcttca tttcagcctc cctgcctcag ctcttcagcc ctattccccc 480
tcgccctgtc ctgggggtgtg tacagcagcc caggccttcc ttctccttcc cggctccgtg 540
gcccgaagcc gccgagagag ctcgggacag cgcaggacca ggcagccgct cgctctcctg 600
tcaccttaac tgcaggctcc gaggggagcc tttggagtgt actgagggtg gtcctaactg 660
5 tgcggcattc aacaaatgga cttctggtgt gtggtcagaa gagaaaagcc atttacttac 720
tttctccccc ggttttcttg caacagctga aggggagctg cctccgtgga ctgagcagac 780
ccaggagagg gagtcgtggt gcggagacac acgcaccaca cacagatgac cgggtggcaca 840
cacgacacac gctgacatac cgacatcgcc agtgggacac acacacacac acacacacac 900
acacacacac acacagagag agagagagaa tccctcccag cattgggtcat ccgccccccc 960
10 acccaggctt ccaactcccc tcccctctta tctcccttg cttcccctcc tctcgggcgc 1020
tgcgaaaagc agccgcactt agtcaacaaa tggcacgtgg gagaagttgg tgagtgtttg 1080
gtgaggactc ttcagggtct ttcacaagaa cctctgttac acaaagtaag tggcgtgttt 1140
actcgggcct ctccagccag agctgtgcct ctgctccgct gcgcaccgcg gcttccgaaa 1200
ggagaaagga gagaagaaag ggcggggaga gcgggggtga ggatttgga aggccctgga 1260
15 ggcttgggct ggggaggcct ctggcctcgt ttagttctcg gcccggaac ctctctcgg 1320
cctaggcttc gccgcggcct ccgcagctgg aatggagctg ccaggacca gtgacgctcc 1380
cgcccccttc ctcttcttcc aaggggcccag gtgggctggg gtgcggccgc cgctgtgctc 1440
tgtgtcttgg ggccccggtt gggatggggg gggggcgggc gggggcgggg cggcaggcca 1500
cgctgtcctg gagttggcaa gaaaggacag cacagaaact tgcaccctcc gaggactggg 1560
20 agtcccagat ccagcttagg gggagtgggg gcgcgacccc caaccagaa accttcaactt 1620
gaccgctcaa gttcgcggca gcagggcggg ccgcgcgcaa tctcggcgtg cgcggagcgg 1680
ggagatgcag gcgagcgcca gagcccgggc tcggggggccc tgcgcggggg agaggagccg 1740
ggaccaccg gcggagccga aaacaagtgt attcatattc aaacaaacgg accaattgca 1800
ccaggcgggg agaggagca tccaatcggc tggcgcgagg ccccggcgct gctttgcata 1860
25 aagcaatatt ttgtgtgaga gcgagcgggt catttgcatg ttgcggagtg attagtgggt 1920
ttgaaaaggg aaccgtggct cggcctcatt tcccgtctctg gttcaggcgc aggaggaagt 1980
gttttgctgg aggatgatga cagaggtcag gcttcgctaa tgggccagtg aggagcgggtg 2040
gaggcgaggc cgggcgcggg cacacacaca ttaacacact tgagccatca ccaatcagca 2100
taggtgtgct ggctgcagcc acttccctca cccacactct ttatctctca ctctccagcc 2160
30 gctgacagcc cattttattg tcaatctctg tctccttccc aggaatctga gaattgctct 2220
cacacaccaa cccagcaaca tccgtggaga aaactctcac cagcaactcc tttaaaacac 2280
cgtcatttca aaccattgtg gtcttcaagc aacaacagca gcacaaaaaa cccaaccaa 2340
acaaaactct tgacagaagc tgtgacaacc agaaaggatg cctcataaag gtgagtcgcg 2400
ttctttcttc tcgctttatt ttattgcaa tattcagaca ggtctccccc ttctccccc 2460
35 cttccttctt cccctctcgc cggctcccct ccccactgct a 2501

<210> 48

<211> 2501

<212> DNA

<213> Homo Sapiens

5

<400> 48

	tgatggttgc acaactctga gtacatgaaa aatcaatgaa ctgatacttt gagtgagctg	60
	tatgatactg gaattacacc tcaataaagc atggtaactg ttttaagata ggctggaaag	120
10	agaaagcctg aaaacaacaa taatgatatt aataaattag tttacttctc tagtctcata	180
	tacttctgtg cccacacttg ctctgttct attcataatg gtccccttgc agttgccata	240
	ttatatcctg ccatttgatg cccggtgaac attctatacc tgcttcccag aattctcttt	300
	acctttcctc tatctgccta acttccacat atctaaaatt aatcagagta aactatttac	360
	tagaacaacc aactccaaat cctagtaacc taacatgata aaggtttggt tctcactcat	420
15	atagcccctc cccagatgat cgaggggtcc aggctcctta cctctagtgg ctccccacc	480
	ttctggagtc ttctgcattc tttatacatg gttgagataa actatgagtc attagcacag	540
	ctagaccttg aggtcctaca agaaaatttg caaatcattc actctgtttt gaacaaggta	600
	tatttaagat gatgttaaaa tacccaatgg tcttgggtca aatacagttt atgactgtgt	660
	atctaaaata tatattgcaa tattcttccc ttttctact gacttcatga atttagcggg	720
20	gatccatttt ataagctcaa agataattac ttttcagact aagaatattt agggtaaaaa	780
	gtactgttca acatctctac tgaggatggt atgatgtagc aactgtata agctggagct	840
	aaaggaaact ttccttaaag tgctatttac taaaaattgg aacacattcc ttaagacaaa	900
	tcgaagtgtg gcacacaaca tccaaacttc catcatagat acagaggtgt taccatctcc	960
	cactcccaa tttctttgtc acgtgagga tactcaagag gagcaggaca tgttggtcgc	1020
25	agcaggagaa acttgaaagc attcactttt atggaactca taaggagag aatttcttat	1080
	tttagtatcg tccttgatac atttattatt ttaaaagata atgtagccaa atgtcttct	1140
	ctgtgttaaa tctttacaaa actgaaatct taaaatgggtg acaaaaattc tacttctgat	1200
	agaatctatt catttttcca attagatagg gcataattct taatttgcaa aacaaaacgt	1260
	aatatgctta tgagggtcca tcccaaagaa cctgctattg agagtagcat tcagaataac	1320
30	gggtggaaat gccaaactcca gagtttcaga tcctaccggt aattggggta gggaggggct	1380
	ttgggcgggg cctccctaga ggaggaggcg ttgttagaaa gctgtctggc cagtccacag	1440
	ctgtcactaa tcggggtaag ccttggtgta tttgtgcgtg tgggtggcat tctcaatgag	1500
	aactagcttc acttgtcatt tgagtgaat ctacaaccgc aggcggctag tgctcccgc	1560
	ctactgggat ctgagatctt cggagatgac tgtcgccgc agtacggagc cagcagaagt	1620
35	ccgacccttc ctgggaatgg gctgtaccga gaggtccgac tagccccagg gttttagtga	1680
	gggggcagtg gaactcagcg agggactgag agcttcacag catgcacgag tttgatgcca	1740

	gagaaaaagt cgggagataa aggagccgcg tgtcactaaa ttgccgtcgc agccgcagcc	1800
	actcaagtgc cggacttgtg agtactctgc gtctccagtc ctccggacaga agttggagaa	1860
	ctctcttggga gaactccccg agttaggaga cgagatctcc taacaattac tactttttct	1920
	tgcgctcccc acttgccgct cgctgggaca aacgacagcc acagttcccc tgacgacagg	1980
5	atggaggcca agggcaggag ctgaccagcg ccgccctccc ccgccccga cccaggaggt	2040
	ggagatccct ccggtccagc cacattcaac acccactttc tcctccctct gccctatat	2100
	tcccgaacc cctcctcct tcccttttcc ctctccctg gagacggggg aggagaaaag	2160
	gggagtccag tcgtcatgac tgagctgaag gcaaagggtc cccgggctcc ccacgtggcg	2220
	ggcgccccgc cctccccga ggtcggatcc ccactgctgt gtcgcccagc cgcaggtcgc	2280
10	ttcccgggga gccagacctc ggacaccttg cctgaagttt cggccatacc tatctccctg	2340
	gacgggctac tcttccctcg gccctgccag ggacaggacc cctccgacga aaagacgcag	2400
	gaccagcagt cgctgtcgga cgtggagggc gcatattcca gagctgaagc tacaaggggt	2460
	gctggaggca gcagttctag tccccagaa aaggacagcg g	2501
15	<210> 49	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
20	<400> 49	
	taccttcata aaaggatctt tgacttggtg agtgtgtgcg atgcatactt ttcattgttac	60
	accacaagtg ccacttagca actccactag acagggcagt gtttcagcat ggggtggggt	120
	gccccctgac aggccttttaa aaggccccga tgccaatgca cattccaaca ctatccacaa	180
25	aaaggagact ggagcagtgc tcttccctgc attgggcaag gagactctcc ctccctgcct	240
	aaccacttgc ctgccctggt ttgtgggaga attacaagta aatgctacag aggcagtgga	300
	gaaaaaaggg tgttttaatt cctctccaga gtttccttta tttgatgtat gttgcatcct	360
	ttaaacaagt tgtgcaaat ggctgcaggg tagattggct ctccctttta aagctctcca	420
	tccggctggg tttatttgta aatactgcat ctatccttct tagtgtttta ggactggctg	480
30	gaaagactct tcttccctgta ggttgggtca gtgtgagaga tctaaaaaat cattttccct	540
	taaaattact gtattttaat aaaaggattg ggcaggggct ggaatgagag aaaactgggc	600
	cttcaaaatg taaaactgtc atacttaaac cagtttacia aatatgcgtt taattatgtg	660
	gtgggatgtg tgtaggtgta tgatgagaga ggcaaccaac atggctatth ggggtgcaag	720
	gatgtgggaa caggcaagta attttcacat tggactttca tcctagggag ctgggttcta	780
35	gtcacagctc tgagctgtgt gaecttgggt aggtctcatc tccccggggt tttgtttcac	840
	cagttgaaca gtatgaggat gagtcacagc taacatttgt tccatgatat ttaccagca	900

ccatacaagt gttattttctg tcctcccagt taacactgac gtgggtagta ttatatgccc 960
attttacaga tgaggaaact gaagcctgaa gaagttaaact acttatccca gaacacacag 1020
ctggtaagtg gcagacctgg aattggaatc tagttcagtt tgattcccca acccatgctc 1080
ttgaccacta tactgttttt tcaagtccag atctgaaatc tcattttctg tgtggctgtg 1140
5 tgtttgggac aggggtaacc aattcctgac tactctatat gctgcataga acctggagag 1200
gatttttcaa agtaaataaa tctcgaaagc tggattgcag agcaaacgag tgcagtcaat 1260
tcagccaggg gcttgcaaga gggagaaaga gaaaaagact gtggaatgga aagtttccca 1320
accaagcct ttcccaaggg gtagccattc tctgttctac agtttagggc ttgcatgtgc 1380
tttttctgga gtggaaaaat acataagtta taaggaattt aacagacaga aaggcgcaca 1440
10 gaggaattta aagtgtgggc tggggggcga ggcggtgggc gggaggcgag cgggcgcagg 1500
cggaacaccg ttttccaagc taagccgccg caaataaaaa ggcgtaaagg gagagaagtt 1560
gggtctcaac gtgagccagg agcagcgtcc cggctcctcc cctgctcatt ttaaaagcac 1620
ttcttgtatt gtttttaagg tgagaaatag gaaagaaaac gccggcttgt gcgctcgctg 1680
cctgcctctc tggtgtgtct cttttgcagg gctgctggga gtttttaagc tctgtgagaa 1740
15 tcctgggagt tggatgatgc agactagttg ggtcatttga aggttagcag cccgggtagg 1800
gttcaccgaa agttcactcg catatattag gcaattcaat ctttcattct gtgtgacaga 1860
agtagtagga agtgagctgt tcagaggcag gagggtctat tctttgcaa aggggggacc 1920
agaattcccc catgcgagct gtttgaggac tgggatgccg agaacgegag cgatccgagc 1980
agggtttgtc tgggcaccgt cggggtagga tccggaacgc attcggaagg ctttttgcaa 2040
20 gcatttactt ggaaggagaa cttgggatct ttctgggaac ccccgcccc ggctggattg 2100
gccgagcaag cctggaaaat ggtaaatgat catttggtac aattacaggc ttttagctgg 2160
cttgtctgtc ataattcatg attcggggct gggaaaaaga ccaacagcct acgtgccaaa 2220
aaaggggcag agtttgatgg agttgggtgg acttttctat gccatttgcc tccacaccta 2280
gaggataagc acttttgagc acattcagtg caaggagat catgtttgac tgtatggatg 2340
25 ttctgtcagt gagtctctgg caaatcctgg atttctacac tgcgagtcg tcttcctgca 2400
tgctccagga gaaagctctc aaagcatgct tcagtggatt gacccaaacc gaatggcagc 2460
atcggcacac tgctcaatgt aggtttatct tttcccttc t 2501

<210> 50
30 <211> 2501
<212> DNA
<213> Homo Sapiens

<400> 50

35 ggaggataga aatataaatt aaagaatgac acaaataatt ataaagttac agctgttaaa 60

	agaaaagcat atggtgccaa gagaacgtgt aatacaagat ctactcatgg aggtgagggga	120
	aagcttgccc atcaaagaag ttatgattca atccacgaag accaggagtt ggctgggtga	180
	agaaaaaag gtcagaggaa ggaagtccac actggggaag gctctaagca taaagggtag	240
	gaggattaca gaggcatatt cacgaaatth ggagaaggct ttcagtaagc aaggagaagc	300
5	caaatgaaag ttacgggag agttggaggc ttgaagacac gttcaaggat ctggttttta	360
	tcttctcttt atctcaagag cagtgggaag ccattaaatg attttaatca gagggttgg	420
	ataactagtt ttgtattttg aaaagctgaa ttcagctctc gtttgagaaa ctgagtgaaa	480
	gagcccagaa cggccgtggc tgagggtgac tegtgggaga ctctacaca agccatggca	540
	gtggcatggg ctggtggcag aagagggaat agggagaaga tttggaactc aatcttcctc	600
10	cattgacaaa gtcactccag ctttggcaag gcaattaatt ggtgggaaag aagatgccta	660
	gccctcctga tttcactgca ctttctgcat cttcaacatg agtactggga agtggcaaaa	720
	catccagagg cagcttgggt gctaggtgga gcatgagtta aaattccagg atgaagcaaa	780
	tgaacactta gaatgacagg aaagatttgg gagttgggtt tgggggaggg ctatttacct	840
	ttattccctg gagaccctgg cacaaccct tgcctctgca atcttctct caggtaaagg	900
15	aattcattaa atgaattgct agaagatcta ctgaccagag ggctgtacag aatcatatct	960
	ttgagagtgg gaagtaggtt gatcacatag tttattatcc aatcaggaca tatctgaaag	1020
	agaaaggggg ttctattaat atttaaaacta caaaacatgt acaccaggaa tgtcttgggc	1080
	aaatctggtt gccctagcaa gaaaggaaat ttgaaagttt atactgttct gctcccatgt	1140
	taccccggtt gcacatgaga gggtaagtat tctcttctt cacctgcatt aagggaataa	1200
20	aagcacaagc attcaggtga ctcccaacc acttttaatt ttacagtttc tgctatactc	1260
	tatacattct gaaaattaca tttcccacca ctatcacttc gtgatagggtg atcatttaca	1320
	attactcact gactcagtcc cggaagagg cggtgcaaaa tgggacgctc tatccagggtg	1380
	ctcattagaa atgcagaatc tctgcctgcc tcttagacct actgaattag aatctgcatt	1440
	tttaataaag atttccaggt gatcaatatg tacattaaaa cttgagaaaa acctctagac	1500
25	ttcgacctaa agaaaaacat ttacaactt gacagtgtat gcacatacat acatgcatat	1560
	agacacaact gaagcacaaa tttaatgaag tagaatttac cgttactatt ttatttgga	1620
	aagaaatgtg ctgcgactc aatagattgg agtattcact cctggatctc aacttgcaat	1680
	ttgaaaacgc atctctaaag cacctaggag caatctgaag aaagctgagg ggaggcggca	1740
	gatgttctga tctactaggg aaaacgtgga cgttttctgt tgttactttg tgaactgtgt	1800
30	gcacttagtc attcttgagt aaatacttgg agcgaggaa ccttgagtgg tgtgggaggg	1860
	cggtaggggg cagctgaaag tcggccaaag ctctcgaggg ggctggtcta ggaaacatga	1920
	ttggcagcta cgagagagct aggggctgga cgtcgaggag agggagaagg ctctcgggcg	1980
	gagagaggtc ctgcccagct gttggcgagg agtttctgt tcccccgca gcgctgagtt	2040
	gaagttgagt gagtactcg cgcgacgga gcgacgacac ccccgcgct gcacccgctc	2100
35	gggacaggag ccggactcct gtgcagcttc cctcgccgc cgggggcctc cccgcgcctc	2160
	gccggcctcc agggccctc ctggctggcg agcgggcgcc acatctggcc cgcacatctg	2220

	cgctgccggc ccggcgcggg gtccggagag ggcgcggcgc ggaggcgag ccaggggtcc	2280
	gggaaggcgc cgtccgctgc gctgggggct cggctctatga cgagcagcgg ggtctgccat	2340
	gggtcggggg ctgctcaggg gcctgtggcc gctgcacatc gtctgtgga cgcgtatcgc	2400
	cagcacgatc ccaccgcacg ttcagaagtc gggtagtggt tccccagccc gggctcggcg	2460
5	gggcgcgggg ggtcttcctg gggccccgc ctctccgctg c	2501
	<210> 51	
	<211> 2500	
	<212> DNA	
10	<213> Homo Sapiens	
	<400> 51	
	ttcccatcaa gccctagggc tctcgtggc tgetgggagt ttagtctga acgcttctat	60
15	cttggcgaga agcgcctacg ctccccctac cgagtcccgc ggtaattctt aaagcacctg	120
	caccgcccc ccgcccctg cagagggcgc agcaggctct gcacctcttc tgcattctcat	180
	tctccaggct tcagacctgt ctccctcatt caaaaaatat ttattatcga gctcttactt	240
	gctaccacgc actgatatag gcactcagga atacaacaat gaataagata gtagaaaaat	300
	tctatatect cataaggctt acgtttccat gtactgaaag caatgaacaa ataaatctta	360
20	tcagagtgat aagggttggt aaggagatta aataagatgg tgtgatataa agtatctggg	420
	agaaaacgtt aggggtgtgat attacggaaa gccttcctaa aaaatgacat tttaactgat	480
	gagaagaaag gatccagctg agagcaaacg caaaagcttt cttccttcca cccttcatat	540
	ttgacacaat gcaggattcc tccaaaatga tttccaccaa ttctgccctc acagctctgg	600
	cttgacagaat tttccacccc aaaatgttag tatctacggc accaggctcg cgagaatcct	660
25	gactctgcac cctcctcccc aactccattt cctttgcttc ctccggcagg cggattactt	720
	gcccttactt gtcattggca ctgtccagct ttgtgccagg agcctcgag gggttgatgg	780
	gattgggggt tccccctccc atgtgctcaa gactggcgct aaaagttttg agcttctcaa	840
	aagtctagag ccaccgtcca gggagcagg agctgctggg ctccggggac actttgcgtt	900
	cgggctggga gcgtgctttc cacgacgggt acacgcttcc ctggattggg taagctcctg	960
30	actgaacttg atgagtcctc tctgagtcac gggctctcgg ctccgtgtat tttcagctcg	1020
	ggaaaatcgc tggggctggg ggtggggcag tggggactta gcgagtttgg gggtagtggt	1080
	gatggaagct tggctagagg gatcatcata ggagttgcat tgttgggaga cctgggtgta	1140
	gatgatgggg atgttaggac catccgaact caaagttgaa cgcctaggca gaggagtgga	1200
	gctttgggga accttagacc ggcctaaagc gtacttcttt gcacatccac ccggtgctgg	1260
35	gcgtagggaa tccctgaaat aaaagatgca caaagcattg aggtctgaga cttttggatc	1320
	tcgaaacatt gagaactcat agctgtatat tttagagccc atggcatcct agtgaaaact	1380

5
 10
 15
 20
 25
 30
 35

ggggctccat tccgaaatga tcattttgggg gtgatccggg gagcccaagc tgctaaggtc 1440
 ccacaacttc cggacctttg tccttcctgg agcgatcttt ccaggcagcc cccggctccg 1500
 ctagatggag aaaatccaat tgaaggctgt cagtcgtgga agtgagaagt gctaaaccag 1560
 gggtttgccc gccaggccga ggaggaccgt cgcaatctga gagggccggc agccctgtta 1620
 ttgtttggct ccacatttac atttctgcct cttgcagcag catttcgggt ttctttttgc 1680
 cggagcagct cactattcac ccgatgagag gggaggagag agagagaaaa tgccttttag 1740
 gccggttcct cttacttggc agaggaggc tgctattctc cgctgcatt tctttttctg 1800
 gattacttag ttatggcctt tgcaaaggca ggggtatttg ttttgatgca aacctcaatc 1860
 cctccccttc tttgaatggt gtgccccacc cccgggtcg cctgcaacct aggcggacgc 1920
 taccatggcg tagacagga gggaaagaag tgtgcagaag gcaagcccgg aggcactttc 1980
 aagaatgagc atatctcatc ttcccggaga aaaaaaaaaa agaatggtac gtctgagaat 2040
 gaaattttga aagagtgcaa tgatgggtcg tttgataatt tgcgggaaa aacaatctac 2100
 ctgttatcta gctttgggct aggccattcc agttccagac gcaggctgaa cgctgtgaag 2160
 cggaaggggc gggcccgag gcgtccgtgt ggtcctccgt gcagccctcg gcccgagccg 2220
 gttcttcctg gtaggaggcg gaactcgaat tcattttctc cgctgcccc a tctcttagct 2280
 cgcggttggt tcattccgca gtttcttccc atgcacctgc cgcgtagcgg ccactttgtg 2340
 ccgtacttac gtcactttt tcctaaatcg aggtggcatt tacacacagc gccagtgcac 2400
 acagcaagtg cacaggaaga tgagttttgg cccctaaccg ctccgtgatg cctaccaagt 2460
 cacagaccct tttcatcgtc ccagaaacgt ttcatcacgt 2500

<210> 52

<211> 286

<212> DNA

<213> Homo Sapiens

<400> 52

tttgcactag gctggaagtg gccgccagtc ccccgtagaa ttccattctc tggaaaagtg 60
 gaatcagctg gcattgcca gcgtgatttg tgaggctgag cccaacagt ccaaagaagc 120
 aaatgggatg ccacctccgc ggggctcgct cctcgcgagg tgctacccc gtatctgcca 180
 tgcaaaacga gggagcggtta ggaaggaatc cgtcttgtaa agccattggt cctgggtcatc 240
 agcctctacc caatgcttcc gtgatgctgc tgctgatcta tttggg 286

<210> 53

<211> 1400

<212> DNA

<213> Homo Sapiens

<220>

<221> unsure

5 <222> (1371)

<223> unknown base

<400> 53

10	ttccagctgt caaaatctcc cttccatcta attaattcct catccaacta tgttccaaaa	60
	cgagaataga aaattagccc caataagccc aggcaactga aaagtaaagtg ctatgttgta	120
	ctttgatcca tggtcacaac tcataatctt ggaaaagtg acagaaaaga caaaagagtg	180
	aacttttaaaa ctggaattta ttttaccagt atctcctatg aagggttagt aaccaaata	240
	atccacgcat caggagaga aatgccttaa ggcatacgtt ttggacattt agcgtccctg	300
15	caaattctgg ccatcgccgc ttcctttgtc catcagaagg caggaaactt tatattggtg	360
	acccgtggag ctacattaa ctatttacag ggtaactgct taggaccagt attatgagga	420
	gaatttacct tcccgcctc tctttccaag aaacaaggag ggggtgaagg tacggagaac	480
	agtatttctt ctgttgaaag caacttagct acaaagataa attacagcta tgtacactga	540
	aggtagctat ttcattccac aaaataagag ttttttaaaa agctatgtat gtatgtgctg	600
20	catatagagc agatatacag cctattaagc gtcgtcacta aaacataaaa catgtcagcc	660
	tttcttaacc ttactcgccc cagtctgtcc cgacgtgact tctcgaccc tctaaagacg	720
	tacagaccag acacggcggc ggcggcggga gaggggatc cctgcgcccc cggacctcag	780
	ggccgctcag attcctggag aggaagccaa gtgtccttct gccctcccc ggtatcccat	840
	ccaaggcgat cagtccagaa ctggctctcg gaagcgctcg ggcaaagact gcgaagaaga	900
25	aaagacatct ggcggaaacc tgtgcgcctg gggcggtgga actcggggag gagagggagg	960
	gatcagacag gagagtgggg actaccccct ctgctcccaa attggggcag cttcctgggt	1020
	ttccgatttt ctcatctcgg tgggtaaaaa accctgcccc caccgggctt acgcaatttt	1080
	tttaagggga gaggaggga aaatttgtgg ggggtacgaa aaggcggaaa gaaacagtca	1140
	tttcgtcaca tgggcttggt tttcagtctt ataaaaagga aggttctctc ggtagcgac	1200
30	caattgtcat acgacttgca gtgagcgtca ggagcacgtc caggaaactcc tcagcagcgc	1260
	ctccttcagc tccacagcca gacgccctca gacagcaaag cctacccccg cgccgcgccc	1320
	tgcccgccgc tgcgatgctc gcccgcgccc tgcgtgctgt cgcggtcctg ncgctcagcc	1380
	atacaggtga gtacctggcg	1400

35 <210> 54

<211> 2501

<212> DNA

<213> Homo Sapiens

<400> 54

5

10

15

20

25

30

35

gataatcttt tcatacaaga tgcattctgc ttttgtgggc ctcttgcagc cctcaagccc 60
ccatctgatt tgtacacaat gatccagtgg gccagaggag cccagagcca tgagcggccc 120
atccctccaa gaactatttc tgactgtcca gtatcatgga gcaagtggaa agaagaaaaa 180
aaaaacccaa ttacttttcg aagagcaaga tgaatgctgt agaaggagaa ggaaggggag 240
ggagatggat gggtgccgat tccagaatct tcagatctgc ttggatgaat cattacctat 300
gatttgcggg acaagaatct gattttattc atcaaccagt agaaactttt ctttctgcct 360
ccaacatct gaaatccaac aaacatgtgc cttaggaaca taccggtcac ctttttagagg 420
cattttatat acatattgag taactagaaa acactctttc cgtaatacac acacacacac 480
acacacacac acaccatctt gtcatacaac actcccacgc aagaaaagcg aaactgctgt 540
ttgatgaatg taaacacttg gctgtttgca gcagtcggga gtcctgccag gtttaagtgc 600
taagatggga ggtgaacccc aggggtttcc ccctgcccg tctgagatcc ttatttggtc 660
aagcttctac ctatgccctg gcctcggagc gagcccgata gcgctggatc acagcagagg 720
gagcggggcg gctgacgtcc catcccgaag agatgaatgg aattccagga agctagagtc 780
atgctggctt gggacagtgg cttggagacc agacttcaat gacagaagca ctaggcagcg 840
gcactcatgg caatgtgtgc acccacagaa atgtaacca cacctcgggt tcaggagccg 900
aaaaatgaaa agaacgttta gggaggaaaa agggaaatac aataatagga agagagtaat 960
ttattactct atgggtctgc tctgtaaata gctgaagact ctggagccag atggttctgc 1020
aaattctcca aacaggagtc acgttaagaa gcacgagtgg gcacaaaaac tgtttttcaa 1080
gacacaattt caatttggtt tgtggaaact ggatacgagt aagtttcctt aaaattcgag 1140
tagaaagcag ctgtcctccc cgggcccctt gatgagaata cgcacaccgc cccaagcgg 1200
ccggccgagg gagcgcgcg gcagcgggag aggcgtctct gtgggcccc tggcagccgc 1260
ggcaggaaag ggcccgaagg cagcgaaggc gaacgcggcg caccaacctg ccggccccgc 1320
cgacgcgcg ctacacctcc tccggggcgg gcgtggggcc agctcaggac aggcgctcgg 1380
gggacgcgtg tcctcaccac acggggacgg tggaggagag tcagcaggag cccgaggggc 1440
aggtaacttta acgaatggct ctcttggtgt cccctgcgcc ccgtcggccc atttttcttt 1500
ttacaaaacg ggcccagtct ctagtatcca cctctcgcca tcaaccaggc attccgggag 1560
atcagctcgc ccgaaagccc ctgcgccacc ccgcgggccc tcctaggtgg tctccccagc 1620
cccgtccctt ttcgggatgc ttgctgatca ccccagagccc gcgtggcgca agagtacgag 1680
cgccgagccc gtgcgcgcca aggtgcgtg ggcgggcacc gacttttctg agaagttcta 1740
gtgctcccaa gccccgaccc ccgccccctt cactttctag ctggaaagtt gcgcgccagg 1800
cagcgggggg cggagagagg agcccagact ggccccacc tcccgttcc tgcccggccg 1860

	ccgcccattg gccggaggaa tccccaggaa tgcgagcgcc cctttaaaag cgcgcggctc	1920
	ctccgccttg ccagccgctg cgcgcgagct ggccctgcgag ttcagggctc ctgtcgctct	1980
	ccaggagcaa cctctactcc ggacgcacag gcattccccg cgcctctcca gccctcgccg	2040
	ccctcgccac cgctcccggc cgcgcgctc cggtacacac aggtaaagtcg cccccggcgg	2100
5	ccgccgagga ccaaagctgc ccgggacatc cacctggagc gctgaggctt cagtccctct	2160
	gggtggacccc ggaacctaca ctctccccgc tcgcctaccc cagcccgtc ctctcagccg	2220
	ctggaggact cttcagggca aggtccaga gccatcctct ccagccttga gggtcacaaa	2280
	ccaactcatc aggacacccc aagatttctt tactctctga agtcctcctt aagcctttgt	2340
	atcagcactc cagggaaagag tctgtacttc ccctgccctc cctgcaaccc caaactacag	2400
10	ttcctgatct tgctcacctt cgacttccca aaagccccc aattgttggt ctgcgcccc	2460
	ccacacttta aaaccagcat ctctttctc cacctctctc t	2501
	<210> 55	
	<211> 7258	
15	<212> DNA	
	<213> Homo Sapiens	
	<400> 55	
20	ttcaatagga agcaccaaca gtttatgcc taggactttg ttcccacaat cctgtaacat	60
	catatcacga cacctaacc aatccttate aagccctgtc aaaaacggac tttaaaccaa	120
	gctgcaaatt ttcagtaate tggccttgcc tttcccctc tgatagcacc atcaaacaaa	180
	cccccttact gccgaaagca ataagcccg ctttgttcca tccactgggt gtgttggtga	240
	tatctgggga ctgccactga acagacgcac agagggagcc cctacaggca ggggtttttc	300
25	tgtctgtgct tcttgggaga gtatgtctcg tacatttgtc gcgtgatgaa gacttcacag	360
	ctccatccag cgaccagact cacagctcca tccagctgcg gcaaggggggt ctgaggcagt	420
	cttaggcaag ttggggccca gcgggagaag ttgcagaaga actgattaga ggaccagga	480
	ggcttcagag ctgggctgag gtagagagtc tcctgtgcgc cttctctcct ctctgcaatt	540
	cggggactcc ttgcactggg gcaggccccg gcagggtgat gggaggaagc acggagaatt	600
30	tacaagcctc tcgattcctc agtccagacg ctgttgggtc ccctccgctg gagatcgcg	660
	ttcccccaaa tctttgtgag cgttgcggaa gcacgcgggg tccgggtcgc tgagcgctgc	720
	aagacagggg agggagccgg gcgggagagg gaggggcggc gccggggcgg gccctgatat	780
	agagcaggcg ccgcgggtcg cagcacagtc ggagaccgca gccggagacc cgggccaggg	840
	tccacctgtc ccgcagcgc cggctcgcgc cctcctgccg cagccaccgg tgagtgcgc	900
35	ggtcctgaga tccccgggcc ggatgcgcgg cggccccagc tcccgagcgt ctgcctgcc	960
	cgcctgggc tgcccgggt cctgggctc cccggcggt gcacggagtc aaggcgcgcc	1020

	gtccccgggcg tcccccgagg gtgcgatcc aggetgcccc gagtccggag cccatagagg	1080
	agagagacag ctggggagcc tggtcaccgc gggcatctcc cctgcgctgc agtcgcccgc	1140
	ctggcctgcc ttcccgttcc tccgcctctt gccctgactt ctccctcctt tgcagagccg	1200
	ccgtctagcg ccccgacctc gccaccatga gagccctgct ggcgcgcctg cttctctgcg	1260
5	tcctggctgt gagcgactcc aaagtgagtg cgctcttctt ttgactgatg ctgcccagg	1320
	acctctgac agcaccaggg gagaggagg gctgctcagg gagctggggg ctccggattc	1380
	catccacagc agggccagac tctccccagg aaatgggaca ggggtggcagc ggaggcttga	1440
	gaaccacggg ggttggcact ggctggcaag ggaggaagag ggccaccggg actgccccag	1500
	cctgcgggca tctggtagat gaagcttaat ccatttctcc tggctggaaa ccatggtctt	1560
10	ccatttgaga actagatacg aacagggtga ggcgagaggg agagggaaga gtgggttttg	1620
	ggattggggc cagtttacc taccctgga tccctggagc atgggacctt tgatgaagcc	1680
	tcctcccgaa tctcttccag ggcagcaatg aacttcatca agttccatgt gagtatccac	1740
	ccctacaaca gttggctgca cagacaagtt gggaaggctt caggggacac tcccctccct	1800
	gccctctgct gcagcgtgcg ccaccctta ccacttccac tcccctcgc ttacccacc	1860
15	tttgttctct ccagcgaact gtgactgtct aaatggagga acatgtgtgt ccaacaagta	1920
	cttctccaac attcactggg gcaactgcc aaagaaattc ggagggcagc actgtgaaat	1980
	aggtatgggg atctccactg caactgggag agaaatttgg ggacaggag ggatgggtgg	2040
	gaggcaagag caggcaggag ttaggagctg gaggtagggt gggtgacatc ttcattcccta	2100
	tgtgacaagc ataaacacac acacacgctc acgaaacagt ggccacacaa atgtgagggtg	2160
20	gggttggaag gagaccctgt ccagtccttct ggcaggctctg aaacgacatc tttaaaatgt	2220
	ccgttggcag ccgggcatgg tggctcacgc ttgtaatccc agcattttga gaggtcaagt	2280
	ttgagtggat catttaggtc aggagttcaa gaccagcctg gacaacatgg tgtaaccctg	2340
	cctctactaa aaatgcaaaa atcagcctgg catggtgggt gatgcctgta gtcccagcta	2400
	cttgggaggc tgaggcagga gaattgcttg aacatgggag gccagatctc agtgagctga	2460
25	gatcacacca ctgcactcca actgggcgac agagcaagac tccatctcaa aaaaaaaaaa	2520
	aaataaaagt tagttggaat gttcttctct ttctcatatt ctctcactct cctgtcccct	2580
	tgtagataag tcaaaaacct gctatgaggg gaatgggtcac ttttaccgag gaaaggccag	2640
	cactgacacc atgggcccgc cctgcctgcc ctggaactct gccactgtcc ttcagcaaac	2700
	gtaccatgcc cacagatctg atgctcttca gctgggcctg gggaaacata attactgcag	2760
30	gtgaggtggg ggcaacaagg accaaaagcc ctccctacag cttcccagaa accttgttac	2820
	catccccttc tcccagaggg ctggccatag cacaagagaa gtgcggcctc tggttgagtc	2880
	ttccctgagg ggaggaggca ggggaaggcc tctgggttgg aatgacatcc cctatcttct	2940
	tgtgttggtg caggaacca gacaaccgga ggcgaccctg gtgctatgtg cagggtgggc	3000
	taaagccgct tgtccaagag tgcagtgtgc atgactgcgc agatgggtgag catcactgac	3060
35	ctgctgatga cagggtgggtg gaaggggaca aacttacatg tccccttatt ccatcacagg	3120
	aggactgagg aggtgggggg tgcccagag ggatgcttct tcctacctgc ctccctaaga	3180

	catccctctg tttgtcctcc aggaaaaaag ccctcctctc ctccagaaga attaaaattt	3240
	cagtgtggcc aaaagactct gagggcccg ctttaagatta ttgggggaga attcaccacc	3300
	atcgagaacc agccctgggt tgccggccatc tacaggagge accggggggg ctctgtcacc	3360
	tacgtgtgtg gaggcagcct catgagccct tgctgggtga tcagcgccac aactgtctc	3420
5	atgtacggcc ctgggtttct cctcttcgac tcttctgccc caccccaagc acatcccttt	3480
	ctccttccca gcaaagtgtt ccgcctcatt tctccctcat ctgcccctgt ccatgcgccc	3540
	atggccttgg ggacaagtgc tgctttgagg cctctagga gggaaggaag aagtggcatg	3600
	atttcatggg actaagctgt ttgatgggta tcttcttcca cagtgtattac ccaaagaagg	3660
	aggactacat cgtctacctg ggctcgtcaa ggcttaactc caacacgcaa ggggagatga	3720
10	agtttgaggt ggaaaacctc atcctacaca aggactacag cgctgacacg cttgctcacc	3780
	acaacgacat tgggtgagggg gaacgcccgc gactactgtg gccataatgg cttggggaga	3840
	gtgggaccca gggagagact ggagctgagt tgaagctgcc ggtggggcag ggggtggggcg	3900
	agggaccttg aagcctcgat atacatgaca aaggatggca gggaagagtt ccatgaagtc	3960
	tgaggggcct ggtgctcctc tggagagacc ctgaatttcc ccaacaagta gccctcttgc	4020
15	gagtggaaac agccctgtgg gtatatggct tgggctggga aggcctgtt tatatgaatt	4080
	agaaaaagac acaccttctt ttgtgggatg cagcctctgt ctgtgctagg atatagaact	4140
	tggagaatgg agccttggga tggattccag cctaactacc tcagggggat cctctagagt	4200
	gcagctggga gtttttgcag aaacgacctg tacagctgta tgcagtggct ctggccatcc	4260
	aagccttttt caacacctgg aacaaagccc ttggggcatg gggcagggga ggtttccagg	4320
20	tgataagcga ccagcagacc tccctggatg actgacctag ggatagggat agctacttcc	4380
	tcggcacttg gaggggacag atggggaccg cctaaccagt agtgatcttt ctctctgac	4440
	cctctgtcct cccccagcct tgctgaagat ccgttccaag gagggcaggt gtgcgcagcc	4500
	atcccgact atacagacca tctgcctgcc ctcgatgtat aacgatcccc agtttggcac	4560
	aagctgtgag atcactggct ttggaaaaga gaattctagt aagtgacaat tgcgactgac	4620
25	ttagaaggtc ctgaggagtg ttttgacctg aaaatgagcc cagtgtgatc aagggaagac	4680
	tgcagagtta gaggtgggag cactgaggcg gtggcagatg ggtccaggga tggatgaaga	4740
	gtgttgttta gggagcgatg ggctgcaaag gtaaatagat ggtaggggct ataggtggag	4800
	gtaaattggct cagatttgca tggagagaga ataattggcc tctccctggg tgatgatact	4860
	ttatggtgtc ccctctctgg cgagacgtcc cacgtggagg cagataaatc ttgatgcaaa	4920
30	cgctccctg ttttctccac ctagccgact atctctatcc ggagcagctg aaaatgactg	4980
	ttgtgaagct gatttccac cgggagtgtc agcagcccca ctactacggc tctgaagtca	5040
	ccacaaaat gctgtgtgct gctgaccac agtggaagac agattcctgc caggtgagtg	5100
	ttccaagcat ctctctccac ctcttccata tctcccaga gctcctgggc ttgttccagc	5160
	cagcttaagg gtgtctctct ctagccaaag ccctaagtag ccagaatcag gagctcaggt	5220
35	ctttgagggg ttaaaccagt ccttatgtgt ttgccagaca ttacaaaaa aatcccagct	5280
	ctgcgctagt cacttcagac tgggggcacg agatcctaga aagaggaaac agtaaaagac	5340

aatgtaactc agtgcccagg gtgtgttgtg aactataaat gatcaggtgt tcaggagagg 5400
gaggtgagtg ccaacctgag ggtcagggag gggaggcttt aaaggaaatg tgacttgata 5460
ggcatttgaa gaggcagagg gaagaaagga aggtgtttca gttgaaagat aaaaaactga 5520
gaaggaggct ggcataattcc ggggtggggag gagaactagg gtctgggagt gtggatggaa 5580
5 tagtggcaga tgacagggtt tttaaagcca agcaggggat tttccaactt cgatgtggta 5640
gaaatggggc tgcgtcaggc acagtggctc atgcctgtaa tcccagcatt gggctaggcc 5700
gtagtcatg gatcattgag gccagagttg agaccggcct ggaccaacat ggtgaaaccc 5760
tgtgtctact aaaaaatgca aaaaaaaaaa ttagccaggt gtggtgggtgc ctgcctgtaa 5820
tcccagctaa tcaggaggct gagacatgga atcgcttgag cacaggaggc aagtttgacg 5880
10 tgagctgaga tcacgtcatt gcacgccagc ctggggcgaca gagcgagatt ctgtcctccc 5940
gccgaaaaaa gaaagaaaat ggaagtcgc taaggacttt gactgggaaa ctcttccttc 6000
tctctggtat ggttgggtga tgggatcaga aatcccctcc tcaacttctct agggctcatc 6060
ttttgtatct ttggcgtcac agggagactc agggggaccc ctogtctgtt ccctccaagg 6120
ccgcatgact ttgactggaa ttgtgagctg gggccgtgga tgtgccctga aggacaagcc 6180
15 aggcgtctac acgagagtct cacacttctt accctggatc cgcagtcaca ccaaggaaga 6240
gaatggcctg gccctctgag ggtccccagg gaggaaacgg gcaccacccg ctttcttgct 6300
ggttgtcatt tttgcagtag agtcatctcc atcagctgta agaagagact gggaagatag 6360
gctctgcaca gatggatttg cctgtgccac ccaccagggt gaacgacaat agctttaccc 6420
tcaggcatag gcctgggtgc tggtgcccga gaccctctg gccaggatgg aggggtggtc 6480
20 ctgactcaac atgttactga ccagcaactt gtctttttct ggactgaagc ctgcaggagt 6540
taaaaagggc agggcatctc ctgtgcatgg gtgaaggag agccagctcc cccgacggtg 6600
ggcatttggt agggccatgg ttgagaaatg aataatttcc caattaggaa gtgtaacagc 6660
tgaggctctc tgaggagct tagccaatgt gggagcagcg gtttggggag cagagacact 6720
aacgacttca gggcagggtc ctgatattcc atgaatgtat caggaaatat atatgtgtgt 6780
25 gtatgtttgc acacttgtgt gtgggtgtgt agtgtaagtg tgagtaagag ctggtgtctg 6840
attgttaagt ctaaataatt ccttaactg tgtggactgt gatgccacac agagtgggtc 6900
ttctggagag gttataggtc actcctgggg cctcttgggt cccccacgtg acagtgcctg 6960
ggaatgtact tattctgcag catgacctgt gaccagcact gtctcagttt cactttcaca 7020
tagatgtccc tttcttggcc agttatccct tccttttagc ctagttcatc caatcctcac 7080
30 tgggtgggtg gaggaccact cttacactg aatatttata tttactatt tttatttata 7140
tttttgaat tttaaataaa agtgatcaat aaaatgtgat tttctgatg acaaatctcc 7200
ctggtgcttg tatgggaagg agttggagta cataaaaagg agaaaataac aaagggtg 7258

<210> 56

35 <211> 852

<212> DNA

<213> Homo Sapiens

<400> 56

5 cagctgcgct ggaggctgag gccgattgct tgagcccagg atttggaggc cagcatgcgc 60
aacataatga gaccagctct ctaaattgcat gcctctctat atattaaaat tctgatgtga 120
aaatatttta aaatttaata catttcaaat gtttttaatt gtataataaa caaaatgtaa 180
ataataaaat aatttaatat taaattcaaa aatgaggtag aaacaaagca cagcgatata 240
aataataaat tttcctttac atttttgagg cggctctttg agttttggat ttccttctta 300
10 ggtcactgaa atgtgctcct tggagccagc ccgcaaatca cgcatttaga aaaacataac 360
tatacactcc taaccctaag tattagaagt gaaagtaatg gaatctcgat gtaaacacaa 420
tatcactttt ttgtagagct attttgagta taataaatth gaactgtgcc aatgctggga 480
gaaaaaattt aaaagaagaa cggagcgaac agtagcttcc tcgtccgctg actagaaaca 540
gtaggacgac actctcccga ctggaggaga gcgcttgccg tcgcactcag ttggcgcccg 600
15 ccctcctgct ttttctctag ccgcccttcc ctctttcttt cgcgctctag ccaccggga 660
aggcactgcy gtagctgggc tctgattggc tgctttgaaa gtctacgggc taccgattg 720
gtgaatccgg ggcccttttag cgcggtgagt ttgaaactgc tcgcacttgg cttcaaagct 780
ggctcttgga aattgagcgg agagcgacgc ggttggtgta gctcgctgcy gccgcgcgg 840
aataataagc cg 852

20

<210> 57

<211> 2501

<212> DNA

<213> Homo Sapiens

25

<400> 57

tcttgctact ccatgcactg tgttccgtat gctaaatagt ttgagaaacc caaatgggccc 60
atgttcgcct acatttcatt gtcctgtact tcctgtcctg tactagcaaa gcagtcccat 120
10 tggctcttct tctcctcatt aacaataaag gtaacacttt tgatgttggt tcttcagaaa 180
accttcattc atcaaaactg cctcaaagat catgtttggt tgattccaga acttcctgta 240
attacctgtt attgtaacac tcatcactgt attttactta cttgtgtaac taattttcca 300
tattctgcac tagacaacaa agtcctttaa gtcaggctact atatctatth acatagcatt 360
cacatctcct acaataaggg acattagcag ataaacaaca catattaaat gaataatgaa 420
15 gtttctgaaa tactacagtt gaaaactata ggagctacat tatatagaat aaacatttac 480
tttgctatag aattcagtggt aaccaggca ttattttatc ctcaagtctt aggttggttg 540

	gagaaagata acaaaaagaa acatgattgt gcagaaacag acaaaccttt ttggaaagca	600
	tttgaaaatg gcattccccc tccacagtgt gttcacagtg tgggcaaatt cactgctctg	660
	tcgtactttc tgaaaatgaa gaactgttac accaagggtga attattttata aattatgtac	720
	ttgcccagaa gcgaacagac ttttactatc ataagaaccc ttccttggtg ctctttatct	780
5	acagaatcca agacctttca agaaaggctc tggattcttt tcttcaggac actaggacat	840
	aaagccacct ttttatgatt tgttgaaatt tctcactcca tcccttttgc tagtgatcat	900
	gggtcctcag aggtcagact tgggtgcctt ggataaagag catgaagcaa cagtggctga	960
	accagagttg gaaccagat gctctttcca ctaagcatac aactttccat tagataacac	1020
	ctccctccca cccaaccaa gcagctccag tgcaccactt tctggagcat aaacatacct	1080
10	taactttaca acttgagtgg ccttgaatac tgttcctatc tggaatgtgc tgttctcttt	1140
	catcttctc tattgaagcc ctctattcc tcaatgcctt gctccaactg cttttggaag	1200
	attctgctct tatgcctcca ctggaattaa tgtcttagta ccacttgtct attctgctat	1260
	atagtcagtc cttacattgc tttcttcttc tgatagacca aactctttaa ggacaagtac	1320
	ctagtcttat ctatttctag atccccaca ttactcagaa agttactcca taaatgtttg	1380
15	tggaactgat ttctatgtga agcacatgtg ccccttcaact ctgttaacat gcattagaaa	1440
	actaaatctt ttgaaaagtt gtagtatgcc ccctaagagc agtaacagtt cctagaaact	1500
	ctctaaaatg cttagaaaaa gatatttttt aaattacctc cccaataaaa tgattggctg	1560
	gcttatcttc accatcatga tagcatctgt aattaactga aaaaaataa ttatgccatt	1620
	aaaagaaaat catccatgat cttgttctaa cacctgccac tctagtacta tatctgtcac	1680
20	atggtactat gataaagtta tctagaaata aaaaagcata caattgataa ttcaccaa	1740
	tgtggagctt cagtatttta aatgtatatt aaaattaaat tatttttaaag atcaaagaaa	1800
	actttcgtca tactccgtat ttgataagga acaaatagga agtgtgatga ctcaggtttg	1860
	ccctgagggg atgggccatc agttgcaaat cgtggaattt cctctgacat aatgaaaaga	1920
	tgaggggtgca taagttctct agtaggggtga tgatataaaa agccaccgga gcactccata	1980
25	aggcacaac tttcagagac agcagagcac acaagcttct aggacaagag ccaggaagaa	2040
	accaccggaa ggaaccatct cactgtgtgt aaacatgact tccaagctgg ccgtggctct	2100
	cttggcagcc ttcctgattt ctgcagctct gtgtgaagggt aagcacatct ttctgacct	2160
	cagcgttttc ctatgtctaa atgtgatcct tagatagcaa agctattctt gatgctttgg	2220
	taacaaacat cctttttatt cagaaacaga atataatctt agcagtcaat taatgttaaa	2280
30	ttgaagattt agaaaaaact atatataaca cttaggaaag tataaagttt gatcaatata	2340
	gatattctgc ttttataatt tataccatgt agcatgcata tatttaacgt aaataagtaa	2400
	tttatagtat gtcctattga gaaccacggt tacctatatt atgtattaat attgagttga	2460
	gcaaggtaac tcagacaatt ccactccttg tagtatttca t	2501
35	<210> 58	
	<211> 2501	

<212> DNA

<213> Homo Sapiens

<400> 58

5

10

15

20

25

30

35

attaattctg caaatTTTaa taaatgcttt attTTaagct aaatgctgag atgaaaaaat 60
gaaaccatat gagttagcaa agtagaaaat ataggcatat taatcagtaa atgcagaatg 120
ataaatgctc catcaatatg cacttggtgt agtgaggcca ccgaggaggg tgcaatcctc 180
tcaacctggg aggagcaggt aggacttcag atgtcatcca actcaaagat atagtgaggg 240
acttgatcaa acatttgcca agaccactat gagttaaag aatagattag gcatttctcc 300
aatgttgcaa gcttcgaatc atatccaaac tcagaacaac atagcttggt cataatgatc 360
ccaaggatcc tattggccat tgtctttgag cctcaaagga acatattaaa actccataat 420
acccttttga tctattctga agttaagtag tgaatttaca tgatgatgac acaaacactg 480
taaaggacct ctgggttact tgtttataag ctagtatttc ctgaatcaat ttttctgatc 540
cctagatatt tggtaggtga agtcatacct atatatcccc acaccctaga acagcatctc 600
caacttattt ttccctcctt gtcttttagt gggagccaca tcagtatcca agaggagatc 660
cagaagcctc tccaaccagg tagggacagt tatagattcc agacctcagc tatggccttt 720
gttacagagt acaaatgtta tatagtacaa gtttattgta cacatcccat tgagtctctg 780
agcttttagaa ttttcttgta gaatttaaca gttttttcat gccgtattta catattattg 840
ctagtattta gaattttctt ctccaaatgt ataacgttta ttattgcatt ttttgtatcc 900
actaagtgga aaatcatgca ttagatattg tagaagtaga tacaacaatg aacaagaact 960
ggtcctgacc atgagaggaa ctgatgatcc aatgggggag atagacctgc acgtgtttaa 1020
taaaaggaag tggctattcc ggtttctttt tgatgggcaa gcattttgca aggccttggg 1080
ctatgtgtgt gcaaggctaa gccagttagt taattgggat ttttttaaaa aggcacttca 1140
ctggggggaa aaggaacata gagttggtta ttgtcccctt gcctataata aaaacctatt 1200
atttttaatt ttttaactgg gtttgcggtt aaatctcaca gcccaagaga tttgccactt 1260
cagatggatt ccatacactt gcatttaagt atgcaaaaaa attccaatta tccagcaatt 1320
taaccaaatt attggttaact tttctaaaac aaaaaaaaat tgtttccctt gttttggcag 1380
caatttcagt tacagtcctt tactttctac tcaagaaaat agtttcaaaa agttgatgtt 1440
tgttgctaaa agaactattt ttatgaataa atataaaact aagaagttat ggtgtccctt 1500
ttttaaaaaa tgactcatca aaagaaataa ctttttcctt tctcttgtaa gagaaaaaaa 1560
ttaatctctt ttagaattgc aaacataatt ccttgatgga gaaaatcaat tcacatggca 1620
tagtcgttat ttatccagtt caaaaaccag agtagaattt actactctgt ctccattttt 1680
tctctcccca ccccttaac ccacattgga ttcagaaagc ttcattctgc aatcagcatt 1740
gtcctttatc tttccagtaa agatagcctt ttggagtcga agatgaggaa aagcctgtat 1800
tttatagtct tggaagtgtc ttcttttgcc aggacagaga gaggagcttc agcagtgaga 1860

gcaactgaag gggttaatag tggaacttgg ctgggtgtct gttaaacttt tttccctggc 1920
 tctgccctgg gtttcccctt gaagggatct ccctccgcct ctgcaacaag accctttata 1980
 aagcacagac tttctatttc actccgcggt atctgcatcg ggcctcactg gcttcaggag 2040
 ctgaataccc tcccaggcac acacagggtg gacacaaata agggtttttg aaccactatt 2100
 5 tttctatcac gacagcaact taaaatgcct gggaagatgg tcgtgatcct tggagcctca 2160
 aatatacttt ggataatgtt tgcagcttgt aagttatttc ccttcatctg tttcaaagt 2220
 tagcattcaa ttttagccct ggttttggct tcagtcagtt ttgcgatagt agtgaagtaa 2280
 agacactagg attttaaca gtaggaaaag ttaatttagt ctaactttta atatgcaatt 2340
 gagttttgct atataccatt gtactgtcat agttagagct gaaaattgat gtttttggt 2400
 10 tctttttttc caaaggcaat tgagtaattt ggattctgtc tctagtcggt ctgtctcttt 2460
 agtttcctat acttgacaat gaggtcaaac ttagcaaata a 2501

<210> 59

<211> 2501

15 <212> DNA

<213> Homo Sapiens

<400> 59

20 ataaaaaag acatgaaatg aatcggggaa aatatttgct acataactaa gaatgaaggc 60
 ccttaataaa atctgtaaaa ctatacacac ttttaggaat gaatcaaca ataatttcta 120
 tgaattagaa aaaagtgaca atccaactaa aaaatgaata agggatataa gcaatgtgtt 180
 tcacagaaaa aataaaaatt gacaatgaag ttatgaaaa atgttcagtc tccttagtaa 240
 ttgcacaaaa caaactaaaa caatgagaca ttaccctaa gattagtaaa tgtaaagaa 300
 25 aaataataat tgggtgagggt gtggggaagt gggcacttac acctatgttt ggaaatataa 360
 attggtgcaa ccttataggg agagcaatct cacaacattt tccaaagact tacatgcaca 420
 accctatggc agagaaattt attcctcttc caggattttt tttccttcaa aaacagtgat 480
 gtggatgaaa aacacatgtt cactactgca cagggtataa cagctgaaaa ctggaaacga 540
 taatactcac attcccttca gtaggggaat ggttaaataa attttacaag ccatctggta 600
 30 gataccaggc atgagctaaa agttagggtc cagttagaga tggaagcac accagtaatt 660
 tgaaaggga aatgtaatat gaagaattat taactagtaa aagaaggcta actgctaaag 720
 gtacaagagc actcaagctg tctgcagtc gcaggccccg gctggtgagc aggaagctgc 780
 ccgctgggag gctgccaaag ttccctgaag gtgagacca ctggttctac aagctgctgg 840
 cagtcattggc gttaagagca ggaagagaag caccagaacc cggaagagaa atccagtcct 900
 35 ctgctaggcc ttgcaccgtc cctctggcgc cctctactga caaagccagt aaaattgtgc 960
 cgctagcaaa ggagatcttt ttatgggatg tagcttggtg tcaccaaga gaacagagt 1020

gacttggagc tcagatgcaa cacaatgatt gatactggca cagtatactt accctgcttt 1080
 tgtaaacaaa atggtatatg tgatgtctct ctttgtctct ctgtatataa aacaatattt 1140
 gtttctactt attatgtatt tatgtcttta ctctgcatgc caggagctaa gtattttgca 1200
 tgtattaact ctttttgttc tcataataac cttcacatgc aggaatcatt atagctactt 1260
 5 tatgaatgag ccgaggaagg cactgagacg ttaagtaact tgcccaaggt cacgcagcta 1320
 gtaagtggca gagcaagaat tactatggct ttataagcct agggaaaagt ctgaaagaat 1380
 caaatgtta acagcgggga cctcaaggaa gcattgaaga ggccatggga gaagttttca 1440
 ctttgttaaa aaatcagtcc ttcaaataaa taaatacagt gaggcttccc cagaagcaga 1500
 tgtcactatg cttcctgtac agcctgtgga actgtgagcc agttaaacct cttttcttta 1560
 10 taaattatcc agtcttaggt atttctttat aacagtgcta ggatgagctg atacagtttc 1620
 ctacactgta acctaaggca atgctttgca caaagggatg agccagattg cttagtaatt 1680
 aaaacgcaaa tacaaccac aagcatatcc attcatgaat tggggggctg ctttgtgtgc 1740
 atagataagg tatatttttt aaaaaatta tttttccaag aagaaaataa accagttaat 1800
 aaacgacaac tcacagtgcc aggaagtgag aaacaagtgt gtgataaacg gtggagaatg 1860
 15 ggagcactct ccgcagtggg cgggaggaga cgaggagggc gttccctggg gagtggcagt 1920
 ggttggagca aaggtttgga ggaggtaagt catgtgctct gagtttttgg tttctgtttc 1980
 acctgtgtgc tgagctggtc tgaaggctgg ttgttcagac tgagcttccg gcctgcctgt 2040
 accccgccaa cagcttcaga agaaggtgac tgggtggctgc ctgaggaata ccagtgggca 2100
 agagaattag catttctgga gcatctgctg tctgtgagat taagcactat gtatattgct 2160
 20 ttattcactc cccacagcaa ccttaccaag cagttctttt ccacgtgaaa agatggaggc 2220
 tgggtggagc aaaaggaggt atttagagtc ctcagcaagt gagaggcaga gctgggattt 2280
 gaatccagat ctgcctgata ctgaagtcta ggctgggtcc acctctccgg actgctttcc 2340
 agggagtaga agacagatat ttaccttag ctggctgctt ctagaagtct gacctgctg 2400
 gctcaaaacg acttttagttc cttgcccaga ggctgcgggc tgccgggtcaa gacatcagta 2460
 25 gaaggagggc ccagccagag aggctgacat gggcttctac t 2501

<210> 60

<211> 2501

<212> DNA

30 <213> Homo Sapiens

<400> 60

35 cgggcaggaa taatcactgc ctcccatccc cttaaactatg ccaagatgct ttatccctag 60
 gatgaggtga cttactccag gtaactccta ttgcctaacc actgaccaat tactctgccc 120
 tttagtcttt atgtcattaa atctgcatta agaatttcat ggaataggcc cggcatggtg 180

	gctcatgcct gtaatcccag caccttggga gaccgaggtg ggaggatcac ttgaggtcag	240
	cagttcgaga ccagcctgga caacatggcg aaaccccatc tctactaaaa acacaaaata	300
	actagccagg tgtggtggtg ggcacctgta atcccagcta tttgggaagc tgaggcagca	360
	ggagaatcgc ttgaactggg gaggcagagg ttgcagtgag tcgagatcgt gccagtgcac	420
5	tccagcctgg gcgacagagc gagactctgt ctcaaaaaaa aaaaaaaaaa aaactcaggg	480
	aatggatagc agcattgatg aatattgcgt ctggagagat cagatcactt gtcacttggt	540
	tccaggcaca gggcttacca agaggcagat tccagattta aataattctg taacagcaaa	600
	gtccaagcta ttttactgc tttggagaaa agaccagac ccagagcttg aacctcactt	660
	tgcagcacc cagttctaata cttttaagtt tttttttttt tttttttttt tttctgctgg	720
10	gcacggtggt tcatgcctat aatcccagca ctttgggaag ccgaggggga aggatcgctt	780
	gaggccagga gttcgaaacc agtctgggca acatggcaaa accccatctc tacaaaaaat	840
	acaaaaatta ggccagagtg gtggcgcgca cctgtagtgc cagctacgtg agaggcggag	900
	gtgggagaat cgcttgaacc cgggaggcag aggttgcaat gagctcagat cccgccactg	960
	cactccaggt tgggcgacag agcgataccc tgtgtgaaac tttttttttt ttctccaacg	1020
15	ggctttccag agaagtgtgt gtatgtgcgt gtgtgtgcgc gagcgtgctt gcttgggctt	1080
	aaactttctg tcgggccaca ctttcccaag tctttgcact ggctgtaggg tgggctttat	1140
	cctcgggacg tctcctccc caagtccagc ctgcagctgg aagtcttcac tgatctccat	1200
	ctctcctccc tgatctccgt ctctcctccc tgcccgctc aggactggga ggccgatctc	1260
	tctctctcgc cctcccctcc accagccttt tccagatgta tgtctgcaa agacccccca	1320
20	gtgcagagga tgatgaatga agatcctcga gccagcccg tgggaaagtt tcgtcgccta	1380
	caaaagcgag ggaaaggga ggaagttgg gggtagggga aaagttagag ctgagaggct	1440
	ggggcgcgac gagtctggac accgggcggg gaccaagct ctctccgctc agccaataac	1500
	tgtgcctccc ttaggaaggc gtgaggaaat gctccaatca atccctgcac tctcccttg	1560
	gaatttgggc tgtatttttt tatttactgc aaaccccaca atccaccag gggtttcccc	1620
25	agtgtttgcc tccagcggtc ccggtgccca tttactagtg ctgctccctc tcttcgcaa	1680
	gactgcgctc cagtcccagc ctcttctctc gcgggtgcct cccaaaccgt tctatcattc	1740
	tcgggttcag ggaggcggaa tcgtgcctgc tctccggttc ctttaagagg cgtcggctcc	1800
	accctctca gagtcgcggt ctgacgcgag atgacagcaa cgagttcgggt atgtctatgc	1860
	aaataagcgc cctcttgtgg gccaatgggg agcggaggtg ccggaaccac ggaccaatgg	1920
30	ggcgggggcg ctggggctca ccatataagg agcggcctcg ccataaaagg aaacattgta	1980
	tctctttata tggggggaag ggtcggggga tccctccgcc gccagcgcgt ggtcccggcc	2040
	ccctccacce gccgtctcgg ccgcggccag cagcccctgc cccccgggg acgctgacgg	2100
	ccgcccggcg cggcgcccta gcagacggac agggggcgct gcgcgcggcc tggggcaacc	2160
	cgggccacag gggcaggaaa gtgagggccc aggtcggccc gggcgtgcag gggccccggg	2220
35	ttcgcagcgg cggccgcggc agcgatagcg gcactagcag cagcgggagt gccgggttga	2280
	gccgggaagc cgatggcggc ggctgcggcg gctccgattc ctgcgtgact gccgctccgc	2340

cctcctgcat cgagcgccat gttaccgacc caagctgggg ccgcgggcggc tctgggcccgg 2400
ggctcggccc tggggggcag cctgaaccgg accccgacgg ggcggccggg cggcggcggc 2460
gggacacgcg gggctaacgg gggccgggtc cccgggaatg g 2501

5 <210> 61
<211> 2501
<212> DNA
<213> Homo Sapiens

10 <400> 61

ggaaccctct gatagagagg gctgactgta tttattgaaa acaaaacaaa acaaaacaag 60
ggttgtattg gtggacccat gcagctcaaa cccttggtgt tcccaggcca actgtatatc 120
cagagcttat aggaaaatac ctctcccagt aaccctgtc accatttctc tcttaagcta 180
15 ttattatgat tagccacggg ttgctattta aatttaaatt taaataaaaa tgtggccttt 240
cagttatgct agccacattt aaagtgtca atagccatat gtggctaata gttactatct 300
cggacagcac atatttagaa cattcccac atttcagaaa ttttcattgg gaacactctg 360
cggaaaaagg gggccatcat aatgtgagtc catcttctgg aaaaatcctg ggaaggggac 420
aaaggagggtc tgtttggcat tgtgtaatgg taatttggtt ttaattttc aaaaatgttt 480
20 acccaattcc tattcatcag ccagggtgtg tggctcttgc ctgtaatccc agcactctgg 540
gaggccgagg tgggaggact gctgcagccc aggagtttga gaccagcctg ggtaataata 600
gggagatcct gtttctacaa aacacaaaa acaaaacaac aactttgatg ttgtggagtc 660
aggacagtcc tgggttaaaa cctttgctct ccttagctgt gtaaaccgtg ggtctcagct 720
ttcttatctg ttaacggtag gtacttcttc ctagggtgt tttgaggatt aagtgaaggt 780
25 ccaagattgt gtctggcaca cagtagcttc tcagcaaatg ttttcctcct atgtcaggga 840
atggctcctt tateccgttt tgggcccatt ggtggccctg aagggtgggt gctcagggtg 900
taagttctgt agatggcata tccttgggaa aagcaaggca attaaaaaca gtgagagggt 960
gctctgggta agttttctcc tataactttc cccatgggtc aattgggtag aatctgccat 1020
tttcctaata cttactgatg gtagtggcat tcggaagcac aatagctgaa gccggagctc 1080
30 tgagtggaga gaaagggtctg tttctcaggc ccaaaaagag gttacacacc catggctgtc 1140
cagtttggtg gtgcaggccc tgaaatcaga ccaaactgga tttaaatccc caaacctata 1200
ctctaagcta tgtgaccttg ggctagatac ttcacctctc tggccttatg aagtaggaat 1260
aataataata ccgtctaggt tgttaggagt attaaatgag gtaaagcact gaaaacgttt 1320
agggactgtg ttaaatacatt aaataaataa aaacggggat gaccttatcg gcttgacaca 1380
35 ggggattaaa tgagataata tatgaagaca agtacacggc aaatgcttaa ttaatgttgc 1440
ttatttttat gtctgcaaac tgacttaaag gggaggcctt taagaaagac agtggggcaa 1500

5
10
15
20
25
30
35

tttgcgcgtt gatgcattgt aggagaaaat gtgcaggggg cccgttggga ccagagttca 1560
accaggtaag cggcagaaaa ccacaaatac ctccaggcgt tcctggggca gcgccgcctc 1620
cccaaaatca cgcaaaactt ggtttgctaa gaattgtcag ctcttctaaa ggaggcgctt 1680
cacgcctctc agtctgtgaa atgggacca ggaccaggt agaggtgcgt tctcgccctg 1740
gggaccgagt attttgtgcg ctccggtaac gcaggaagac agcgccactg acactctaga 1800
gaccagcggg caccgcctgg aggcgccttc accacttggc ggttccgggt ccgcgcccc 1860
ccgcgccaca agactcacgc ccgaaccacg tgatcagggc cgtggctccg ccccgctccc 1920
gcgccgcgcg ccgcttccgg tagggcgga aagcggaagt gtgggagggt ctgcggggcg 1980
ggctcaggag gtccgcggga ggatggagca gtgagcgggt ctgggcggct gctggcagcg 2040
ccatggagac ggtacagctg aggaaccgc cgcccggtg aggggccact ggctaagagg 2100
acgggcatgg ggtcagggga agaaaaggcg ggaactggtt gaggggatac acctgtgtgg 2160
gagtccccgg agctaagcga ccagccgat ggggcacctg ctgagtgagg ggggggacgt 2220
ctggtgggtg agggccggc tgaggggagc atctgctaag gaggttagac ttgggaccgg 2280
ttagagggag cactcgctgt ggtgagactg tgctaggaa cgtggggaca agttagggag 2340
agtacctgt gagggcgggc cactcggggg aacgctatcc aagcaggac tcacggaggt 2400
gggggcgaat gctgaagcag ggtgagaatc tgtgaggat ctctttaagg ggtggatcg 2460
agaactggcc aagaggaagg ccgggtggac tttctaagg t 2501

<210> 62

20 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 62

25

30
35

gcatggtggc tcacgcctgt aatcccagca ttttgggagg ccaaggcagg cagatcacga 60
ggtcaggaga tcgagaccat cctggcgaac acggtgaaac cccgtctcta ctaaaaatac 120
aaaaaattag ccgggcatgg tggcgggcgc ctatagtccc agctactcgg gaggtgagg 180
caggagaatg gcgtgagccc aggaggcaga gcttgcggtg agctgagatg atcgggccac 240
tgtactccag cctgggcaac agagtgaggc tccgtctcaa aaaaaaaaaa aattactaca 300
tgatactaag taatgcggaa ggtgactcaa agggggaaag gaacacagca gtgtaaagga 360
aggaggttgt agatggatct agaatttccc cctcatttcc atcaggtgaa agcctgagaa 420
aactgcaatc tttgtgcagg ctgggtttgc tttgtacaca ctgggtcccct agtgttcatc 480
tccaataatg ctgacaactc tgaaaaccat ctgtagacat tctgcaggct ccattctcagg 540
aacaatggct attttttcgg gtagttgaag caaaattaag tccaatgata agcaaatata 600
accattatca aaatcttcca tttatgtttg ttaaagcaac ctaagtatga tctgagaagg 660

actctgtatt ctatatattga gtccttgtgg atgaactgta acctagctta ataggcagac 720
aagattgaaa acctaattta ggagtatgtg cctttaacaa tagctgagtc ttggccaatc 780
ccagtggcca tacttcaacc attcatacac tgctgagtgt tcaaactgtg ttcaaagaag 840
gcaaaagcca acctgtaacc aatccagttg tttctctgcc ttacctccaa tttctgtatg 900
5 tcaactccct ttttttgtct ataaatatgt tctgaccatg aggcattccct ggagtctctg 960
aatccgctgt gattctggaa gctgccccat tcgcaaatca ttcattactc aattaaactg 1020
ctttaaattt aattctgctg aagttttctt ttaacagggt tagaaaaaat aatggcaaaa 1080
atgaatgaaa atccaataac cctggaagca gaaaaggctg ggggctccaa taagtgtaaa 1140
tagtcccatc cctatatattt ctccatggca attacaatcc agcacattat atatatattt 1200
10 ttttgccttct cgcatttttg cttagggtaa agcttttttaa aacaggcact gccaacctg 1260
gttatcaaga aggtctggat gccgttttgt gggaacattt taaagaggaa tgtccaaaag 1320
gaaaaggggg atgggttggg agaagggtat caggcgggta tctcaaaacc attcttaggg 1380
ctataggttt aatttatattg gttgtggacg tcagagccgt catggtaga aggaagcaaa 1440
gccttttgta ataattaaag ccttcagaag cagcgtgcc cattgccac tagtgcccg 1500
15 tgaagtctgg tggtcaccta cagggtccct ctgagcactg cccaggcctc ccgagtgtc 1560
cagcacagta gcttgagct tggtggttg gtgaccaaga tacactccag ggaatatgcc 1620
atgcagtga gtctcttccc cggcactgca tagcaaaagg aaaggccgc tgggtgtctg 1680
tgggtcctgg gcagtcacag aagccaccgc gctggcggg aggaggggga ccgatgcggt 1740
ccatgtcccg ggcagcccca ctttctctgc ctgcgaagg ccctgtccg gcgggaggag 1800
20 agaggcgcgc cccaccggg ctctctaca cctgccgcg cctgggcca ttccgcgggc 1860
ctcgcgcgc gcttcagccg attcccgc agctccggg tcatgggcgc ggtcagcagg 1920
gcgggccagg gcggcggggc gcgacactgg gaggaagtgc gggccgctg cccgggcgcg 1980
ttaaggaagt tgcccaaat gaggaagagc cgcgggccc gcggctgagg ccacccgcg 2040
ggcggctgga gagcaggag gagcgggtg cccgcgctg cgcgcgcct cgcctcacct 2100
25 ggcgcaggta ggtgtggccg cgtcccctac ccggccggga ctttctggta aggagaggag 2160
gttacgggga acgacgcgct gctttcatgc ctttcttctg tctacctca tcggccgagg 2220
taaaagtgt gaaacctgt gaataaaata caggtgggtt ccgccagctt cgctcctgaa 2280
cctaccgcg ctcgggatcc agaagctgc ccgggagaga ggggctcagg cctgggcgga 2340
ggggacggag gtcagaccgt gcggaaagt acccgggcac cccagggcgc ccaggcccc 2400
30 agggagcgcg gaaagtgcg tcgcgcccg gccctcgga gacgcgggat tgggatcagg 2460
cacagcgcga ggaagtcgat cttggagcta gaacattttc c 2501

<210> 63

<211> 2501

35 <212> DNA

<213> Homo Sapiens

<400> 63

	cccaaaagat acaaaggggt ataaggtgaa aaattattct aacccatccc tcagtgcct	60
5	agttcccttc ctctgaggtg accaatttct tgtgtatctt tcctgagata atctatacat	120
	atagcaccat atacaagcaa atgaaatatg ttttatttat ttttttgaga ctgggtctca	180
	ctctatcacc caggctggag tgcagtgaca ccattctggc tctccgcaac ctctgcctcc	240
	tgggtcagg tgatcctccc accttaacct ccagagtagc tgggactaca cgctcacacc	300
	accacacca cctaattttt gtttttttgt agagacgggg tttcaccatg ttgcccaggc	360
10	tgggtctcaa ctctgagtt caagtgatct gccacctcg gcctcccaa gtgctgagat	420
	tacaggcgtg agcctccacg cccggcccca aaatctgttt taaaagcaga catttcttgg	480
	tgattctaataaagggggt ctacagacata tttggaaaaa tatatcccta cttttatgcc	540
	agacctgtg ctgggtccccc gggctgtgtg acctgacact gcacagtcct gcttagaatg	600
	cttaaagaga gttaataagg taccaccttc tatgccatag gcggggagca aaggggctcc	660
15	agtgggccct gcctaggagg cctgaagcta gagctgctga gggcagggt gtgctgcaaa	720
	gaaaatgtct gagagctgca ggcgtttcat cttctgtcat cagctgtggc acctggcaga	780
	cactggatag gcttgtagac aaagacctgg taactcaagg agctgcttgg ctttctgcc	840
	cagtcccatc ccagaggcac tgtacatctc tggtttcttc agggggccct gtgtggaagt	900
	atcttttgtc ttctggtgt cagggatata atcacgtgcc tgttggttag gcgagcccg	960
20	cgccagctct cctaggatgg ggagagtaat gttcccgagc agaacagggt ggggctttca	1020
	gactactccc tttcttttac agctggcttc attccatcga cctcatcaaa gccttcttg	1080
	gagcacccta gagaagagtt acgtccaggc cgggccctgg ctgcctggtt cacggcgga	1140
	tccccagcac cagcctcgc acgtcgggt caaagcatgt ttagtgaagg agtaggtacc	1200
	tactgctaga tggagccatc tctctagact tggggtttcc ctataacgat ggctatgttt	1260
25	ggcatggaag cctcttttaga agtcaatagt aggaaataag ggctaacagc acctaatgt	1320
	ggagtaagg tcaaatacta gctctgccac ttaaccgttc cgaacctgtt ccctcactgc	1380
	agaggcgaaa aggctaacac tatttcacct cggagggtta ccgtggagaa tggaagctgg	1440
	acaagctgta tcagttcagt agtaaaacac acacacacaa gcgccccacc cccacccac	1500
	cccacccag gaatgaacac acacacccgc gcgcgcacat acacctcagg aatgaacaca	1560
30	cgcgctaca cacacacgca gccccccca ggagtgaaca cacacacaca cgccccgttc	1620
	tgttgttccc aggaacacac acagagacgc acacactcgc ccggttttgt tttttccagg	1680
	ctttttaact ggggtcttcc actcggctta gggcaccgct gcctgaaaga cttttctagg	1740
	ccagtgggg tccggcacc agttgacgag acagcgcggc gctttcagag ctggggagag	1800
	gcgaaaactc ttccggcccc ccgatcccc ggccagccgc ccccggcagc tcttgccgc	1860
35	ctcccgccct gggcccgccc agccgttctc ggctgccgt caggcgatct cggcgccag	1920
	cccagccgc atgtgacgcc gcgcgcccc gggtcctcgg ccctgcgcc ctctcctata	1980

5 aagcagacgc cgcgccgcgc tgcgacgctg tagtggcttc gtcttcgggtt tttctcttcc 2040
ttcgctaacg cctcccgggt ctcgtcagcc tcccgcgcgc cgtctcctta acaccgaaca 2100
ccgtgagtag ccgcccactg aactggaaag ggctcgtggct accggattgc gtgccggctg 2160
gcctcaccgc tgcggtttgg gcctgccgcg ggcggggcgt gactgggcct ggccttcttt 2220
cgggcccggt ggatcgcggt gtcgaccctg ttcttcggga gacactacca ggttccgttc 2280
acctgccccg cccccgactc agcgaggcct cctctggcgc ggcgtcctca cggcgctcca 2340
taagtgagcc gaaccccggg ctgggccttc tctgcaccgg ccgagcgtca gccggcgcg 2400
agctcggctg caaggcccag gctgcggcgc ggggcctctc ttggtcttaa gcctgctgtc 2460
ccggggacca gggcggggggt ggcggcgggg ttgtgaatgg g 2501

10

<210> 64

<211> 2501

<212> DNA

<213> Homo Sapiens

15

<400> 64

gatctgacag gttaaagggtg tacacttatt ttctctgtaa gaagcgtcat ctggtaagat 60
gatcaagaat ggtgcaaagc aggatgggga gtttaaaatt gtttccaaat gtgggaatgt 120
20 aaatgaatat aaacatgtaa gattttaata taccaaactg atcagattct gtgtaatttc 180
caagtttctt ttttctttca aaactcctct gaaatctgac tgtccacaaa aacttacttt 240
atagaatttt atgtgattta tttactcaga tattatactg acctcacatc cagtagtgaa 300
aacagatttt attgtagaat ctggaaagat agagggccat ataggttgta ttttcagttt 360
tgtttatact aacacgtgtt tacaaccag ttaatttac accctgtatt gtattattgt 420
25 tgtcatatct ctgtatgcat gtaagtataa tatgtgttgg caaaggaaaa ttttgagtaa 480
gaagaagctc tctgatctat ttgattcaat atgtatttga gtgtctaaca gacactgttt 540
tagacactgg tgatacaaca ctgaacggag caccaaatac tttacagcgt ctccctggagc 600
tgttgtcaag acatactttc caaggggaat atttcagaat aggtgataac tagtcaacga 660
aggaaaagta ccttagtcat ctaggagagt tgtacttaga gtgaactgaa ataaactaag 720
30 ctcacgaaag acagagattt tttgtttggc ttttgtctgt tgcattcact actgtatctc 780
cagggcccaa aatagtgtc ggctcataat aagtattcag caaatatatg ttgttgattg 840
gagtgtttgt tttgaatttc tgtaatcaaa cacatacctt ggtaaattat ctttacatct 900
tgctagttag aaattttatc tcagttgctt tgtttttaat gttaccttgc tttttgtttc 960
tacttggtcc atacatcagg atgctggaaa agcttattaa tattgacagt catatggtta 1020
35 tctgatattg aaaagaatag atttggaag gaacctaaga ggtcatcttt tgttcagctt 1080
cctgcctagg aaaactaagt aagatgatta ggtatgtata ttaattagt catttaaaaa 1140

5 aaaaccagga caacataatt gagttccctc ttgagaaaat ggagaaaggt acttaaccct 1200
 agctataaag ggactaacct ggaaatttta gaacttctgt gtgggaaagt ggaaaaaaaa 1260
 aaaaagcaca actaagctgc tctttgttga tatkagaaat gggcctgtca ttcattttgg 1320
 cattgaagca tagcctccta tctcggggca ggactgggac atttttttcc tcccacaaga 1380
 gctggacagt tattacaggt tcaaaaagcc ccgaccagtt tttcaagagt ttctcctcct 1440
 cttttcccc tgaaactcgt ggtgcttttg ctctgcttcc aagatgcatt aagtctcctg 1500
 ctttgtgact gctttggagc cagcagatac tctgatatgt ataattcaaa ttatgcaggt 1560
 ttcacgagta agtttaatct tattttttta gttagttaaa aggcaagtga tatttagaaa 1620
 aatgttaact tgtagttatt tcaccctttt tactttaagc atttttattg cttctcggcc 1680
 10 ttttggctaa gatcaagtgt gtactttaag ctttttttaa aataaaaata tccttttaat 1740
 ttaataagaa aacaaggttc tacatagaaa agccccttca tctaagacct gcacttttca 1800
 atttcttttg agatgtcttt gttgtaaaca gtattcatat gtcttttgaa agccagttaa 1860
 ctaaacagtt ttcttgagca tctttttagt ttactgaga agtattttta attgagcttt 1920
 tctgagctcg attgcttacg tctgacacag tctcaagttt ccactgaatg gtaacaaaga 1980
 15 ctgtagaatg ttgttggtac tgcagtgaga ggcagtcttc ctagaccag gtaagagaga 2040
 tcagtttggt tctcactgct gggtagagtt ttacagctct tattttatat tctttaagca 2100
 gcagcaatat taaattgata aatagccagg agcacgctga tttcaagacg tccttgcttg 2160
 ttgcagacag aaaaactaca gggttatgta tgggggttgg ggtggggggg gaggggaaga 2220
 attagtttat tactcagtta cttatataaa ttaattaaaa tgtgaaaata attctggagc 2280
 20 tcagttttct taattcagga actaaagcag cagttgagga aatcagtaat tttaaaggta 2340
 cttcatgggt attacttgtg aaagcaattc aaaggatagt ttttactttc atttttttcc 2400
 ccagtagtta ataaaataag ctttgccctt aactaaacat tttttccact tacgaaaact 2460
 tttaaattgc caacagcaaa atatacttcc caaggatcct t 2501

25 <210> 65
 <211> 2501
 <212> DNA
 <213> Homo Sapiens

30 <400> 65

cacaagtcaa gaccgctccc tgcttcttag cccgctgggg agccaggcca gcaggcccca 60
 cattcctgag gaaggagacag ggttctggcc tggagggtct agcagaagcc accccagggg 120
 agggcccgcg aggaaggaag gtaggcctgc cggaggggca tacaggagct tcctctcccg 180
 35 ccacagtgtc cagggccaac tgctccagcc ctgaggtggt gtcaacagga tgggacagcc 240
 caggcggaag gaaacctgtg gggaggggaca cccgcgagac agaagcaggg acatgggggtg 300

gggagaggca ggaagagctg ccgggctgct gagctggcgc ctctccagca gactcaggag 360
gggcggtgac aggaggecat tccctcctca tccccgcagc cctgggcctc tctggtcctg 420
gccaacagta ttactatcat tattattgct gttgttctgct agcctgggcc ttagatacat 480
tagaaaaaaa ccatcggaag atacgcatag cattggcagt ttctaaaaga attaattccc 540
5 ttcctgtgtt cattctgtga ttactgggat agaaatgcta tttgcattac cagcctttca 600
ttcagttaca gagacgtgag tgctogaagg agagacagtg atttttgcct taaattcagc 660
ctgtccaaat cggataagat ctccgatttg ctttaagccc cgttatcact gccttcctct 720
ccaacaacag ctgctgtgat cagcacaaaa cggccaaacg ggggcaaate cgtgccaaag 780
cagggccatg ggctttcctg atcagaaggc ctagccccag cccccaggcg cagcacacgg 840
10 gcggcttcct ttcagaaacc cagcctgcct cccaccagct ggagtgggtg ggtggggcgg 900
tagtggtgcc agtttcaggg aacggccggc aaaccacct ccaggcgtgc tccagcggga 960
gcctggagac cctaggagag ccctccccac aagcggcttc caggcaggac gcttccagag 1020
gtcttggtcc aggggtgggg gtgaggtggg gtctaccttt gaaacagcta caatttaaac 1080
ttcagctaca ccgagctcaa actcgattcc gcagccgagt gtcggcgcca gagaaggata 1140
15 aaaactcggg tctacggctc cccaccagc ccctggctcg gtcctctggg cttccaggag 1200
tcctcacgcc atcctctggg ttgccagga ggaaggatgg gcggggcggg caggcgctgc 1260
gggcgctgca gatggggagg gcgagccgc ggcacggcgt gagcggggga gaggcgcgcg 1320
agcaggtgct ggctccgtga cagggtcccc catcccgcg cccagtgtc cccgaggctt 1380
agtgaggcaa aaccagcaa atgcttcaga aatgcagctc agtcggtcac cgggttctgc 1440
20 ttcctcatca gacgcgaag aggatggcgc ttccaatgca aatctcttgg ctccggcccc 1500
ttggctggca gccgcgcgt cccccgctg cctggcgtcc cgccactcc gtggcgggt 1560
gagacgaggc cgggcgcgga ggggacgggg cggagcgggc atccctcccc accccccacg 1620
tggggctggc cctccgcagt gcctgggcgc gctgcagtcg ccgcgcctcc ccggccgcgg 1680
caccgcctct ctaggcaggg gcgggggacg aggggcaagg agtgggagag ggggtgggca 1740
25 ggggcggggg gcgtcactca atcaggtggc ctctggagtt ccccggggca gggcagaggg 1800
aacacgctgc cggggattgt gtacacgctc cactgacacc agcttcacgc tgccgggcag 1860
tcgccgatca cgcgtggccc cgcgagccca ttggccggcg cctcacacac ctttgccgtt 1920
gattggccgg cctcaggctc cgccccacc cccgccgcg gcgcggggca ggctgagcgg 1980
ctacctgaat ggggaggggg cagacggcgc tgagcgcggc ggcgggggga gcggcgctga 2040
30 gtgtctccgt gcgcccgtct gtggccaagc agccagcagc ctagcagcca gtcagcttgc 2100
cgccggcggc caagcagcca accatgctca acttcgggtgc ctctctccag cagactgcgg 2160
taagtcatth ggggatgccc ctgtgcttcc tcgcctggte ttgtctgggg ggccaaaggg 2220
ggcgcgaacc ccgagccccg gacatcagcc atgcctgaga attggggctg cagcggagtc 2280
gtggggaagg aaagggttc ctgcctgcag actatgggca ttagtgaggg cgtgtgtgtt 2340
35 ggggaggggg tcgaaccagg gggctgggat cttcagacag ggacaggggt cttgctctag 2400
atgtactgag gggaagggac aactccgcat ggagaccga gagggctggt gaggaggagg 2460

atgacgagcg ggggaggagt ggggaggggg ccgttgccct g

2501

<210> 66

<211> 2501

5

<212> DNA

<213> Homo Sapiens

<400> 66

10	ggggctgtag aaatggcggc cccatctccc aacaacttgg gcattgtgaa taccacctcc	60
	ttaaagggga tctccttttg tcatcccgtc tagagcagcc accataactt ctgagcggtt	120
	attgctagct gatatatatc agaaaaatac aaattccaca aaagcaggga ctggtctgct	180
	tctctccctg cagggcccag gttctggcac atagttagtg cagaaagtgt gcagcctcag	240
	gtcctatcca agccccagg gcatacact cgggacttgt tctgcatatt ttacttttg	300
15	cctcccactg gtactagtgc ttccgtgga cagcctgagt cccttcagat acttaagtgt	360
	ttttctcaag tgctgccatg aagccagatc tccaccgtct tggggcattc ctttttaggg	420
	atgggaagta tatgtcgctc cttttatgtg atttacattc tatcttgat aatttgcca	480
	tcaccgtagt tcattcagat ctgtttgat cctgccatc tcagcttcag tccatttcac	540
	tcttttaaat ctgatcgaca gttacctcca acagcttcac cacaaatcac tcacaaaaat	600
20	ggccttaatc ctgaagttaa ttacggaga gcacacttgc taggtgtgtg gcagatatac	660
	aggaagcaca agatgaggca gcagatctag aggcaaatga cttccttctc cctgcctagt	720
	ggtgactgcc agcatcacgc cctcccggga gaggtgagaa acccctccac gcaagcactg	780
	gaaccttcac agtcaagagt ggcaacagct ccggttactg gacttgggac tgttgaattc	840
	taatactctg tgactccaca tctgggctga atttttgctg agtatgatgg aatttacatg	900
25	cttcctccct agcccctact tgtctgtata gttggaatat ttggttgcct cctctggagg	960
	gatctagtac gtttagagtc tagacgctgg aactgtcaaa gttcagagga aagagctcca	1020
	gctgcaaagc aagagaaatg ggctggaatt ctagcttcac cccttaatga atgcttctga	1080
	tttttttttt tttttttttt ttgagacgta gtctcactct atcgcccagg ctggattgca	1140
	gtggccacga tctcagctca ctgcaacctc cgcctcccag actcaagcga ttctcgtgcc	1200
30	tgagcctcct gagtagctgg gattacaggc gtgcgctacc acgcccggct aatttttgta	1260
	tttttagtag agacagtttt tggccatggt ggtcaggctg gtcttgaact catgacctca	1320
	agtgatctac cttcctcggc ctccgaaagt gctgggatta caggcccag ccaccgcgcc	1380
	cagccgcttc tgatcattaa aaaaaattt tttttttggc ggggggaacg aagtgtccct	1440
	ctgttgctca ggctggagtg cagtgcagt atctcggctc actgcaatct ctgcctccca	1500
35	ggttcaagcg attttctgc ctccagctcc tgagtagctg ggaatacggg tgccccccac	1560
	cacaccagc taatttttgc attttttagta gcgatgggtt ttcgcatgt tggccaaggc	1620

5 tggctctcgaa cttctggcct caggtgatct gccttccttg gcctcccaaa gtgctgggat 1680
 tacaggcgtg agccaccgtg cctggccaaa aaatttatgt tttaaaaaga ctagtcaagt 1740
 gcagtagtga gaagggggga aagagtagag caaggagtta tatctgttgc ttctgaccat 1800
 tttgaacaag ttacctaat ctctgaggac aagctcggag aatgggagag acagttatct 1860
 atttgcaggg ttgttgggag gaataagtga catcatgagt gtgtgccagg tgtctgatta 1920
 cagaagggtg tcaattaatc tgcaatcatt aattaaccct tcagtcgctg gtattatttg 1980
 ccatccatcc tccgagtgtt gccaaagtat ggggtgcgttc tgccagcgtc ctagcagtgg 2040
 taaggcttct ggctgccagc ggccaacctc tcccttcgag tattttctct cttgctgaga 2100
 tgaaatgcga ccgggtctct ttaagggcca ggccgggga tccaggcggc gcccaacggc 2160
 10 tggactagca gtcgtccgcg ccgactcgca caagaaggaa ccccgggcct ctggatccgc 2220
 tcgcccggct atgctgctgt ggccgctgcg gggctgggcc gcccgggcgc tgcgctgctt 2280
 tgggcccggga agtcgcgga gcccggcctc aggcggcggg ccgaggaggg tgcagcgccg 2340
 ggctggcct cccggtaacg cgcgtcttg tcccgctcc caggagcccc tatgcgcca 2400
 cctactcccg gcccctcggc ttccggaacc cggccgagcc cgaagcgct cttccgaggc 2460
 15 gcgggatttc ctccccggct gcggctggga cgggggcggc c 2501

<210> 67

<211> 2501

<212> DNA

20 <213> Homo Sapiens

<400> 67

25 atggtctcga tttcctgacc tcatgatccg ccacactcgg cctcccaaag tgctgggatt 60
 acaggcgtga gccactgtgc ccggcctcta tcagcatttt ctttcttttt cttttctttt 120
 tttttttttt gagacagagt ttagctcttg ttgccaggc tgaagggcaa tgggtgtagc 180
 tcggctcact gcaacttctg cctcccaagt tcaagcgatt ctctgcctc agcctcctga 240
 atagctggga ttacagggtg ccaccacat gccagctaa tttttgcatt tttagtagag 300
 acagggtttc accatgttgg ccagtctggt cttgaactcc tgacctcagg tgatccgccc 360
 30 gcctccacct cccaaagtgc tgggattaca ggtgtgaaag agaccattcc cgatctcttt 420
 cagcattttc atactgaatg tccacagctg ccctgtgagg aggcctttta cccatatttt 480
 ctgactcaga gagaagcagc cacatgtccc ttggccatgg cagttaagac caactccatg 540
 gagctgggtg tcttagctca catctgtaat ccagcactt tggaaagcca aggcaggatg 600
 attgcttgag gccagaagtt caagaccagc ctgggcaaca tagccagacc ccatctctac 660
 35 aaaaatttaa aaattagcca caaaatttaa aaattaacaa caaaagggcc ggggtgcggtg 720
 gctcacgcct gtaatcccag cgctttggga ggggtggatca cgaggtcagg agttcgagac 780

5 cagcctggcc aagatggtga aatcccatct ctactaaaaa taaaaaatt agccggggt 840
ggtggcgggc gcctgttgtc ccagctaccc aggaggctga ggcaggagaa tcgcttgaat 900
ccgggagtct gaggttgagc tgagccgaga tcgcagcatt gcactccagc ctgggagaca 960
agagcgaaac tccatcttaa aaaaaaaaaa aaaaaaagt ggaagatgag gaagttgatc 1020
10 agacatcaag gatgagcgga tgacttaata ggcttctttg ctaagacttg gctgggcagg 1080
tgaaagacaa agtcgaggag tggttatggt gtggcacaga agaaggtca gaggacggtc 1140
tttgttacct cttcatgcct gagtttcttc ctctgtgaaa tggggataat aagagccgcc 1200
atacagggaa ttgctgctag gatcaaatga gataatgtat gtgaaacgct ctggctgtag 1260
gcttctcagc aaatgggcac gacttgcgga gtggggattt gaattcacgt ctggcgggat 1320
gtccaagctg ctaccctgac cgctagggag cttcagagga cagggtgca ggtgatcagg 1380
aagaggactg gggcagggtg gcgaggaatg cctccagga gtgaaggagg ggaattcta 1440
gtcagcagga tggagtcggc caggtagaaa cgagggaag gagacaggac cggatggaac 1500
ggggaagcca aagggcaggg cgtcggaggg ttgaatggtg gccggtgcag ctttgaacac 1560
cgagggtagg acatgcagct gtgtcctagg gtcaggaccg tacacgcctg acccaattcc 1620
15 acagcacgga ggggaactcc aggatccggc cgcgttgccc acacacttcg ctctccctcc 1680
cgctctcgc aagccctcc cccgtctccg tccaccgagt gccagccaat agcagaagcg 1740
acagcgcac tgggtgccga ctcagccaat cgcggctgag tgacgaatga gcccaggac 1800
caatgagagt gccgccacca tggcaaaaaa aaaaaaatcc aatggtgacg agcagggaga 1860
acagagcagc tgccaatggg cgtgtgcgtt tcaggcggcc aatgggagga ggcgtctcgg 1920
20 cgggggacaa gcagtagcta cccgcgggag cggggagggg tccgggttcg agcttgtgtt 1980
cccccggaag ggtgagtctg gacgcgggag cggaaggagc gcggccggag gtcctcagga 2040
agaagccgag gggactggct gcgcttgaca ggctgcactt ggatgggagc acctggtgcc 2100
tcgggactgc tccgatgccc ggtgggtgca catcccagtt cccgccgttg ccggccgggt 2160
ttagaggttt tggggggagg acatgggggc gtgcagcctt cccagttgca aacttcactc 2220
25 cgaccctgtc ttcaaagctg ggtctgggtc cagtggggac gagaaaggag gaaggaggaa 2280
gtaggctccg cgaaagcccc atccccggga tctcatctat aacatgaata ggtattaatg 2340
gcaaaggcta attaagcgct tactgtatac caggcacttt ctctgcctcc tcgcgttaaa 2400
tcctcccagc agccttttga ggtagacact gttacatgcc cattttccag atgaggaaac 2460
cagcaacatg ggtggaagtg acagcccctc cacttccata c 2501

30

<210> 68

<211> 2455

<212> DNA

<213> Homo Sapiens

35

<400> 68

	ggagtgcag aacacagaaac taaaacagag cttgaaactt aaagaaaggg agagacttgg	60
	gggaggagtg ggggtggagtg acgtgatgtg ctgctggaaa ccagcagttg gtggtttcct	120
	cttgtgcttc ctcttctgtg gggtttctcc tgcttgtggg agggcctttt tctctcctcc	180
5	cgacagaaag gctatctttg gtgttcgttc ccttgaactg taacatcctg taagggtatg	240
	attccatgcc tctgtgtggg tgtgaattcc ctcatggtga ccctcaaaat ctgcacacag	300
	gaccccttcc cattgagggg aggggatcaa aacaactcta cttctcaggg tcctctcctg	360
	ttccaactgg tctgtgtcca agagaagcct taggtaaatg gggccagctt gaagatcaaa	420
	caggtttggc agcctctccc ggctctctt ttctctccta cagctttata gctacagctg	480
10	ccttgatata aatattgact ttggctggct ggcatgacta cccacagggg atcgtgcctt	540
	aatttaccag gtgacaggca acgtgcctt ctcttgaac catccagcag agccagggct	600
	gtaccccaaa atcctgcaac agaggtttcc ctccatctca cctccctgtc cctgcatttc	660
	tcctatctca gtagctctc ttccctctc tgggcttctc ttccactcc ctcccttcc	720
	tgggcttggg aaactagtcc ctaatctctt cacacccag attggaaggg gggccctcc	780
15	ctgacactcc ccagagctgt caccaacctc ctccaagttt ctatagctcc attgctcaac	840
	agatttgcca ggggtaacca ttaaccagc ccttaactct gttcccccac ctttcttgc	900
	ggaggggatt ttccaattac tggtttagcac agctaggtea tctaccccc accatcttcc	960
	ctaacttctt ggggtggggg gctggggagg aatctcccca tctcagggtg ctaggaacaa	1020
	agctggggag gatggtgcat ttaaagggat tatatatata tatatatata tttttttct	1080
20	ttctccctca taaccccacc cccgcaacac acacacacac acacacacac acacacacac	1140
	acacacacac agacgcacaa ataagcttta tggagcagtg acttcattat gttcacgct	1200
	ttgagtccaa cccttgccc aaaataggca ctaaatagtt gccgaatgca tgaatgatag	1260
	atacctctct gtcttcaggg gtgtgtagaa gtgcgaaggg gtatgggcat gtcccagtag	1320
	gggtgtgagt gttctgatca gaactacttc tctctgccag aatttgatgt aattcgaatg	1380
25	cttccacctc tgcttgaagg gtttaaataa taaattaggc cctgtcgtgc cattatgggg	1440
	gtggtcatac cctgtacca ggaaacaggc acggtagggc tgagacagaa gtccctgctt	1500
	cttccgctta tttatttgaa acaccgctca tttaggctct actttgtttg ccaggcactg	1560
	ttctaagctc tgtataaata ttaactcaga gggtaaaaat attaaactaa gagttgttgc	1620
	aggaaaaaaa ataagcgctt ctggctcttt aagtttgccc tccccctcaa aacccccgca	1680
30	acggteccaa accccttcca gggactggga ctacggacc tggtccgacc ttctcgcg	1740
	cttcccactg cgccaatcaa atcccagaaa cagtgagtgc tagaggcccg gctgctaagc	1800
	aacggcagag ggcgggaagt ttgaacgttc tggacccgcc ccgaaggcaa ataggccaat	1860
	cagcgtccag actcttcagc tacggcagtc cgttctctct cctcgccctg tcggatctct	1920
	aggctggatc cgggcctctc caatcaacag cggctaggag ggcggggcgc gtgcgcgcgc	1980
35	acctcgtca cgcgccggcg cgctcctttt gcaggctcgt ggcgggtcgt cagcggggcg	2040
	ttctcccacc ttagcagact caggttactg aaaaggcggg aaaacgctgc gatggcggca	2100

	gctgggggag gaggaagata agcgcgtag gctgggggtcc tggcgcgtagg ttggcagagg	2160
	cagagacata agacgtgcac gactcgcccc acagggccct cagacccctt ccttccaaag	2220
	ggtaacctcc gcgtgacagg aatgaggggtg gggcgcgtagg agtttccac aatctgtact	2280
	ttagttaaat acccgagaat tcacctctg tgtccacagc tctccacgcc cctcagccct	2340
5	gccccgcagc cctgtagcag aagtacttag tgctttgcat tctgcgcgcc accctacccc	2400
	ggcctcctct gtgaatcggt gcttccgaac cgccctcact ttttgcattc gcaga	2455
	<210> 69	
	<211> 2625	
10	<212> DNA	
	<213> Homo Sapiens	
	<400> 69	
15	ttttaaacga gaagtgatgt ttccggagca ttaaaactga agtgatttca aaaccatgtt	60
	gcactcacac gaacaggtgt gcacttaatg gactaaacta gttcagctga catgtcttct	120
	tcattaggaa cagtgtggag actgaaaaac taatttagcc tagagcagct atttaattgt	180
	aaagtctcct ttctcaaata ttgatttact atgtgaggaa atatttactt tgtatagaag	240
	tgtgtggaat tggacgaggg ggttgacctc cacatgtggt ttggtataca catatcctca	300
20	ttacagaggg tgtaatgaag atataggtgg ttcagcacca taggaaaggg aaaaaagaaa	360
	aaaaaaagac ggtagaggtg gcctcccaag catccactcc cactcctctt gttaatgatt	420
	cacaatttgt tgttattgtt gtcatttact gttctccaca cctttccaca aggcctgtgt	480
	gctttgaaaa aatatgtctc tactccggat agaagtgggg cacacagggc caggcgcggt	540
	ggctcacgcc tgtaatccca gcactttggg aggccgaggc aggcagatca caaggtcagg	600
25	agttcgagat cagcctggcc aatatggtga aaccccatct ctactaaaaa tacaaaaatt	660
	agcctggcgt ggtggcacgt gcctgtagtc ccagatactt gggaggctga ggcagaagaa	720
	tcacttgaac ccgggaggca gaggttgtag tgagccgaga tggtagcact gcactccagc	780
	ctgggcgaga gtgcaatgag actccgtctc caaaaaaaaa aaaaaaaga aaaaaagaaa	840
	agtaagtggg gcacacgatt caggcctaag ctaaccagac caacctcatt cctgatggtt	900
30	gttaatgttt cagatacggg ccgcagccc tacgtagaga agaggccaag gtagaaaaca	960
	tgaatctgag gtaaaaagaa atgaggtact tgtttgctc atcaagcctc tcaattaaac	1020
	taaccttgaa gcctgtctta cctttggact tctagtgatg tcaccggta aagccattt	1080
	gtttcaggac gtaagagttg ggttttctgt gacttggaa caaaaccatt ccaatttaca	1140
	aatgagcaa ctttaatat acccatgaga aatacttcat tggatatgc tctttcctag	1200
35	cgtttttgaa aactaaacta ggtgggtgaa aagtatatct ttgcatgaaa ctttttcatt	1260
	ccagaaaaca ttttgtcatc ttgataataa tggccaatgc tactatatcc aaatttttgt	1320

ctttttttttt ttttgagaca gagtctcgct ctgccgctca ggtgtgatgg cgcgatctcg 1380
gctcactgca acctctgcct ccctggttca agcgattctc ctgcctcagc ctccctgagt 1440
agctgggatt acaggcatgc gccaccacac ctggctaatt tttgtatttt tactgtagac 1500
gggggtttcac cattttggcc aggetggtct cgaactcccg acttccagtg atcctcctgc 1560
5 ctacctcaaa aagcaacttg ataaatccac aggetcggta tattttaaaa attcttttaa 1620
atacagtata cttttctctt tttttccaga attaaccatg aatcgcacac acagccagag 1680
gcttttaacc cgagaacgga caaaggggccc tgcttgtgca atacaattat ttttaatggt 1740
taaacaaatt aatacataag accagcttta cctaataata taataacgaa ccaaagttta 1800
caacagacaa gaaaagcacc agctgtcccc gccaccccg agcgatctcc aaggggacgc 1860
10 gggagagcgc cgcgggggac gcggaagtct gacgtcacag gaactggggg cggggcgggg 1920
aggcccgcac accctattgc gcatgtctcc gcctccccgg ccgcggcctg gcgcagtgcg 1980
cacgcgcgcg ggtgggcggg tttgactggc cgtagagtct gcgcagttgg tgaatggcgt 2040
tggtggcggg aaagttgagt ctctcctgcg ccgagccttc ggggcgatgt gtagtgcctt 2100
ccatagggct gagtctggga ccgaggtgag agccgcccgg ttgggagtga gggagatggg 2160
15 aacaaggccg ccggtgggag aggggagccg agggaacccg ggggattggg aggcttgggg 2220
cggcgcgggc tggccgggct gggaccggcc tctcggccta gacgcccgcg atgctggcac 2280
cctctgccac ctctcacctg ggccccaggg gtccgcccct gggcagcctg gagtccctcg 2340
aggtgggagg accgggcgga ggtggaggaa gtctttcttt ggaagacttg ctgcctgcc 2400
agatcgatat aacatacgag gtctctctc ccaagagtta tgggtctaaa acccctcaca 2460
20 aattaactac cgttggaaat gtcaagctat gcaagaaaag ctagaaaagg ggaggggtcg 2520
cccgttgag catttgagc ttttctggaa caggtggtgt ttgcggaggt tgcctcacct 2580
ccctgtagcc caggtgtctc tgcttagggc agctggccct cgcca 2625

<210> 70

25

<211> 2540

<212> DNA

<213> Homo Sapiens

<400> 70

30

tagtcccagc tactcgggag gctgaggcag gagaattgct tgaacccagg aagcagaggt 60
tgacgtgagc tgagattatg ccactgcact ccagcctggg caacagaggg agactccatc 120
tcaaaaaaaaa aaaaaatcat taaaatacag taattcaggt ttattaagtc attaccattg 180
ggttacctca caaataaact aagtttagat gcgaactcaa agatactgag aactaatcc 240
35 atttcttaag ctgctaagtt agccttcttg aaacctcact tcgtagctct gcaaacaatg 300
tacttttgac atcccaagct cacaggaata aaaaaccacc tgccagttgt ttccgttttc 360

	cacctatgtc taatttatgt acttatatatt ataagaaaca aatcactaag tcttattttca	420
	tccttagtta tgttgtgttt ctatcgataa cagcatgaag atttcgggga cctggacatt	480
	aaaataagtt tgagtactgg ctttacaatc tactaggtgt gatccgaggc aagtcagtct	540
	cttcatgttt cacttctttc acttgtaaac atctattcag aagttgctgt gaacttgata	600
5	tttccatgct tataaactga ttttttgaag agagcctggg acataggacg tgataataaa	660
	tgaaagcatt tgctactttt ggaaaaacaa gcatgacaag atagttttata tactgttgat	720
	cttaagcaca gtatatgcat cttattttta gctagtctga cagtgaagata ataaaaagag	780
	ttatctttga cttgcactac gagtagaaga attcaacttc agtttctaga aagatgtata	840
	agaattaaga gtggcagtct tcctagtctc aactgccatc ttcccaccag gtggtaaatt	900
10	cgtccagaga agaaaatgaa ttattgctat atgggattct gcagcaactt ctgtgaacat	960
	aggctcataa tttttcacca tggagactca agctttttgg agtcatagtt gtttttgggt	1020
	ctatttgcag gcatgcatcc tttgtccaga aatatacata acatttggca catggacctg	1080
	gaggtaaaag aggaggaagg cctgaggcta gacaccactc caataagtac attagctcc	1140
	tagaaggga atccaccttt gcagagaact cttaactatt aaaacctata gcttgtaaag	1200
15	cagcattttc aaagttaaga gaagaagggt gaagggtctt gagaggctac tgactaaaca	1260
	gatgaaaatg aaggatatga gtttgggtgcc aaaagaaact cccccaaaa atcaaacaat	1320
	aacaccagag taaagcccct agggcgagat aaggagtgtc aacaaaacaa gcggaaactc	1380
	gagaagcgct aatgcttcaa agggtaaatg accacacata atctacgtag ccaacgtgtt	1440
	aaaacacacc aacgcatttt tttttcctaa acaaagtagg aaagcggact ttgcatgagg	1500
20	ggcgggctgc cgaccagca gtcttctcgc gacagtccgt cctgattctc tctgggtggc	1560
	cgtggaggga ccacatggct ccaaggcctc tcagctccgg gccacacac cccgggctgc	1620
	cgcacaaact ccagccctag tctagatcca caacccttc tcgaagatca accgcgacct	1680
	gggagcccca cttcttacca tagcgaggcc ggcgatgccg cagccacatc acccttcggg	1740
	ggctcaggcg gaagaggctg catgtccgt ctgcccttct cgccctctcc agccgtccgg	1800
25	ttgggcttgt cacggcaccg cctaccaaga cgggcgggta agacactagg ataggctcct	1860
	ctccaccgga aaaggcggga tttagatcac gtcccgcagg ccggcggaag tagctgatac	1920
	tctcatttgt tgcaaaacct tgatctgtga aagcgggcgt tttggaagat accggaagta	1980
	gagtcacgga gaggtaggat ccggaagtgg ggctgcctct ttaaataaca aaaatctgag	2040
	gttctgttct ttttatcttt ttgctttctt tttaaaaaag ttccctgcta cttacccta	2100
30	gaactccaca atgcgagaat cccctcaat ttgtgagctc ccgcgacttc ctcttgtggg	2160
	cttttgggga tgctagggtt ctccgcatca tcctcagggt gcgacctgtt caccctttt	2220
	tcagtttctc cgtttgcatc tgagggatc ttgggaatgc gaagcacttt tgaaatgctc	2280
	tgtgttggtt gtgggattgg gaggacggtt gaatccagag ggtagtggtg agtaggctgt	2340
	ttgagcattt cccagcact ggctgtcct ttcaatcccc agatattggg aaactgtggg	2400
35	ttccaaccag gcatcgaggc tgaaacgtac taggcaattt gaggtcagga aagaactttc	2460
	tgtggttaacc aatgggaagg aactgccgtt tgcggactgc agcgattgat taggtacttt	2520

aaagagatca actggcaaga

2540

<210> 71

<211> 2610

5 <212> DNA

<213> Homo Sapiens

<400> 71

10	ctacaggctc gtgtcaccac actgggcaat acaaaaaata caaaaaaaaa attttgtatt	60
	ttttgtagag acgaggtcct gccatattgc ccaggctgga attcttacct ttgttactgt	120
	atttaacgta tctttttcct cgggccatct tcatggtttt ctctctgatt tccacagttt	180
	gaatacactg catgtgtcag gcaggggctc atatttatca agttttgtgt gtgctctgag	240
	ctcaggtcct tcattatttt gggaaaatta ttggtaatth tctcttcaaa cattttttat	300
15	gatttgttct ttcttcttct tttgggagtc ctattacatg catatgatat catttgatat	360
	tttcccacag ttcttgatg ctttttttaa aaaaaaactt tttttcttct ttattttcca	420
	acgtgggtaa ttcttatttt tctcagctgt gttgatccta ctgctgcccc atcagaaaaa	480
	ttacctgtta tcagcgttct tcctttctta taatttgatg agtttcctcc tcatgcatat	540
	tgttcacctt tcgtacaaga gacctccaca tattaatcac agttaattta aatttccagc	600
20	ctgtttcaat ttctcgatca cctctgagtc tagtcctgtt aattgcttag tgttatthtt	660
	tgtttttgaa acaggtcctt gctctgttgc ccaggctgga gtgcagcggc gcgatctcag	720
	gctgttccct gagttcacac catccccctc aaccagcaga ttgcaaagtg tccgagtcgg	780
	gccgtgcagg agtctttgtg ggggtttcat ggactccgaa ttctcatttc tgetccatcc	840
	ccatctcatg aatccaaggc cccactctgt gcctcggctc ttcgtttgtg gtgctgaacg	900
25	tcactacgt catctacgcc atctacgtaa tcaacacaat aaagacgcct gccgggaacg	960
	cggcccttcg gctgaatccc ttccgtggtt ccaaggccac tgccagagga tgccgacggg	1020
	tctccagggc ctctacttac ccaggacttt gaggcacatt agcttcgcct aggactcgc	1080
	ttttacgaat tcttatgttt ggttttgttt tgagacagag tctcgtcttg ccgccaggc	1140
	tgggttaaaag atagggctct agccgggtgc ggtggctcac gcctgtaate ccagcacttt	1200
30	gggaggccga ggcgggaggc tcacctgagg tccggagttc gagactagcc tgggccaaca	1260
	tggcgaaacg ctgtctctac taaaaataac aaaaatcatc caggcgtggt ggcgcgacac	1320
	tgcaatccca gctactcggg aggetgaggc aggagaatca cctgaaccca ggaggcagac	1380
	gttgacagtga gccgagatcg cgccactgca ctccagcctg ggcgacagag ggagactccg	1440
	tctcaaaaaa aggaaaaaaa aaaaaagaa aagaaacaaa agtgatgggg tctcgtcttg	1500
35	ttgccaggc tagtctggaa ttctgggct caagcgaccc tccagcctcg gcctcccaaa	1560
	gcgctgggaa tacaggcgcg gctaccgcg ggtctccggc tgccgaaaca ccgccctgcg	1620

cgcggaacgt tcggccgcgc ggaggaacag cggctgcccg gagctcagag gcgcgcgcgc 1680
ctttgcgctc ccgcgcgcgc tctgagcctg cctcggtctg gttggccagg tggctctcttc 1740
aggaccaacc ccagtcattc ccggcaggaa ccacgcttga ggggcggcag tctgcccgcg 1800
cgagacgccc ccgcggacta caccgcggcg gcaaagccaa acgcaaaaac tacctcaccg 1860
5 cgcgcaggcg cctccccag gaccaacatg gccacgacgc aaggcctcga cctgaggggc 1920
gtggcctggc cgccgccagc caacgggtgt gcgcgcctgg ccgcagccaa taggaaggca 1980
gcgcgggctc gggcgccagg agccgcgcgc ggggctgtag gcgccaaggc catgtccgac 2040
tcgtgggtcc cgaactccgc ctccggccag gaccagggg gccgcggag ggcctgggccc 2100
gagctgctgg gtaggtgggc gcggcaggcc gcgggagtgg gcggcgctcc gcccgggacg 2160
10 gtttcgcccg ttccccgac ccttcccgcc agagcctccg ccggtcggat ccccggaacg 2220
cgccccggg gggctgtgcg ggggtgggcg ccggctgggg cggcgcggt gcctcggacc 2280
cgccccctcc tgcgcctggg cggacgcca ccagaccgc gcccgcggg cgctcccttc 2340
tttccgaac gccgccccg ccggccgccc tgtcaggcgg gcctgggggtg cgcggcctgg 2400
ggctcccctc agcgcagagg ccgcccctcg ccagccgtcc ccgggctccc ctgcctcggg 2460
15 ccctcctggg ccgtcttccc cggcgctccg ggtggggccg tctccgttag tttcccgaga 2520
cctgcgccct ggggaggagc cccggcccct cttcgggagg gtgtcgtgg tgggtttctc 2580
cgcggcgtcc acctgcgcgt cgggcccggg 2610

<210> 72

20 <211> 3076

<212> DNA

<213> Homo Sapiens

<400> 72

25

gctgggatta caggcataac atggcccggc cctggccatg tttttaactg tgtttctcta 60
atagctaata atgccgagca tctttttatg tgtttcttag ccattagtag atcttttttg 120
gtaaaatgtc tttttttttt tttttgggtcc atcttaaaat tgttttttgt tttgttttga 180
gacagggctc cactttgttg ccacgctgg agtgcagtgg ctcaatcatg gctcactgca 240
30 gcttcgacat ccctgagctc aggtgatcct ccacctaag tttcccgagt agatgggact 300
acaggtgtgt gccaccatgc ccagctaatt tttgtatttt tttttagag gtggggtttt 360
gctatgttgc ccaggcaggc cttaaacttc tgaggctcaa atgatcctcc cacctcagcc 420
tcccaaagtg ctgggataac aggcataaac caccacaccc agctaagatt gtttttaaaa 480
atctttttct tgagtttttg gagtttttat gtgttaggga taccagtccc ttatgaggta 540
35 tataattagc aagtagtttc tccactctg tgactgtgac ctttcttttt ttgaggcagg 600
gtctcactct gttactcagg ctggagggca gtgggtgtgat catggctcac tgcaacctgg 660

aactcctagg ctcaagggct cctcccacct cagcctccca agtagctggg tctacaggtg 720
tgttattgtg ccaggggttaa tgtttttaaat tttttgtaga gataatgtct ctacaaaaga 780
caccatcttt gttgcctagg ctgggtcttga actcctggct tcaggggaatc ctccagcctc 840
agcctcccaa agtgctggga ttacagcatg agccacatcc agcctatgat ttttcttctt 900
5 tttttttctt tttttttttt ttttttttga gatggagtct cgctgttgcg caggctggag 960
tgcagtgggg cgatctcggc tctactgcagg ctctggcccg cgggggttcac gcctttctcc 1020
tgcctcagcc tcccagtag ctgggactac aggcgcccgc cacatcgccc ggctaatttt 1080
ttgtattttt agtagagacg gggtttcacc gtgttagcca tgatgggtct gatctcctga 1140
cctcgtgate cgcccgctc ggtctcccaa agtgctggga tcgcaggcgt gagccacggc 1200
10 gcccggcccc agcgtatgac ttcttaata ga tgtctttgta gtacaagagt ttttaatttt 1260
aataaagtta actttttttt aaattgtaca agcttttagt gctgtgtcta acaacttgtt 1320
gccaaaccca aggtcataaa gctgttctct tacgttttct tttttttttt tttttgagac 1380
ggagtctcac tctgtcacc aggctggagt gcaatggcac gatgtcggct cactgcaacc 1440
tccgccaccc gggttcaagc gattcttccg cctcagcctc cggggtagct gggattacag 1500
15 gcgcacgaca ccacgcctg ctaatttttg tatttttgta gagaagggtt caccatgtta 1560
gttaggctgc ttacgtttt cttttagaag ttttatattt ttggctctta tatttagttt 1620
gtgatccatt gagttgattt tatgtacgta tgtatggctg cgttcttttc tttcctgtct 1680
tttttttttt tttttttttg catatggata ttcaattctc ctagctccat ttaatttgaa 1740
atgattgggc aggtactttt gagcagtga agtacagagc ggcactgcca gcagactaca 1800
20 cgcggtagaa agccgacctt ggtgagcgtg ttgggtgctg acagtgagca gagaaaggat 1860
ggacgattac ggagcgcctt cgtctccagt taccgctttc tggaaacacc atccgccggg 1920
gcggagctgt tccgccccgg tgcggtaacta cgactcccag catgcacctc gcagtcggcc 1980
ctcggtgga gcggaaccc aggaggacct gggggtgtgg cagcgaggaa gggccgagcc 2040
acggactgtg gggccgaaac tcgctcccgc ccaccctttc tcgaggctgt ggcctccgcg 2100
25 agagccgagc gggccgcacc gccggcgtg cgactgcccc agtcagacac gaccccggt 2160
tctagcccgc ctaagcctgt ttgggggtgc tgactcgttt cctccccgag tttcccgcg 2220
gaactaactc ttcaagagga ccaaccgcag ccagagctt cgcagaccgc gccaaaccaga 2280
ggcgaggttg agagcccgcc gggccgcggg gagagagcgt cccatctgtc ctggaaagcc 2340
tgggcgggtg gattgggacc ccgagagaag caggggagct cggcgggggtg cagaagtgcc 2400
30 caggccccct cccgctgggg ttgggagctt gggcaggcca gcttcaccct tcctaagtcc 2460
gcttctggtc tccgggcccc gcctcggcca ccatgtcccg ccagaccacc tctgtgggct 2520
ccagctgcct ggacctgtgg agggaaaaga atgaccggct cgttcgacag gccaaagtaa 2580
cacggttgct ggcaccctcg gtttgcagcc tcaagatccc tgaaagcggg tttgcagtgg 2640
atttacccca acagatgggg agggactgag cttgaccaa gagccagaaa tgactggaga 2700
35 atgcatccct tgccactgct gcaaggggag aaaaaggat tgatcctcag tgacaacccc 2760
tccctcatgt ggcaggtggc tcagaactcc ggtctgactc tgaggcgaca gcagttggct 2820

	caggatgcac tggaaggget cagagggctc ctccatagtc tgcaaggtag gcgggtcctc	2880
	cccaggatgg tcagttcccc tcttccatag ccagagaaac atccgctcct gcgttttttg	2940
	gatcgatata attactcggg gcagggagtc ctgtttaagg cacagaggag actggagtgg	3000
	aatcatcttt gtacaggcaa atccctctct tccttacaca ctacagagt ggcatttgaa	3060
5	aaatggtttc caagat	3076
	<210> 73	
	<211> 2567	
	<212> DNA	
10	<213> Homo Sapiens	
	<400> 73	
	cacaccatct cttgctccgt gagtatcttt gtctctctag ctctcttct tctctcagta	60
15	catgtccctc cttgactccc gcctctctgc aagggtgatt tggtgcctc agttggcctc	120
	tccccctctg catctctggg tgggggtgtc tctgccgctc tcccaccac acccaccccc	180
	ggtgctcccc ttccccccag caggacagcg gctcaggttc acgcaccca cggcgggccc	240
	gctgggcgca cgcacgtcct tgcacacaag ccgcacgtag ctgtacttga gcacgtcgat	300
	gagcgtgtag agcggggggc cactggccca gcggcagcgc gccagggtgca tggagctctt	360
20	gacgaagaag agcgccagcc gctgctggca ccacgcgtcg aagaagcggc tgaactcggc	420
	ccacgagaag aaggcccgt cccgcagctc ctgctcctcc tgccccgcag ccgtgccggg	480
	tgggggctcc ggccgctcca tcctgggggc ctgcgtggag gaggggagaa caggtggata	540
	tcagacccat tcccaccgg ggtatctcat ctactccatt cttggcctgc cccgtcgggt	600
	gctggtgcct ctatcgaggt gggtagcccg gggtcggacg tgcctgtttt tctccaaata	660
25	tataaatatc aacctccatc ctatcttttg cctcctccca ccgccttate cctggttcac	720
	ttggagcctg tcattctgat tcctaattcc aactcgtctc ctctccgca gatgtgacct	780
	ttaggtacag ttggaatctc tcctcccaa atacgacct taagctcaga tgttccttaa	840
	ggacatctcc tcaaattgtg tctcaaattc cagctaaaac ctctccctc tccagctgtg	900
	tctctcacc aagagtaact tctaactctc gtattcatct ggaactcctc cttccatgtg	960
30	ccaacagttg gctgtaacct ctcaaagac gctccatctc cagatgtgct cccacatcca	1020
	ggccacggac ccctcaccg gtcacatgct tcatgcacct gtggctccgc actccccaga	1080
	tgtgcctctg gcgtgcagct gttgccctt ccccgatta tgaccctatg gctcgccaca	1140
	tgcagctgta gctggggctt ccctgagaca ctctcatctc cagatgtact cccacatgc	1200
	agttatccac gcttcgccta caggtgtgtg cccacttgt ggctagttct cctcggaagt	1260
35	gtcaccagta ttcacctgtg gtccctcct cctcagatgc ggccccagc ccagctgtgg	1320
	gcccctctc ccagttacat ccaccatccc ccgcaatatg catcttcgtt ctagacatgg	1380

ccccctgctc tcggatgggc tccttcaccc cagatgctcc ccccaogtcc agctgcgct 1440
ctccccctga gcagcccat ccagcccgct cccgacgctc ctactcccc cctccccgcc 1500
cgctgcgga ccttcagcc ccgccgtccc acctagctgt gcctctcccc tccccaat 1560
gtgcacctt cccgcccctc cccactcacc taccgcccc ggagcggcgt ccacctcca 1620
5 caatgccccg cgcacagcc tggcccgcc cttgctccg ggatgcccc cgcggtctcc 1680
cgctctctt cccgccgtgc ctgcggggg cgcttcacc gattcctct ctttcctgc 1740
cagtcactcc tcagaccctc agccacacc gtcattccag ggagaggaa agcgcgga 1800
ttttccagt gtgctctgc ggaggctcg cccacttca ccccttttc cgccctctc 1860
ccattcgga gactacgact cccagtgtc tccgcgac ggagcgggt cgacgggtgc 1920
10 ccaggtccc cccctaggt ctgccccgc cccgcccga gacgtctgc cgcgaatgc 1980
gtggcgcaa cttgggactg cagaggcgc cctggcgat ctgagtgtg tgccgggca 2040
gcgcgcgcg ggaccaacgc aaggcaagt gggccgtcc caagcagat ggagcggag 2100
ggcgcggggt gcgcgaatg cttggggcct atgcttcgc atgctgggt gtctgcagag 2160
gagtggcgt ggggacgct aggctgccg gagcgcgtg gagacggaag agcgcggt 2220
15 gcgggcccgc ggagagtga gagagggtc tcccagagg aggggggcca gtagagggt 2280
agacgagaga cagagacagt tggacaggtc ctctgagaag aggccttgag gtgcgagttc 2340
acctggaagg gggagaggcc aaatggaact gagggcggg gcggggggg ggaaaactgt 2400
gtggcgggg ccagctgga atcggaagg ccccgaggg ggcggggcta tctggaggg 2460
ggaggggctg aaggagcta agggcgggg ccggggaaaa gattgcgtgt gggcgggcc 2520
20 acctggaagg gggaggtgc aagggtggg ctggctggga accggaa 2567

<210> 74

<211> 2278

<212> DNA

25 <213> Homo Sapiens

<400> 74

tcacagaagt caaagctcag gaaaagcccc tcgagggttt ttgtgcgga gaggtgggt 60
30 gtggggtggg attgtgcctg ccacagtga ggggccctgc agaccagat aaacctcaa 120
gtggccagaa gcgggggatg gctctgctg gtgctggggc tgccatgggc cgtgggagcc 180
agcagtgtgc ccagctccct cagggccctg cccctaggcc cttccgtcca ctgggccaag 240
caccgtccct gcccctccct aggggcatg atctgactg agaggttgt agagcttaca 300
ggcgtgggc cgtcggggag gcctcagaag cgtaggacgg ctgcgactg ccgggccgtg 360
35 ttcagccctg gtctggcctc ggcctctaga ggaggctgcc tgcgctccag caggcccaac 420
ccagaacgtg ggagagctc cttcagcatc cctgggcgga aagaggatg ggggctctgc 480

5 tgcagaggca gaatccgcgc cgtccctcc ttccttcccc cgaccagcct gtgacaaccc 540
cggccagggg cgggggcctc cgcacaagcc tggcgtccac ttcctggata aggactcccc 600
ggcccactcc ggaccagggc tggggcgggc tcccaggcgc tcaactccgct ggcaccccac 660
cggaaaacac gtctgcggcc cgtccctcc cccaaagcac gaccactccg cccgggcccc 720
tcgaggatcc actcagggtc acgacgggccc cgtcctctcg gtggtctgac caccggctgg 780
tggagtgggc tctggggccg ccaggcgacc agggcgagcgg cgggggcgga cagctcattg 840
ggaggggcgc cggggcacag tgcggggctc gccccacccc caggtgcccc ttccccgctc 900
tcgcctcgca ggcaccgcat cggggccggg aatcgggtccg gacctggcgg tgggcgctgg 960
gaagaggatc cacctccacg tggcccgcgc cgtcccgggg gcgcagccag ttccccggcg 1020
10 tcaactgccc ccttctcccg gcttccgtcc ccttctgcgc agggcgccgt ccgccccggg 1080
cctaggggtg cttccgtggg cggcggtgc tgggctccgc gccggggtcc gagtcccacg 1140
aagccccggc ccgagccgcc ggatgccgc gcgcagcggg gccaggtga gcgcgcgcct 1200
cggccgcccc gcggaacaga cgcgccacc cccaggcgca gcagcgagcg cggccgcggg 1260
agcgggagtg ccggggacgg gcgtagcgcc caccgccccg agggttcggg gcagagccag 1320
15 agcataggcc aaggggccaag ctccggccga gagcagtggc cgcagcgccc gggggctgaa 1380
cccacggcgc gctggcagcg cgggcccagc tgcggagacg gtcacgtcag cgtccgttcc 1440
aggccgactg gcagtctccg ttctacatta acgtcagcac tcccgttaaa aataatgcat 1500
ctctcccatg ccaggaggac ttaggtgctg ctaaagacca gccctccggg tgctgccagg 1560
ccggcgctca cccgccacct tcatcttccc ttctcctttg ccccaggaca gccgaggatg 1620
20 tgtggttagg ttccccctac ccatggggag gccagagggt ggaggctggc ggccgtgctg 1680
gtctcagcag accctcctag tccctcagga gaccttgcct ttgccccact tgctcgttat 1740
ccagcctggg ccatgaagca gaggacagtt agggaccctg agcacgcggg ggtcaccccg 1800
gtgctcacc ctcctgtgt gtccgacctt ggccctgcta agatcctgtg ttttgaattc 1860
tggcaagggt tggatgaaag ggcagggtc cagaaaccag ctacagcgtt tgcttgggac 1920
25 ctgcatgatg agtgggaatc ggagggcacc agccctgctg tcccaggctc agggcccat 1980
ctgctcccca ggtcatgcag cctgggcccc catgccgtgc agctcgaca tatgtggggc 2040
agagcagcca ccctgcccc agcagcagcc gtccatcgtc agacgtgatc atttcctgag 2100
gcctcgagtg tgtcagggtg tttgtgcctc ataacaaccc acaggatggg ccccccgct 2160
ttgcagatga agaaacaaa gcagggtggtc agatccagtc cttgcacttc ctgagcctga 2220
30 ccttaccaca cagctgtctc ctattcggat gcttatattat tttttttccc attacagt 2278

<210> 75

<211> 2401

<212> DNA

35 <213> Homo Sapiens

<400> 75

	tcattgcctgt aatcctaaca ctttggaag ccaaggtggg aggactgctt gaggccagga	60
	gttcaatact agcctgggca acacagcaag atctcatctc taccaagaaa acaaaggat	120
5	agaggagtca actgaaaaag atcccagtga ctaaagctcg aacaatttta gcaataaaat	180
	aaatacgcac gatataaata catggctgaa taaataaact ggggagaata gaaaaatatc	240
	ctgtgcagaa gaattccaag taacttatat agatatttta cctttacctt caaggaagta	300
	gaacataact tttcattcct tcccaggatg ggctaggcat gatgacttcc ttccaaagag	360
	tacagaacgg aaacagggca gggggattaa cagtggagaa acctgaccaa cgctactgca	420
10	gctaggtgat caaggccaaa acatcgacag tgataaagca tgctgagagc acctttgatt	480
	tgatgtagtg aaaatcgtgc tttacctctg taatcttctc gccaaaaacc cataatccca	540
	gccccaatca tgagagaaac attaggcaaa tatcaattga gaaatattct acaaaatacc	600
	tgactggtag tcctgaaaac tgtcaaggct accaaaaaca ataaaagctc aagaaactgt	660
	cacagcccag aggaacctaa gatgtgacta ctaaattggc ttagtagacc taaatgggat	720
15	cctggaacac aaaaagagta tcaggtaaaa actaagagaa tcagaataaa gaaaggactt	780
	ttgttaataa tagtgtatca atattgggtc atcaattttg acaagtgtac cataactaata	840
	atgcaagggtg ttaataagaa acattcagca tgagattttt aggaattttc tatattatct	900
	tcacaatttc ctgttaattc aaatctctcc taatgacaag tttattttaa aagtaaaaca	960
	aaacttgaag gagggaggaa acaagaaggg aggaacatt ggagacagaa ccagcttggc	1020
20	aagttgacag ataaggctctg agaagtaggc aggggaaaga tcattcattt caggcaatat	1080
	ttttccattt tacctgtata agaaccatat gagccctatt tttctttctt tctttttctt	1140
	ttctttcttt tctttttttt ttttttttgt agagatgaag atttactat gttgaacagg	1200
	ctgggtctcaa actcctggcc tcaagcaatc ctcccacctc agcctcccaa agcatgagcc	1260
	accatggtgg gcctgtatga aggaactttt taaaaaatgc tacaagccgg gtgcagtggc	1320
25	tcattacctg taatcccagc attctgggag gccaaggtaa gaggatcact tgggcccaga	1380
	agttcaagac catcctgaac aacatagcaa gaccctgttc tctgcttaaa aaaaacaaaa	1440
	acaagctggg cgtgggtgat cacgcctgta atcccagcac tttgggaggc tgagggtggc	1500
	agatcatgag gtcaggagt cagagaccaga ctgaccaaca tggtgaaacc ccatctctac	1560
	taaaaatata aaaattagct gggcacggtg gtgtgcgcct gtgatcccag ctactcagga	1620
30	ggctgaggca ggagaatcgc ttgaaccggg gagacggagg ttgcagtgag ctgagaaagc	1680
	agtgaagtga gatagacca ctgtgctcta gcctgggaga cggagtgaga ctctgtttca	1740
	aaaaaatcag cctgcccagt cagagcgcct cagcgcctg ctcgggacat cccgccctgc	1800
	ggccagcccc cgcgtgacgt caccgcattc cggtccgct cctcccgcg cggcgccgc	1860
	accgcagtga cagccagccg ggcccgggtg cggagaggaa gtgcggtccg cgccaagccc	1920
35	gtccccgcg acgccggctc ccgcggctc gggtgacagc gtgcggccg ccggacgcag	1980
	cgccgggcag gcgcgggcag agccgagcgc agcggaggct ccggcgagg cgccgggaaa	2040

	atggctgatg actttggcctt cttctcgctc tccgagagcg gtgccccgga ggcggcggag	2100
	gaggaccogg cggccgcctt cctggcccag caggagagcg agattgcagg catagagaac	2160
	gacgagggct tcggggcacc tgccggcagc catgcgggccc ccgcgcagcc gggccccacg	2220
	agtgggggtg agtcagcgcg gggcctggag aggggctcag ggcgcgcacc cgggggaccc	2280
5	cggccggggc ccaggggcac aggggaagaga gcctgctcta ggccaccggg ggcaggagct	2340
	gggagacgtg gggaagaatc ttcttgagga tctccatgta ggacttccga gctggggatg	2400
	a	2401
	<210> 76	
10	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 76	
15		
	ccagcctggg ccgcagagtg agaccctgtc tcaaaaaaag aacctactag tctacatacc	60
	acacttcctc atccccatct gagactatat atattttttc taacatgagg caatgccaaa	120
	aagaggggct ggtgagtga agtaagaaca gaaagacatg gaggcaagtc ttatagaata	180
	atagccaaca cttaaactta cacttaacag cgtgataggt attgttccaa acacattaaa	240
20	ttcattttaat ggtccttaca tgtctatgta tttggtgatt attatcctta ttattcacat	300
	tgctgagtgt attattctgt tctcatgatg ctgatagaga catacccgag actggataac	360
	ttattaaaaa aaaaaagggt taatggactc acagttccac gtggatgggg agtcctcaca	420
	atcatggtag aaagcaaaag acacgtctta catggcagca gggaagagag agaaatgaga	480
	accaaacaaa aggggtttcc ccttataaaa ccatcagctc tcatgcgact tattcactac	540
25	catgagaaca gtatggggga aaccaccccc atgattcaat gatctaccag gtgcctccca	600
	caacctgtgg gaattatggg agctacaatt ccagatgaga tttgggtggg gacacagcca	660
	aaccacatca ctgaggaaac tgagttatag ggagattagt aacgccaac acagctggta	720
	ggtggtggag ccaggcagtc tgactctagg gtctggactc tgaactgcat catgctgcca	780
	agaagttcct catTTTTTcc tctctctaag tttcccttat tccctacag tcattccttc	840
30	aacagcattt ccttcaccat cttttctact tctactatat aattaatttt ttcttcttgg	900
	tcccaaattc caacgtgcaa atgcagcctt atatacccta attcatcttt acctttagac	960
	tttcttccaa tgtttctact tcattccatt tttaaatttat ccatgagatg cctatttaca	1020
	agctgtaacc atcatgaagt gaatgaagaa taatacctac tactgtacaa tagaattcca	1080
	agagtataaa taggagttat ggctttctga cttgaaacta aatacttgat acttgatttt	1140
35	gctgtctgag atcaatctga aaagtaataa taatcactaa catttggtga gcatcaattg	1200
	tgggccaagt gtcatttcaa tcactctgta catattaact catttcatcc tacaacaacc	1260

cggtgaggca agttctgtta ttctgtttta cagttgagga aacagaggca tagagagctt 1320
aagtagtttg ccagtagat agccagaaga ggagccagga tgggtctcgg gcagtttaac 1380
agcacagctg aagtcttaac cactatgcc aacagcttttt ggctctacac atcccatggg 1440
aagaggaaaa taaaaaggta tctatttgta taccttttta tttctgatat aagaagcaga 1500
5 attcctttca catgacctat gtctatttaa tacgtcattt tgaaacttac caataaaatt 1560
tcccaagcgc cagaaaactg ttagtggctt tttccatttc tctctatttt tttttgtgct 1620
actaattttg cttctttccc tcagaaggct gccggaatag taaacattca ctgacatgtc 1680
ataattactg gaaaatgggc actggaaaat cacattgtaa ttaattcaaa gcatgttttc 1740
caaattgtact actttaaatt ggagcttata tcataatcca aggaaacctt tgtgtgtgta 1800
10 ctgttccac attgctcagc ctgggatatc caggagtaat tcacctgcg cctgcctcca 1860
gaccatcttc catggaaggg ggtgacctt tgctcttgg caaccactat ttctaagctg 1920
ccaacattac tcttgcat tcaacattct aacttcattg gaagggtgt ggtgagtttc 1980
tggaatgtga ataggaagtt gtttttctaa acagcctgac actgagggga ggcagtgaga 2040
ctgtaagcag tctgggttg gcagaaggca gaaaaccagc agagtcacag aggagatggt 2100
15 gagtttattt tttctgcat gggaagtgg tgaagtgagt tggagtggta tggagtaaag 2160
tcaggcaggt aaagggtcag aaagtgagga acagcgatag ccatggagtt ttatgttgaa 2220
ttgcctatta gatgttgta gtacttttaa acttgctgtc cactttgacc ctccaacac 2280
ccttgtagt tgagggtgct atttctattt tacaaataaa gccatcgtgg ttacagagg 2340
ctgtgtttta tctaagcttc actgttaggc tacatgatgt tgggatctgg ggctgtcct 2400
20 ctggctccgc agctgctgtt cctcctacta gaatttatag gggctctctg agaatagatc 2460
atggtaaacc tgtcaccca tttccaaga ctgtacttct c 2501

<210> 77

<211> 2501

25 <212> DNA

<213> Homo Sapiens

<400> 77

30 cctgggtcct ctcttccagc tcccaaatg tactctattt ttatctgttt cacgaacgt 60
ggccagata gtcttccatc cccactgac tgttagaagt gactctcagc ttttgtccat 120
ctcgaagttt ctgtgctcag tgtgctctc agactaaagg cttcctttgg gaagccccga 180
ctctcgcttc tcaggacaga gatccagggg ttgggggagg aaaagggtga ccagaagcca 240
tagcggagca gggagagaga gtgtgaaaga cagaccgcg gccaggctcc cagttctcca 300
35 gctcgtagag ggccaagtg gccgctataa tctgaaagag cagatctgt aatcccatag 360
tacttcctat tggctgcagg acacagttct gtctgacac tgaaatttgg gtgtgtcagg 420

	gttctgggaa ttcacaacgc tcacaacttg tgaagcagct gtgggggtggg ggatggggag	480
	ggtttcagca gaggaagtga ggtcagtcaa taattgatgc ctgtctgagc ttttagccat	540
	tatctcccc agcctctatt cctgtcaaaa ggtggggcgg ggcaggagga ggggtccctg	600
	gctcatcttg tagaatcccc atattagagt aagacacctt agaggtctac tcctgcttct	660
5	aatacccacg tctttccaag tgtctctgag gccaccccct cccagacctt ttcatttatt	720
	catttaatta acgaacgcct tcattgaggg cctcctctga gtcaggctca gccagccagc	780
	atctttgcta tgagctgaga taagcatcat ttccgtctat tctcacaacc accctatgag	840
	gctggcacgg tttactatgc ctatttagca gatgggggac tgaagcatgg agaggtgtca	900
	ctagcctacg gtaacacaac cagcctgcat tcctagtagg tagtttgact tcagagtctc	960
10	tgtggataac caggaggcta ggactaagac cagagtcctg caggtactta gatggttgga	1020
	gcaaagcagg gcagtgaggt cagtgtccc agcctgtgca ggagcatcag gaagagtctg	1080
	tgtccccctc ccctgcgggt atgaagccat tctgcttccc tccccagctg ccttgtgtca	1140
	gcagagttcc agggaggctc cattccccac ctctatctaa agctccattt gctgggggtg	1200
	gggccctgcc tggaagggga aggtccaagg ctgctcccag cgtgtccctc catcctgact	1260
15	gtccctggcg gggcggggggt gtctttgtca cccagctgca caacggccag gaagggtca	1320
	aaccatcctc agggctaacc caaggccgct ctctgggcct gtatacccct gtgctgagt	1380
	cggatcggga gaggtgctg aagacaggag gggacaaatg ggggacgaag gggcccagg	1440
	gaggggactg aaggatttgg gccaaagtcgg gagttcccg aaggcggagtc aaaacgcac	1500
	tggattttgc tagcccaaaa ctctgccctc attgctgcaa gcctcctaga ccgaggaccc	1560
20	ccgggctgag ggtggggtaa ggataggtag tgtccctccc cgtcccaccc ccgctgtcc	1620
	cttctcgggt ggccccctcc cggcgccccg attccaggcg gcccctccgc tgetgccagc	1680
	cgatccccct ctacccccac ccaactactcc ggccgccaga cgttgccctac agtctcggct	1740
	ctgtctccca cggctgtggg tcgggacccc acgggacccc tatgggaccc ccacaggacc	1800
	cccacggcct gagtccaagg cccgccccct cggggaggcg gatgtgggag gcccgggccg	1860
25	ggtgcgggcc agcgacccgg gagctgcggg cggctgggag gggaggccgc cctgaggggc	1920
	tgggagcggc gcgggggtgg gtcccggctc tgcagcccca gcgaggggag agcggcggcc	1980
	agtcggcgag ctgggcaata aggaacgggt ttattaggag ggagtgggtg agctgggcca	2040
	ggcaggaaga cgctggaata agaaacattt ttgctccagc ccccatccca gtcccgggag	2100
	gctgcgcgc cagctgcgc gagcgagccc ctccccggct ccagcccgggt ccggggccgc	2160
30	gcccgaccc cagcccgcg tccagcgtg gcggtgcaac tgcggccgc cggtggaggg	2220
	gaggtggccc cggctccgcg aaggctagcg ccccgccacc cgcagagcgg gccagaggt	2280
	gagtcgaggt ccgcggacgg gaccgggtgg cgggcggcct gacccccgct tcagtggg	2340
	cttccttcgg gcggacccca gagtaccgc agagtggtcg cgggaggctc agtcccagct	2400
	cattagaaag gcaagctgct cctggctgac cacgcacagc tcccatgacc ctacctgaga	2460
35	cttgaggagg aatggacgag actggactgg aaatcagaaa c	2501

<210> 78

<211> 2501

<212> DNA

<213> Homo Sapiens

5

<400> 78

10 tggctaattt tttgtatttt tagtagagac ggggtttctc catgttgagg ctagtctcga 60
actcctgacc tcaggtgac tcgccgcctc agcctcccaa agtgctggga ttacaggcgt 120
gagccaccac gcctggccgc taactacatg tgttctatga ggtgagggtc ttcccagacc 180
ctggaatcag gggttgcaat taggggtccaa ataatgaggt tggactacag ataaccatc 240
tcctttctta cctttgacta gatccaagga ctaaactcca agaaccgag catctgtccc 300
caaaactgaa aggattggac tagtcacccc ttgtttccct acagccacat cccaggcacc 360
tggcccttgc tttgtccaga aattcagcta taactccaca catctgatgg ccctttctgg 420
15 caagcaggca tttccatcag gaccctcagc tgcagacac atttactgga ggtcacttat 480
taaacctggg ctcaatttcc acacagggag gctactgaag catcacactg ggtctcccag 540
ccccttctca tagaggaaag atctctctgt cctgcagggt tggcagtcag cgccaagtaa 600
agggaattta gctcttggcc caagatccct gccaggaaa ggtacttgcg cctgctggaa 660
actttgggct gaagtatact cctttccaaa aactcaggtc tgatatttac acaaagtctg 720
20 aaattaatgc agagaaaact tccaagtgtc tggactggag cagaaggctg agaacaggaa 780
ggggctggtc cctggtacta gttttggttt tttggtggtt tttttttttc ttgttttttc 840
tcacagaaca gggcaaagct gagtgcctc ggatgagtga agcaggagga ttaatcatgc 900
ccagtgcctc tccactttaa actggttttc ctgggaattt gcaattgaga gtggggaggg 960
gtaagaatcg tgggaaaagg ctgatggtgt tcagccaaat tcctccttca cgtgcccacc 1020
25 cttctacagg cacatgcttt ggggccatcc acggctgcag ccaccccatc cttaggaagc 1080
accactggcc ttcctttccg gtacctggac tcagcatcac tcccagcctc ttggagatgc 1140
agccttcatt cagcacacag ctgagctctg agttctgttt ttgtccctag atgtctctgg 1200
ggtcacctac tactccctgc ttggtggccc aggccatcc ttctccactc ttgcacctct 1260
tttagcagaa aaggagtgag aatggatatt tccatgggccc gtgtgtgcac tccgggctac 1320
30 ccctgacagc tctactcaga gtaccctcc ctctggggc ttcttatgtg ttctaaggct 1380
gaggcaggaa gactgtgaga tcaggtgaca ctcaacagtt atgatcggtc ttaagattaa 1440
cagtcctggc cgggcgcagt ggctcacgcc tgtaatccca acactttggg aggccgaggc 1500
aggcagacca cgagatcagg agatcaagac catcctggct aacacagtga aaccccgctc 1560
ctactaaaaa tacaaaaaat tagccaggcg tgggtggcggg cacctgtagt cccagctact 1620
35 caggaggctg aggcaggaga atggcgtgaa cccaggaggc ggagcttgca gtaagccaag 1680
attgcgccac tgcactcccg ggtgacagag cgagactccg tctcaaaaaa aaaaacaaca 1740

	acaacaacaa aaagattaac actccttcta cttccaaacc taatacaaag ggacattgcc	1800
	tagtgattaa gagaattcat tcattcaaca aatacttggt gagcacctac tatgtgccaa	1860
	gcactgttct aggcaccgga aatacagcag tgagaaaaac caaaaaaact ccctgccctc	1920
	atggggtgta tattcaagta gctgaaacag acagtgaaca aacaaaaaag gacaataatt	1980
5	tcaaataata atgatgctat cggccagggtg tgggtggctca tgcctataat cccagcattt	2040
	tgggaagcca agtcaagcgg attacctgag gtcaggagtt caagaacagc ctggccagca	2100
	tggtgaaacc ccatctctac taaaaataca aaaattagcc agacatgggtg gcacacacct	2160
	gtaatcccag ctacttgga ggctgaacga ggagaattgc ttgagcccgg gaggtggagg	2220
	ttgcagtgag ccaagatctg acaggccttc agcaccactg cactctagac tggctgacag	2280
10	agcgagactc tgtcaaaaaa aaaaaagcta taaatagact ttaacagggt aacatgatag	2340
	ggagggaggg ataggggagc aggggtggtca aggaaggagc atttaaacag gctagaatga	2400
	caatggccag cgagggaaag atccagaagt gtgtgctgga agaagaaaga gcaagcacia	2460
	aacccttagg acaaaatcag ctctgtgtgt caaggcacag c	2501
15	<210> 79	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
20	<400> 79	
	tgtttctgac ccctggctgc agcctaattgg gccgactgct ggacagcggc cctgagtcct	60
	gtttgaattg gtgctgcccc gacatcctct gacctcagct aatgatcctg cctgccgagg	120
	gcagacaggt ctctgcaacc ctatgggtgg taggggtggt gatgagagga gaggtagtct	180
25	cacttgacac gattttgggtg tatgggttctg tcttttgac tctttcaaca gaggtctgtc	240
	cagtccctct tgcaagtgtg gggaggggggt ggtgcaggac tatgaggtaa ctgtgagaag	300
	aggggctcca gcagaaccag ggtccaatgg ccttgaagag atggctgggg acagctggac	360
	tcattacgtc tactcctaaa tggaggaaac gacccctcag ctacacagca cctgagccag	420
	aatgtcacca tgggtgctgct ccacaggatg acagctacct ggtttgtgag ggcccctatt	480
30	ctagggacag ctacttcatt ctgccctccc agagcagcaa gcaacaaccc tatgccagga	540
	ggccaattgg cacgtcaagt gccagctcca atcgattgat agtagctgcc tggctctgaa	600
	aggcagctgg gatcgattca ccatgctgcc agcacacaga tggaccagc ggtgggtcca	660
	gcagtgagtt cttgccttgg gccatttcat tttctttgtc ctggccaagg aatgattgga	720
	tgaacacact ggactcccaa tatgggtgga taagacaaga gtgtctggtc acaccctcc	780
35	accactcata agcatgggtg tgggcagttt ggttccccag gcggccttgg agaattgcaat	840
	gagccgagga actgggtcatc tccagggtgca tccagggcag gaaaggatga cagcatgcgt	900

gagccagggc cactggctaa gaagtcattt caggacctcc ccctagaaaa gccactggg 960
cagcatccct gctgggtccc ccctacacca caagggtacg cagagctggc ggaggggtcat 1020
gggtccactc atgtcaggtg ctcttaattt ggcaaggaaa tgtaacctac gtgaatttca 1080
acaggcagtg aagcacggtt tcttcctgac tccaggtagg gtgaagaaaa tgggacagta 1140
5 gtacgggggtg cgggcataaa cgcacaactc tgcctcccca gacgcagagc tgtgggggtg 1200
tgagaatgcc aggaggaggt aagaaagggc ggccccatgg ggggcctgca ggggtgggaca 1260
agcccaagag gtctctacat ccaggcctgg tgggggaggt gagccctgg tttaccgagg 1320
gggtcccttc ctgccctcgg aaatactgca gctcctacct ccatcgtctc cccgctgcgg 1380
ggacccaggg gcgtgaggat gagagagccc ccaggcccca gggtcagacg actgtgttca 1440
10 agcaagtgag aacctctctg aggtgtttt ccaactgtaa aatggggata gcagcagaac 1500
tctctctcgc ggcttgctg aagaatacaa ttcgatgtcg acaggaggga gcggcgcgca 1560
gcgcgcagcg agtagcagcg gctgaagaag gatacctgtg aactgggagt ggtggcgag 1620
gctacgcggc cagagtccgg ggaaggggcg ccggctctgc cagtccctgc tcggggctgg 1680
atggtcgggg gatgttctcg taagtcgggt gggaggagc ggtcccgct accctgccac 1740
15 cgccgcgcga gaggttcggg caggtgcggg gccgcggccc ctccgcgagg gggccggtca 1800
tccgcggga ctgacatccc ggaggcccaa tggcaagccg tcatctccgc gcacccccc 1860
aatcggcgc ggttgccgtg ccgcgcggg tctctcgacc aatgggaaaa tttgctgtca 1920
gatggggcg ggcgagatt cgcgtcgcc gcccggtccg ctttgccac gggccgctg 1980
agggcgggag ggctggccc ggtctcggg ttgcgcgtg ggcctggag gagggggcg 2040
20 ccccgccacc ggtccgagtt gcggccgct ggactgcgac ccgcgcgcg ccgcaccgcg 2100
ccgcgcctg ggaacgcgc tcccgcgcg ccaacggacc cggggaagcc cttctgggt 2160
ccgagggcg gctgcgggg ccgccacgt gcgctccagg taagcctgag ccagtggcg 2220
gggtgtggga cccggggctg gggcctcggg tcggagccg gactggggg ggggctgcag 2280
atatgggacg cattccggg agcggtccg acagggtcct atccctggag tcgagatccg 2340
25 ggcgagggtc tgggcccga gtcggagcca atctccccc caccgcgtc ttgtccgcg 2400
gctctgcggc gtccgagacc ccgggcccgc gggggcggt ctctttgtgc gtggccttgg 2460
ggccctacc taccgtccg ggcgtcttgc actgagcact c 2501

<210> 80

30 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 80

35

acagatgacc gaggggctcc cagcccggga ggtggaaatc cagcagggat ttccaaggcc 60

tagtttgcag ggctccagga tcgttcctag atcctgggtct tgcagccttg acaaggggaa 120
ggagggaggc agcagaagga gggcagaaca atccatgccca ggctgtgatt tgccaagtga 180
ccatctggga agaattgggt ctcagaccag ggacagggag cagaggcaag cccgcatctg 240
ccctggttgc agaaccggga ttcagactca gggccccgat ttctgcctgg atcgctccac 300
5 tgggaggagg agtgactgtg gacacatcca gggttctctc caagtcggct tcctcatctg 360
ccaaatagag accgcagacc accagctccc aggcaggtgc tactcttccg gccctccca 420
aggcaggagg gccaggcgta ctcgagacac aggtgtgctg gggggccagg tgggcccagg 480
agcagcatcc tgcagggtaa tgggagcagg tgggcacccc gaggtggca gtaaactctg 540
gctatctgcc cccaggctcc caggaggggt cttgggcctc acctcctccg gccggaacag 600
10 gaaagcagct ccaggcagct gggccacaa aaatctccgt tccctgaggt ctcagaggca 660
gtggcccagg agcatctggt caccttcggg aaaaaccggc ttggcaaagg ctccccgag 720
ggcacgcgtt tcccggacag tgaggcagga cctaaactct tccgttaaca ctacattttt 780
cgcatctctg cagtgtttgc actctcaggc cccaccattt ccccgcatct cttagggaga 840
agttctcgac gtcccacctc ccctggaagg gtgctgctcc cagagacctt caggccaatg 900
15 gcccaatctc agtgccctca ggggagaggg ggggtgcagaa aaacagcctg ggtcacaaaa 960
gaggtgagag ggctgtgaga tcccggaggc accgacggga agcgagacgg agaacaggag 1020
ggcaggacgg gctggagggt ggggatactg cagatggagg gagccacggt gggggaggggc 1080
gtggacctga ccgtcctggc acaaggcggg cgggtgcaga cctccaggcc ctccgggtta 1140
aggtgccgcc cagagccctc aggcgggggg cgcacggaaa ccacaggcag ggtgcgcgtg 1200
20 gagggacggg gaaagcgggg cgggttgggg aaggcgcccc gggaaacctg acctcccacc 1260
ccgcctcagt ctcgaccact ccttaagccc caccgcgcc caggtaaggc gcagtccacc 1320
cccattecca gtagattaac gcacaggtgg gggcgcgctc gggacatagc tgcgctaggg 1380
gacagcgcg cccagcccagt cgcggggggc agggagcagg cggggcccag caggaaacca 1440
gctttgttag cgatgctccc cgtgagccac gcgccacgcg tacgcgcttc ctcaatgggg 1500
25 ccgggcgtgg agccgcgcc tgcgcgattg gccaaacggg tggcccacga ttggctgaga 1560
ccctggcccc cgcctcctcg gcccaggag ggtggggcgt ggggtgtggc tgcgcggcgc 1620
gtgctgcccc cggggatctt gcgcgectcc cgaacagccg tgttgctgcc agggccgcgc 1680
cttccctccc acagcgcgcg ctgcgcgtgc gaaggtcttg cggtctttgg gactggcggg 1740
gctgcgcgcg gggttagggt gggggtacgg gaaggctcaa cccaggacct gcgtaccttg 1800
30 ctttgggggc gactaagca cctgccggga gcagggggcg caccgggaac tcgcagattt 1860
cgccagttgg gcgcactggg gatctgtgga ctgcgtccgg gggatgggct agggggacat 1920
gcgcacgctt tgggccttac agaattgtgat cgcgcgaggg ggagggcgaa gcgtggcggg 1980
agggcgaggc gaaggaagga gggcgtgaga aaggcgacgg cggcgggcgc gaggaggggt 2040
atctatacat ttaaaaacca gccgcctgcg ccgcgcctgc ggagacctgg gagagtccgg 2100
35 ccgcacgcgc gggacacgag cgtcccacgc tccctggcgc gtacggcctg ccaccactag 2160
gcctcctatc cccgggctcc agacgaccta ggacgcgtgc cctggggagt tgctggcg 2220

cgccgtgccga gaagccccct tggggcgcca cagttttccc cgtcgccctcc ggttcctctg 2280
cctgcacctt cctgcggcgc gccgggacct ggagcgggcg ggtggatgca ggcgcgatgg 2340
acggcggcac actgcccagg tccgcgcccc ctgcgcccc cgtccctgtc ggctgcgctg 2400
cccggcggag acccgcgtcc ccggaactgt tgcgctgcag ccggcggcgg cgaccggcca 2460
5 ccgcagagac cggaggcggc gcagcggccg tagcgcggcg c 2501

<210> 81

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 81

aatcctccaa attctaaaaa ca

22

<210> 82

20 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 82

aggaaaggga gtgagaaaat

20

30

<210> 83

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 83

5 ggataggagt tgggattaag at

22

<210> 84

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 84

aaatcttttt caacaccaaa at

22

<210> 85

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 85

aaccctttct tcaaattaca aa

22

30

<210> 86

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 86

5 tgattggggtt ttagggaaat a

21

<210> 87

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 87

ttgaaaataa gaaagggttga gg

22

<210> 88

20 <211> 19

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 88

cttctacccc aaatcccta

19

30

<210> 89

<211> 18

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 89

5 tgttttgggat tgggtagg

18

<210> 90

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 90

cataaccttt acctatctcc tca

23

<210> 91

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 91

tttttagattg aggttttagg gt

22

30

<210> 92

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 92

5 atccattcta cctccttttt ct

22

<210> 93

<211> 18

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 93

ggaggggaga gggttatg

18

<210> 94

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 94

tactatacac accccaaaac aa

22

30

<210> 95

<211> 19

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 95

5 ttttgggaat gggttgtat

19

<210> 96

<211> 21

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 96

ctacccttaa cctccatcct a

21

<210> 97

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 97

ttgttgggag tttttaagtt tt

22

30

<210> 98

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 98

5 caaattctcc ttccaaataa at

22

<210> 99

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 99

gtaatttgaa gaaagttgag gg

22

<210> 100

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 100

ccaacaacta aacaaaacct ct

22

30

<210> 101

<211> 20

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 101

5 ggagttgtat tgttgggaga

20

<210> 102

<211> 21

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 102

taaaacccca attttcacta a

21

<210> 103

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 103

tttgtattag gttggaagtg gt

22

30

<210> 104

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 104

5 cccaaataaa tcaacaacaa ca

22

<210> 105

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 105

gattttttgga gaggaagtta ag

22

<210> 106

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 106

aaaactaaaa accaaaccca ta

22

30

<210> 107

<211> 20

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 107

5 tgggggtagt ttaggatagg

20

<210> 108

<211> 25

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 108

cttaaaaaca ctaaaacttc tcaaa

25

<210> 109

20 <211> 21

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 109

tttttgtatt ggggtaggtt t

21

30

<210> 110

<211> 24

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 110

5 cccaactatc tctctcctct ataa

24

<210> 111

<211> 25

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 111

attagaagtg aaagtaatgg aattt

25

<210> 112

20 <211> 19

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 112

tcaattttcca aaaaccaac

19

30

<210> 113

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 113

5 gggatggggtt attagttgta aa

22

<210> 114

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 114

ccttcacaca aaactacaaa aa

22

<210> 115

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 115

taattgaagg ggttaatagt gg

22

30

<210> 116

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 116

5 aaaaccaaaa ccaaaactaa aa

22

<210> 117

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 117

agtggttttg gagtttagat gt

22

<210> 118

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 118

aacaaaataa aaacttctcc ca

22

30

<210> 119

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 119

5 taggggaaaa gttagagttg ag

22

<210> 120

<211> 18

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 120

cccattaacc cacaaaaa

18

<210> 121

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 121

at tt t t t a g t t t g t g a a a t g g g a t

22

30

<210> 122

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 122

5 tcttaaccaa taaccctca c

21

<210> 123

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 123

gtgggttttg ggtagttata ga

22

<210> 124

20 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 124

taacctcctc tccttaccaa

20

30

<210> 125

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 125

5 taggatgggg agagtaatgt tt 22

<210> 126

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 126

acaacttata caacttccat tc 22

<210> 127

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 127

tcccacaaaa actaaacaat ta 22

30 <210> 128

<211> 21

<212> DNA

<213> Artificial Sequence

35 <220>

<223> primer

<400> 128

5 aggtttttaga tgaaggggtt t

21

<210> 129

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 129

tttggagggt ttagtagaag tta

23

<210> 130

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 130

cccaataatc acaaaataaa ca

22

30

<210> 131

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 131

5 atacaacctc aaatcctatc ca

22

<210> 132

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 132

agggagaagg aagttatttg tt

22

<210> 133

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 133

ggaagatgag gaagttgatt ag

22

30 <210> 134

<211> 22

<212> DNA

<213> Artificial Sequence

35 <220>

<223> primer

<400> 134

5 cctacaaccc tatcctctaa aa 22

<210> 135

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 135

ttagtagggg tgtgagtgtt tt 22

<210> 136

20 <211> 23

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 136

caaacaaaac ttctatctca acc 23

30 <210> 137

<211> 21

<212> DNA

<213> Artificial Sequence

35 <220>

<223> primer

<400> 137

5 ttataggggtt gagtttggga t

21

<210> 138

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 138

taaacaaaca acaaattcttc ca

22

<210> 139

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 139

tgaaaatgaa ggtatggagt tt

22

30

<210> 140

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 140

5 ttaaaaccat ataatccctc ca

22

<210> 141

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 141

tatgttttggc tttgttttga ga

22

<210> 142

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 142

aaccccatca cttttatttc tt

22

30

<210> 143

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 143

5 ggggtgtagaa gtgttttaggt tt

22

<210> 144

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 144

tttctcccct tacaacaata ac

22

<210> 145

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 145

tccccttcca actatatctc tc

22

30

<210> 146

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 146

5 tgagagtgtt ttagggaagt tt

22

<210> 147

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 147

aaaaccaaaa cataaaccaa aa

22

<210> 148

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 148

gattaggagg gtttgttgag at

22

30

<210> 149

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 149

5 aatggttgat gattttgggtt t

21

<210> 150

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 150

actctcttcc ctatacccct aa

22

<210> 151

20 <211> 24

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 151

30 tgttagtaga gttttaggga gggtt

24

<210> 152

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 152

5 acactaccta tccttacccc ac

22

<210> 153

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 153

tttttgtttt tatggggtgt at

22

<210> 154

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 154

ttaaatatcc cttccttaac ca

22

30

<210> 155

<211> 23

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 155

5 agttagaaga ggagtttagga tgg

23

<210> 156

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 156

taattttcca atacccat tt

22

<210> 157

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 157

30 tgggtagtat ttttggtggt tt

22

<210> 158

<211> 22

<212> DNA

35 <213> Artificial Sequence

<220>

<223> primer

<400> 158

5 cctaaaaact ctctcatcct ca

22

<210> 159

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 159

agtggtttag gagtatttgg tta

23

<210> 160

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 160

aactccctcc atctacaata tc

22

30

Figure 1




Figure 2




Figure 3




Figure 4

A			
	TP	FP	FN
11-a	9	8	0
11-b	9	7	0
12	7	9	0
13	7	6	1
14	9	11	1
15	7	5	1
21-a	8	4	2
21-b	8	4	0
22	8	9	2
23-a	7	5	0
23-b	7	10	1
24	10	17	0
25	8	0	0
31	9	3	0
32	4	7	4
33	6	9	2
34	8	3	0
35	7	4	2

	TP	FP	FN
Ø	7,67	6,72	0,89
STABW	1,37	3,86	1,13

C			
	TP	FP	FN
11-a	8	7	1
11-b	8	4	1
12	7	6	1
13	8	6	0
14	6	6	2
15	4	9	5
21-a	7	3	0
21-b	8	4	0
22	4	6	3
23-a	6	4	3
23-b	8	5	1
24	8	10	4
25	5	1	3
31	7	2	1
32	8	3	1
33	2	3	7
34	7	8	1
35	6	3	1

	TP	FP	FN
Ø	6,5	5	1,94
	1,76	2,45	1,89

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/08602

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, EMBASE, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01 62960 A (BERLIN KURT ;EPIGENOMICS AG (DE); OLEK ALEXANDER (DE)) 30 August 2001 (2001-08-30) page 10, line 9 - line 12; claims 1-26 page 13, line 10 - line 29 ---	1-51
X	HERMAN J G ET AL: "METHYLATION-SPECIFIC PCR: A NOVEL PCR ASSAY FOR METHYLATION STATUS OF CPG ISLANDS" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, NATIONAL ACADEMY OF SCIENCE. WASHINGTON, US, vol. 93, 1 September 1996 (1996-09-01), pages 9821-9826, XP002910406 ISSN: 0027-8424 cited in the application page 9821 -page 9823 --- -/--	1-51

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

*** Special categories of cited documents :**

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

10 December 2003

Date of mailing of the international search report

02/01/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Favre, N

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/08602

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 786 146 A (HERMAN JAMES G ET AL) 28 July 1998 (1998-07-28) page 6, line 1 -page 7, line 6; claim 1 ---	1-51
X	WO 01 44504 A (FOX JAYNE CATHERINE ;HAQUE KEMAL (GB); LITTLE STEPHEN (GB); ASTRAZ) 21 June 2001 (2001-06-21) page 6, line 26 -page 8, line 7; figure 1 ---	1-51
X	WO 98 56952 A (UNIV SOUTHERN CALIFORNIA) 17 December 1998 (1998-12-17) page 9, line 20 -page 10, line 2; claims 9,10 ---	1-51
X	REIN ET AL: "Identifying 5-methylcytosine and related modifications in DNA genomes" NUCLEIC ACIDS RESEARCH, OXFORD UNIVERSITY PRESS, SURREY, GB, vol. 26, no. 10, 1998, pages 2255-2264, XP002143106 ISSN: 0305-1048 cited in the application abstract; figure 2 ---	1-51
X	WO 00 70090 A (UNIV SOUTHERN CALIFORNIA) 23 November 2000 (2000-11-23) page 13, line 29 -page 14, line 34; claim 1 ---	1-51
X	ZESCHNIGK M ET AL: "A SINGLE-TUBE PCR TEST FOR THE DIAGNOSIS OF ANGELMAN AND PRADER-WILLI SYNDROME BASED ON ALLELIC METHYLATION DIFFERENCES AT THE SNRPN LOCUS" EUROPEAN JOURNAL OF HUMAN GENETICS, KARGER, BASEL, CH, vol. 5, no. 2, 1997, pages 94-98, XP009011533 ISSN: 1018-4813 cited in the application abstract; figure 1 ---	1-51
A	GRIFFIN HG AND GRIFFIN AM (EDS.): "PCR TECHNOLOGY: Current Innovations" 1994, CRC PRESS, BOCA RATON XP008025537 page 5 -page 11 ---	1-51
A	US 6 007 231 A (BISHOP ROBERT ET AL) 28 December 1999 (1999-12-28) the whole document ---	1-51
	-/--	

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/08602

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>SEIJEN A M ET AL: "Systematic design of mouse Vh gene family-specific oligonucleotides"</p> <p>JOURNAL OF IMMUNOLOGICAL METHODS, ELSEVIER SCIENCE PUBLISHERS B.V., AMSTERDAM, NL, vol. 254, no. 1-2, 1 August 2001 (2001-08-01), pages 161-168, XP004245450</p> <p>ISSN: 0022-1759</p> <p>the whole document</p>	1-51
A	<p>WO 00 49177 A (DU PONT ; ROUVIERE PIERRE (US)) 24 August 2000 (2000-08-24)</p> <p>the whole document</p>	1-51
A	<p>SCHULER G D: "SEQUENCE MAPPING BY ELECTRONIC PCR"</p> <p>GENOME RESEARCH, COLD SPRING HARBOR LABORATORY PRESS, US, vol. 7, 1997, pages 541-550, XP000872176</p> <p>ISSN: 1088-9051</p> <p>cited in the application</p> <p>the whole document</p>	1-51
A	<p>ENGELS W R: "Contributing software to the internet: the Amplify program"</p> <p>TRENDS BIOCHEM. SCI., vol. 18, 1993, pages 448-450, XP001161002</p> <p>the whole document</p>	1-51
P, X	<p>US 2003/068625 A1 (BARRETT WADE A ET AL) 10 April 2003 (2003-04-10)</p> <p>claims 1-32; figures 1-4</p>	39-51

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 03/08602

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
see FURTHER INFORMATION sheet PCT/ISA/210
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.1

Insofar as they include the step of isolating a nucleic sample, i.e. a step which could be performed on the living human or animal body, claims 1-38 relate to a method of treatment and/or diagnostic performed on the living human or animal body, the search has been carried out and restricted on in vitro methods.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 03/08602

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0162960	A	30-08-2001	DE 10010282 A1	06-09-2001
			AU 4227701 A	03-09-2001
			CA 2401233 A1	30-08-2001
			WO 0162960 A2	30-08-2001
			EP 1257670 A2	20-11-2002
			JP 2003525041 T	26-08-2003
			US 2003157510 A1	21-08-2003
US 5786146	A	28-07-1998	CA 2257104 A1	11-12-1997
			EP 0954608 A1	10-11-1999
			IL 127342 A	25-07-2002
			JP 2000511776 T	12-09-2000
			WO 9746705 A1	11-12-1997
			US 6200756 B1	13-03-2001
			US 6265171 B1	24-07-2001
			US 6017704 A	25-01-2000
WO 0144504	A	21-06-2001	AU 2194801 A	25-06-2001
			WO 0144504 A2	21-06-2001
WO 9856952	A	17-12-1998	AU 7829398 A	30-12-1998
			US 6251594 B1	26-06-2001
			WO 9856952 A1	17-12-1998
			US 2002177154 A1	28-11-2002
			US 2003211473 A1	13-11-2003
WO 0070090	A	23-11-2000	US 6331393 B1	18-12-2001
			AU 4712200 A	05-12-2000
			CA 2372665 A1	23-11-2000
			EP 1185695 A1	13-03-2002
			JP 2002543852 T	24-12-2002
			WO 0070090 A1	23-11-2000
			US 2002086324 A1	04-07-2002
US 6007231	A	28-12-1999	AU 3632097 A	06-03-1998
			CA 2263731 A1	19-02-1998
			EP 0925372 A1	30-06-1999
			WO 9806872 A1	19-02-1998
WO 0049177	A	24-08-2000	CA 2359645 A1	24-08-2000
			EP 1153141 A2	14-11-2001
			WO 0049177 A2	24-08-2000
			US 2003113886 A1	19-06-2003
			US 6365376 B1	02-04-2002
			US 2002127666 A1	12-09-2002
US 2003068625	A1	10-04-2003	WO 03021259 A1	13-03-2003
			US 2003108919 A1	12-06-2003
			US 2003073093 A1	17-04-2003